


IP CamSecure support camera list

LevelOne										
										
- : not available on camera *1: not available on software										
Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
FCS-0010		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
FCS-0020	1.0.07	MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	
FCS-0030		M-JPEG MPEG4 H.264	1	1280x800	2-way	0/0	-	-	Yes	Supported by design
FCS-0040	V1.0.02	M-JPEG MPEG4 H.264	1	1280x960	2-way	-	-	-	Yes	
FCS-1010	0102d	H.263	1	720x576	1-way	1/1	Yes	-	Yes	
FCS-1030V1.0		H.263	1	720x576	1-way	-	-	-	Yes	Supported by design
FCS-1030V2.0		MPEG4	1	720x576	1-way	-	-	-	Yes	Supported by design
FCS-1040	0102a	MPEG4 M-JPEG	1	720x576	2-way	1/1	Yes	-	Yes	
FCS-1040 v3.0	0100a	MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	
FCS-1050		H.263	1	720x576	1-way	1/1	-	-	Yes	Supported by design
FCS-1060	0202a	MPEG4	1	720x576	1-way	-	Yes	-	Yes	
FCS-1070		MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
FCS-1081		MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
FCS-1081A		MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	Supported by design
FCS-1091		MPEG4 M-JPEG	1	640x480	2-way	2/2	-	-	Yes	Supported by design
FCS-1101		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
FCS-1121	v1.0.0.10	M-JPEG MPEG4 H.264	1	1280x800	2-way	1/0	-	-	Yes	
FCS-1131	s/w: L20100315N S	M-JPEG H.264	1	1920x1080	2-way	1/1	-	-	Yes	

LevelOne



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
FCS-1141	CCD: CCD-cameraFw-100205	M-JPEG MPEG4 H.264	1	1280x960	2-way	1/1	-	-	Yes	
Note:	Detail FW version : CCD: CCD-cameraFw-100205 ; s/w: L20100312NS									
FCS-1151	0100a	M-JPEG MPEG4 H.264	1	1600x1200	2-way	1/1	-	-	Yes	
FCS-3000	0101a	MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	
FCS-3021		MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
FCS-3031	V1.0.01	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
FCS-3051	V1.0.01	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
FCS-3061	v1.0.0.17	M-JPEG MPEG4 H.264	1	1280x800	2-way	1/0	-	-	Yes	
FCS-3071	s/w: L20100315N S	M-JPEG H.264	1	1920x1080	1-way	0/0	-	-	Yes	
FCS-3081	L20100820N S	M-JPEG H.264	1	1920x1080	2-way	1/1	-	-	Yes	
Note:	LevelOne FCS-3081: Audio out only works under UDP protocol.									
FCS-4010		MPEG4 M-JPEG	1	720x576	1-way	4/1	Yes	-	Yes	Supported by design
FCS-4020	0100a	MPEG4 M-JPEG	1	704x576	2-way	4/1	Yes	-	Yes	
FCS-4x00		MPEG4 M-JPEG	1	704x480	2-way	4/1	Yes	-	Yes	Supported by design
FCS-5011	0100c	MPEG4 M-JPEG	1	720x480	2-way	1/1	-	-	Yes	
FCS-5030	0102g	MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	
Note:	No audio support in M-JPEG format.									
FCS-5041	v1.0.0.33	MPEG4 M-JPEG H.264	1	1280x800	2-way	1/0	Yes	-	Yes	
Note:	LevelOne FCS-5041: PTZ only supports zoom and focus function.									
FCS-5051	L20100820N S	M-JPEG H.264	1	1920x1080	2-way	1/1	-	-	Yes	
Note:	LevelOne FCS-5051: Audio out only works under UDP protocol.									

LevelOne



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
FCS-7011		MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	-	Yes	Supported by design
FCS-7111	0100c	MPEG4 M-JPEG H.264	1	1600x1200	2-way	1/1	-	-	Yes	
WCS-0010		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
WCS-0020		MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	Yes	Supported by design
WCS-0030	v1.0.0.7	M-JPEG MPEG4 H.264	1	1280x800	2-way	0/0	-	-	Yes	
WCS-0040	V1.0.02	M-JPEG MPEG4 H.264	1	1280x960	2-way	-	-	-	Yes	
WCS-1090		MPEG4 M-JPEG	1	640x480	2-way	2/2	-	-	Yes	Supported by design
WCS-2010V1.0		H.263	1	720x576	1-way	1/1	Yes	-	Yes	Supported by design
WCS-2010V2.0		H.263	1	720x576	1-way	1/1	Yes	-	Yes	Supported by design
WCS-2030V1.0	0200d	H.263	1	720x576	1-way	-	-	-	Yes	
WCS-2030V2.0		H.263	1	720x576	1-way	-	-	-	Yes	Supported by design
WCS-2030V3.0		MPEG4	1	720x576	1-way	-	-	-	Yes	Supported by design
WCS-2040	0101b	MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	
WCS-2040 v3.0	0100b	MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	
WCS-2060		MPEG4	1	720x576	1-way	-	-	-	Yes	Supported by design
WCS-2070	0100b	MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ACD2000Q	A4Q-220-V3.02.04-AC	MPEG4 M-JPEG	4	720x480	2-way	2/2	Yes	-	-	
ACD2100	A1D-220-V3.08.08-AC	MPEG4 M-JPEG	1	720x480	2-way	2/2	Yes	-	-	
ACD2200	A4D-R2N-V2.05.02-AC	MPEG4 M-JPEG	4	720x480	2-way	8/8	Yes	-	-	
ACD2300		MPEG4 M-JPEG	8	720x480	2-way	16/16	Yes	-	-	Supported by design
ACD2400	AGD-R2N-V2.05.02-AC	MPEG4 M-JPEG	16	720x480	2-way	32/32	Yes	-	-	
ACM1011	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	
ACM1231		MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	Supported by design
ACM1232		MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	Supported by design
ACM1311		MPEG4 M-JPEG	1	720x480	2-way	-	-	-	-	Supported by design
ACM1431		MPEG4 M-JPEG	1	720x480	2-way	-	-	-	-	Supported by design
ACM1432		MPEG4 M-JPEG	1	720x480	2-way	-	-	-	-	Supported by design
ACM1511	A1D-220-V3.11.13-AC	MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	
ACM3001		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	-	Supported by design
ACM3011		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	-	Supported by design
ACM3211		MPEG4 M-JPEG	1	720x480	2-way	-	Yes	-	-	Supported by design
ACM3311		MPEG4 M-JPEG	1	720x480	2-way	-	Yes	-	-	Supported by design
ACM3401	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	
ACM3411		MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	Supported by design
ACM3511		MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	Supported by design
ACM3601	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	640x480	-	-	-	-	-	
ACM3603		MPEG4 M-JPEG	1	640x480	-	-	-	-	-	Supported by design

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ACM3701	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	1280x1024	-	-	-	-	-	
ACM3703	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	1280x1024	-	-	-	-	-	Supported by design
ACM4000		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	-	Supported by design
ACM4001		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	-	Supported by design
ACM4100	A1D-220-V3.09.14-AC	MPEG4 M-JPEG	1	640x480	2-way	-	-	-	-	
ACM4200	A1D-220-V3.11.13-AC	MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	
ACM4201		MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	Supported by design
ACM5001		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	-	Supported by design
ACM5601	A1D-220-V3.08.08-AC	MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	-	
ACM5611		MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	-	Supported by design
ACM5711	A1D-220-V3.08.08-AC	MPEG4 M-JPEG	1	720x480	2-way	1/1	-	-	-	
ACM5811	A1D-220-V3.12.13-AC	MPEG4 M-JPEG	1	720x480	2-way	1/1	-	-	Yes	
ACM7411	A1D-220-V3.09.14-AC	MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	-	
ACM7511	A1D-220-V3.12.13-AC	MPEG4 M-JPEG	1	720x480	2-way	1/1	-	-	Yes	
ACM8201	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	1280x1024	2-way	1/1	Yes	-	-	
ACM8211	A1D-220-V3.09.14-AC	MPEG4 M-JPEG	1	1280x1024	2-way	1/1	Yes	Yes	-	
Note:	A1D-220-V3.09.14-AC: There is problem at 160x112 resolutions.									
ACM8511	A1D-220-V3.11.13-AC	MPEG4 M-JPEG	1	720x480	2-way	1/1	Yes	Yes	-	
Note:	ACD / ACM series cameras do not support FW 3.11.11.									
AMU9401	A1D-220-V3.10.22-NB	MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	
AMU9711	A1D-220-V3.10.22-NB	MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
CAM5130		MPEG4	1	720x480	-	1/1	Yes	Yes	-	Supported by design
CAM5140		MPEG4	1	720x480	-	1/1	Yes	Yes	-	Supported by design
CAM5150		MPEG4	1	720x480	-	1/1	Yes	Yes	-	Supported by design
CAM5200		MPEG4	1	720x480	-	1/1	-	Yes	-	Supported by design
CAM5201		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
CAM5221	A1D-M2N-V2.08.11-AC	MPEG4	1	720x480	1-way	1/1	-	Yes	-	
CAM5300		MPEG4	1	720x480	-	1/1	-	Yes	-	Supported by design
CAM5301		MPEG4	1	720x480	-	1/1	-	Yes	-	Supported by design
CAM5321		MPEG4	1	720x480	-	1/1	-	Yes	-	Supported by design
CAM5500		MPEG4	1	720x480	-	1/1	-	Yes	-	Supported by design
CAM6100		MPEG4	1	720x480	2/2	-	Yes	Yes	-	
CAM6200	A1D-2.07.14-AC	MPEG4	1	720x480	-	2/2	Yes	Yes	-	Supported by design
CAM6220	A1D-2.07.14-AC	MPEG4	1	720x480	-	2/2	Yes	Yes	-	Supported by design
CAM6500		MPEG4	1	720x480	2-way	2/2	Yes	Yes	-	Supported by design
CAM6510	A1D-M2N-V2.08.11-AC	MPEG4	1	720x480	2-way	2/2	Yes	Yes	-	
CAM6520		MPEG4	1	720x480	2-way	2/2	Yes	Yes	-	Supported by design
CAM6600		MPEG4	1	720x480	2-way	2/2	Yes	Yes	-	Supported by design
CAM6610		MPEG4	1	720x480	2-way	2/2	Yes	Yes	-	Supported by design
CAM6620		MPEG4	1	720x480	2-way	2/2	Yes	Yes	-	Supported by design
CAM6630		MPEG4	1	720x480	2-way	2/2	Yes	Yes	-	Supported by design
CAM7100		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
CAM7120		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
CAM7200		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
CAM7220		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
CAM7300		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
CAM7301		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
CAM7320		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
CAM7321		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
CAM7322		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
SED2100		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	Supported by design
SED2120	A1D-M2N-V2.08.11-AC	MPEG4	1	720x480	-	2/2	Yes	Yes	-	
SED2140		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	Supported by design
SED2310Q		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	Supported by design
SED2320Q		MPEG4 M-JPEG	1	720x480	1-way	2/2	Yes	Yes	-	Supported by design
SED2400		MPEG4	2	720x480	1-way	2/2	Yes	Yes	-	Supported by design
SED2420	A1D-220-V3.08.08-AC	MPEG4	2	720x480	1-way	-	-	Yes	-	
SED2600		MPEG4	8	720x480	1-way	16/16	Yes	Yes	-	Supported by design
SED2610		MPEG4	8	720x480	1-way	16/16	Yes	Yes	-	Supported by design
SEM1110		Mpeg4	1	720x480	1-way	-	-	Yes	-	Supported by design
TCD2100	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	720x480	2-way	1/1	Yes	-	Yes	
TCD2500	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	720x480	2-way	2/1	-	-	Yes	
TCM1231	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
TCM1232		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Supported by design
TCM1511	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	
TCM3001		H.264 MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
TCM3011	A1D-310-V4.07.15-AC	H.264 MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
TCM3401		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Supported by design
TCM3411	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	
TCM3511	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	
TCM4101		H.264 MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
TCM4201	A1D-310-V4.08.05-AC	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	
TCM4301	A1D-310-V4.05.13-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	Supported by design
TCM5001	A1D-310-V4.07.15-AC	H.264 MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
TCM5311	A1D-310-V4.05.13-AC	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	-	
TCM5312		H.264 MPEG4 M-JPEG	1	1280x960	2-way	1/1	-	-	Yes	Supported by design
TCM5601	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	
TCM5611		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Supported by design
TCM7011	A1D-310-V4.06.09-AC	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
TCM7411		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Supported by design
TCM7811	A1D-310-V4.07.15-AC	H.264 MPEG4 M-JPEG	1	1280x960	2-way	1/1	-	-	Yes	
TMU9811	A1D-310-V4.07.10-NB	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	-	
TMU9911	A1D-310-V4.07.10-NB	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	-	

Note: Only **two** I/O are shown on the interface as adding **one** channel on devices with I/O function.

Arecont



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
AV1300	64328	M-JPEG	1	1280x1024	-	-	-	-	-	Supported by design
AV1305	64331	H.264 M-JPEG	1	1280x1024	-	1/1	-	-	-	
AV1310		M-JPEG	1	1280x1024	-	-	-	-	-	Supported by design
AV1355	65130	H.264 M-JPEG	1	1280x1024	-	-	-	-	-	Supported by design
AV2000	64328	M-JPEG	1	1600x1184	-	-	-	-	-	Supported by design
AV2100	64328	M-JPEG	1	1600x1184	-	-	-	-	-	Supported by design
AV2105	64331	H.264 M-JPEG	1	1600x1184	-	1/1	-	-	-	
AV2110		M-JPEG	1	1600x1200	-	-	-	-	-	Supported by design
AV2155	64803	H.264 M-JPEG	1	1600x1184	-	-	-	-	-	
AV2805	65150	H.264 M-JPEG	1	1920x1056	-	1/1	-	Done by Software	-	
AV3100	64328	M-JPEG	1	2048x1536	-	-	-	-	-	Supported by design
AV3105	64331	H.264 M-JPEG	1	1920X1216	-	1/1	-	-	-	
AV3110		M-JPEG	1	2048x1536	-	-	-	-	-	Supported by design
AV3130	61906	M-JPEG	1	2048x1536	-	-	-	-	-	Supported by design
AV3135	65135	H.264 M-JPEG	1	2048x1536	-	1/1	-	-	-	
AV3155	65113	H.264 M-JPEG	1	2048x1536	-	-	-	-	-	
AV5100	61906	M-JPEG	1	2560x1600	-	-	-	-	-	
AV5105	64331	H.264 M-JPEG	1	2560x1600	-	1/1	-	-	-	
AV5110		M-JPEG	1	2560x1920	-	-	-	-	-	Supported by design
AV5155	65113	H.264 M-JPEG	1	2560x1600	-	-	-	-	-	
AV8180	65010	M-JPEG	4	1600x1184	-	-	-	-	-	Supported by design

Arecont



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
AV8185	65026	H.264 M-JPEG	4	1600x1200	-	-	-	-	-	
AV8360	65010	M-JPEG	4	1600x1184	-	-	-	-	-	Supported by design
AV8365	65026	H.264 M-JPEG	4	1600x1184	-	-	-	-	-	Supported by design
AV10005M	65147	H.264 M-JPEG	1	3648x2752	-	-	-	-	-	

ARM



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
MP13DDNWD		MPEG4 M-JPEG	1	1280x960	2-way	1/1	-	-	-	Supported by design
MP13VPDN		MPEG4 M-JPEG	1	1280x960	2-way	1/1	-	-	-	Supported by design

ATLANTIS



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
A02-OIPCAM1		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
A02-OIPCAM2		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-OIPCAM3		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM5		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
A02-IPCAM6		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
A02-IPCAM7		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM8		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM9		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM10		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM11		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM12		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM13		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM14		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM15		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM16		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
A02-IPCAM17		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
205		M-JPEG	1	640x480	-	-	-	-	-	Supported by design
206		M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
206M		M-JPEG	1	1280x1024	-	-	-	-	Yes	Supported by design
206W		M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
207	4.4	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	-	Yes	
207MW		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	-	Yes	Supported by design
207W		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	-	Yes	Supported by design
209FD		MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
209FD-R		MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
209MFD		MPEG4 M-JPEG	1	1280x1024	-	-	Yes	-	Yes	Supported by design
209MFD-R		MPEG4 M-JPEG	1	1280x1024	-	-	Yes	-	Yes	Supported by design
210		MPEG4 M-JPEG	1	640x480	-	1/1	-	-	Yes	Supported by design
210A	4.4	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
211		MPEG4 M-JPEG	1	640x480	-	1/1	-	-	Yes	Supported by design
211A		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
211M		MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Supported by design
211W		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
212 PTZ		MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	-	Yes	Supported by design
213 PTZ		MPEG4 M-JPEG	1	704x576	2-way	2/3	Yes	-	Yes	Supported by design
214 PTZ	4.33	MPEG4 M-JPEG	1	704x480	2-way	1/1	Yes	-	Yes	
215 PTZ		MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	Supported by design



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
216FD		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
216FD-V		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
216MFD		MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Supported by design
216MFD-V		MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Supported by design
221		MPEG4 M-JPEG	1	640x480	-	2/1	-	-	Yes	Supported by design
223M		MPEG4 M-JPEG	1	1600x1200	2-way	2/1	-	-	Yes	Supported by design
225FD		MPEG4 M-JPEG	1	640x480	-	2/1	-	-	Yes	Supported by design
231D		MPEG4 M-JPEG	1	704x576	-	4/4	Yes	-	Yes	Supported by design
231D+		MPEG4 M-JPEG	1	704x576	-	4/4	Yes	-	Yes	Supported by design
232D		MPEG4 M-JPEG	1	704x576	-	4/4	Yes	-	Yes	Supported by design
232D+		MPEG4 M-JPEG	1	704x576	-	4/4	Yes	-	Yes	Supported by design
233D		MPEG4 M-JPEG	1	704x576	2-way	4/4	Yes	-	Yes	Supported by design
240Q		M-JEPG	4	704x576	-	4/4	-	-	Yes	Supported by design
2400		M-JEPG	4	704x576	-	4/1	-	-	Yes	Supported by design
241Q		MPEG4 M-JPEG	4	704x576	-	4/4	-	-	Yes	Supported by design
241QA	4.3	MPEG4 M-JPEG	4	704x576	1-way	4/4	-	-	Yes	
241S		MPEG4 M-JPEG	1	704x576	-	4/4	-	-	Yes	Supported by design
241SA		MPEG4 M-JPEG	1	704x576	1-way	4/4	-	-	Yes	Supported by design
242S		MPEG4 M-JPEG	1	704x576	-	4/4	-	-	Yes	Supported by design
243Q		MPEG4 M-JPEG	1	704x576	-	4/1	-	-	Yes	Supported by design
243SA		MPEG4 M-JPEG	1	704x576	2-way	4/4	-	-	Yes	Supported by design

AXIS



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
247S		MPEG4 M-JPEG	1	704x576	1-way	1/1	-	-	Yes	Supported by design
2460		M-JEPG	4	-	-	4/4	-	-	Yes	Supported by design
M1011	5	H.264 MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	
M1011-W	5	H.264 MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	
M1031-W	5	H.264 MPEG4 M-JPEG	1	640x480	2-way	1/0	-	-	Yes	
M1054	5.15.1	H.264 M-JPEG	1	1024x600	2-way	1/1	Yes	-	Yes	
M1103	5.08	H.264 M-JPEG	1	640x480	-	-	Yes	-	Yes	
M1104		H.264 M-JPEG	1	1280x800	-	-	-	-	Yes	Supported by design
M1114	5.08	H.264 M-JPEG	1	1280x800	-	-	-	-	Yes	
M3011	5.01	H.264 MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	
M1113	5.08	H.264 M-JPEG	1	640x480	-	-	Yes	-	Yes	
M3014		H.264 M-JPEG	1	1280x800	-	-	-	-	Yes	Supported by design
M3203		H.264 M-JPEG	1	800x600	-	-	-	-	Yes	Supported by design
M3203-V		H.264 M-JPEG	1	800x600	-	-	-	-	Yes	Supported by design
M3204		H.264 M-JPEG	1	1280x800	-	-	-	-	Yes	Supported by design
M3204-V		H.264 M-JPEG	1	1280x800	-	-	-	-	Yes	Supported by design
M7001	5.01	H.264 M-JPEG	1	720x480	-	-	Yes	-	Yes	
P1311	5.01	H.264 MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
P1343		H.264 M-JPEG	1	800x600	2-way	1/1	Yes	-	Yes	
P1344	5.06	H.264 M-JPEG	1	1280x800	2-way	1/1	Yes	-	Yes	
P1346	5.06	H.264 M-JPEG	1	2048x1536	2-way	1/1	-	-	Yes	

AXIS



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
P3301	5.11	H.264 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
P3301-V		H.264 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	Supported by design
P3304		H.264 M-JPEG	1	1280x800	2-way	1/1	-	-	Yes	Supported by design
P3304-V		H.264 M-JPEG	1	1280x800	2-way	1/1	-	-	Yes	Supported by design
P3343	5.06	H.264 M-JPEG	1	800x600	2-way	1/1	Yes	-	Yes	
P3343-V		H.264 M-JPEG	1	800x600	2-way	1/1	Yes	-	Yes	Supported by design
P3343-VE		H.264 M-JPEG	1	800x600	2-way	1/1	Yes	-	Yes	Supported by design
P3344	5.06	H.264 M-JPEG	1	1280x800	2-way	1/1	Yes	-	Yes	
P3344-V	5.06	H.264 M-JPEG	1	1280x800	2-way	1/1	Yes	-	Yes	
P3344-VE	5.07	H.264 M-JPEG	1	1280x800	2-way	1/1	Yes	-	Yes	
Note:	P3343 and P3344 series cameras support digital PTZ only.									
P5534	5.15.1	H.264 M-JPEG	1	1280x720	2-way	2/2	Yes	-	Yes	
Q1755	5.02	H.264 M-JPEG	1	1920x1080	2-way	1/1	Yes	-	Yes	
Note:	M-JPEG: Due to the HW constraints, the frame rate and audio will be impacted if resolution and quality are high.									
Q1910	5.11	H.264 M-JPEG	1	720x576	2-way	1/1	Yes	-	Yes	
Q1910-E		H.264 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
Q6032-E	5.06.1	H.264 M-JPEG	1	704x576	-	-	Yes	-	Yes	
Q6034	5.15	H.264 M-JPEG	1	1280x800	-	2/2	Yes	-	Yes	
Q7401		H.264 M-JPEG	1	704x576	2-way	2/2	Yes	-	Yes	Supported by design
Q7404	5.02	H.264 M-JPEG	4	768x576	2-way	1/1	Yes	-	Yes	
Q7406		H.264 M-JPEG	6	704x576	-	-	Yes	-	Yes	Supported by design

BASLER

- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
BIP-640C		H.264 MPEG4 M-JPEG	1	640x480	-	1/1	-	-	-	Supported by design
BIP-640C-DN		H.264 MPEG4 M-JPEG	1	640x480	-	1/1	-	-	-	Supported by design
BIP-1000C	BIP-1000c-1.3-0	H.264 MPEG4 M-JPEG	1	1024x768	-	1/1	-	-	-	
BIP-1000C-DN		H.264 MPEG4 M-JPEG	1	1024x768	-	1/1	-	-	-	Supported by design
BIP-1300C	BIP-1300c-1.3-0	H.264 MPEG4 M-JPEG	1	1280x960	-	1/1	-	-	-	
BIP-1300C-DN		H.264 MPEG4 M-JPEG	1	1280x960	-	1/1	-	-	-	Supported by design
BIP-1600C	BIP-1600c-1.3-0	H.264 MPEG4 M-JPEG	1	1600x1200	-	1/1	-	-	-	
BIP-1600C-DN		H.264 MPEG4 M-JPEG	1	1600x1200	-	1/1	-	-	-	Supported by design

BOSCH**BOSCH**
Invented for life- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
NWC-0455	19500410	H.264 M-JPEG	1	704x576	-	-	-	-	-	

Brickcom

- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
WCB-100A	v2.3.5.6.1	H.264 MPEG4 M-JPEG	1	1280x800	2-way	-	-	-	Yes	
WFB-100A	v2.3.7.8	H.264 MPEG4 M-JPEG	1	1280x800	2-way	1/0	-	-	Yes	
FD-100A	v2.3.7.8	H.264 MPEG4 M-JPEG	1	1280x800	2-way	1/0	-	-	Yes	
CB-100A	v3.0.2.4	H.264 MPEG4 M-JPEG	1	1280x800	2-way	-	-	Done by Software	Yes	
FB-100A	v3.0.2.3	H.264 MPEG4 M-JPEG	1	1280x800	2-way	1/0	-	Done by Software	Yes	
CB-100Ae	v3.0.2.4	MPEG4 M-JPEG	1	1280x800	2-way	-	-	Done by Software	Yes	
FB-100Ae	v3.0.2.3	MPEG4 M-JPEG	1	1280x800	2-way	1/0	-	Done by Software	Yes	
FD-100Ae	v3.0.2.3	MPEG4 M-JPEG	1	1280x800	2-way	1/0	-	Done by Software	Yes	
WCB-100Ae	v3.0.2.4	MPEG4 M-JPEG	1	1280x800	2-way	-	-	Done by Software	Yes	
WFB-100Ae	v3.0.2.3	MPEG4 M-JPEG	1	1280x800	2-way	1/0	-	Done by Software	Yes	

CAMTRON



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
CMNC-130	Enc:V1.102A-008	H.264 M-JPEG	1	1920x960	2-way	1/1	Yes	Done by Software	No	
CMNC-200		H.264 M-JPEG	1	1920x1080	2-way	1/1	No	Done by Software	No	Supported by design
CTNC-5358D		H.264 M-JPEG	1	720x480	2-way	1/1	No	Done by Software	No	Supported by design
HLC-81A D/P		H.264 MPEG4 M-JPEG	1	1600x1200	2-way	1/1	No	Done by Software	Yes	
HLC-83V		MPEG4	1	640x480	2-way	1/1	No	Done by Software	Yes	
HLC-83V/W		MPEG4	1	640x480	2-way	1/1	No	Done by Software	Yes	
HLC-84V		MPEG4	1	640x480	2-way	-	No	Done by Software	Yes	
HLC-84V/W		MPEG4	1	640x480	2-way	-	No	Done by Software	Yes	
IPH3611N	1.06.03	H.264 MPEG4 M-JPEG	1	720x576(P) 720x480(N)	2-way	4/2	Yes	Done by Software	-	
NVE1000A	1.5.641	M-JPEG MPEG4	1	720x480	2-way	2/2	Yes	Done by Software	-	
NVE2000A		M-JPEG MPEG4	1	720x480	2-way	2/2	Yes	Done by Software	-	Supported by design
NVE4000A		M-JPEG MPEG4	1	720x480	2-way	2/2	Yes	Done by Software	-	Supported by design

CISCO

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
PVC300	1.0.0	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	-	Yes	
WVC210	v1.1.0	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	Yes	
Note:	PTZ is only supported by external RS-485 device.									

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IBE3815NVR		H.264 MPEG4 M-JPEG	1	704x480	2-way	-	Yes	-	Yes	Supported by design
IBE3815PVR		H.264 MPEG4 M-JPEG	1	704x576	2-way	-	Yes	-	Yes	Supported by design
IBE5810NCR		H.264 MPEG4 M-JPEG	1	704x480	2-way	-	Yes	-	Yes	Supported by design
IBE5810PCR		H.264 MPEG4 M-JPEG	1	704x576	2-way	-	Yes	-	Yes	Supported by design
IDP4000VD		H.264 MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
IDP4000VR		H.264 MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
IDP4030VR	XNET.A1-1.1.10.304	H.264 MPEG4 M-JPEG	1	1280x960	2-way	-	-	-	Yes	
IGP1000		H.264 MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	Yes	Supported by design
IGP1030		H.264 MPEG4 M-JPEG	1	1280x960	2-way	-	Yes	-	Yes	Supported by design
IJB2000		H.264 MPEG4 M-JPEG	1	704x576	2-way	-	Yes	-	Yes	Supported by design
INS2000	XNET.A1-1.1.10.304	H.264 MPEG4 M-JPEG	1	704x480	2-way	-	Yes	-	Yes	
IPM3063N		H.264 MPEG4 M-JPEG	1	704x480	2-way	-	Yes	-	Yes	Supported by design
IPM3063P		H.264 MPEG4 M-JPEG	1	704x576	2-way	-	Yes	-	Yes	Supported by design
ISMC1063N	XNET.A1-1.1.10.304	H.264 MPEG4 M-JPEG	1	704x480	2-way	-	Yes	-	Yes	
ISMC1063P		H.264 MPEG4 M-JPEG	1	704x576	2-way	-	Yes	-	Yes	Supported by design
ISS2765NW		H.264 MPEG4 M-JPEG	1	704x480	2-way	-	Yes	-	Yes	Supported by design
ISS2765PW		H.264 MPEG4 M-JPEG	1	704x576	2-way	-	Yes	-	Yes	Supported by design
IVP4000VR		H.264 MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
IVP4030VR		H.264 MPEG4 M-JPEG	1	1280x960	2-way	-	-	-	Yes	Supported by design
IDC4000T	XNET.T1-1.0.10.0524	MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	
IVC4000T		MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design

Cryptotelecom



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
S-152	1.0.1.34	MPEG4	1	720x576(P) 720x480(N)	2-way	*1	Yes	-	-	

Dallmeier



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DDZ40SM-HD	3.2.0.3.a	H.264 M-JPEG	1	1920x1080	-	-	Yes	Done by Software	-	

DiGiMERGE

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DNS1010	2.74-wisHttp	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	-	-	
DND7100E	L.M. 1.6.16.03_demo	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	

D-Link



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DCS-2100		H.263	1	720x576	1-way	-	-	-	Yes	Supported by design
DCS-2100G		H.263	1	720x576	1-way	-	-	-	Yes	Supported by design
DCS-2120(TW)	0201tw	MPEG4	1	720x576	1-way	1/1	-	-	Yes	
DCS-2120		MPEG4	1	720x576	1-way	-	-	-	Yes	Supported by design
DCS-3110		MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Supported by design
DCS-3220		MPEG4	1	720x576	2-way	1/1	-	-	Yes	Supported by design
DCS-3220G		MPEG4	1	720x576	2-way	1/1	-	-	Yes	Supported by design
DCS-3410		MPEG4 M-JPEG	1	704x576	1-way	1/1	-	-	Yes	Supported by design
DCS-3415	1	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
Note:	PTZ Support: zoom only.									
DCS-3420		MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
DCS-5220(TW)		MPEG4	1	720x576	1-way	-	Yes	-	Yes	Supported by design
DCS-5220	200	MPEG4	1	720x576	1-way	-	Yes	-	Yes	
DCS-5300	1.05	MPEG4	1	704x576	1-way	1/1	Yes	-	Yes	
DCS-5300G		H.263	1	720x576	1-way	1/1	Yes	-	Yes	Supported by design
DCS-5610		MPEG4 M-JPEG	1	720x576	2-way	1/1	Yes	-	Yes	Supported by design
DCS-6110	1	M-JPEG	1	720x576	-	1/1	-	-	Yes	
DCS-6111	1	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
DCS-6620	1.05	MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	
DCS-6620G	1.05	MPEG4 M-JPEG	1	720x576	2-way	1/1	Yes	-	Yes	
DCS-900	1	MPEG4	1	640x480	1-way	-	-	-	Yes	

D-Link



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DCS-910	1	MPEG4	1	640x480	1-way	-	-	-	Yes	
DCS-920	1.03	M-JPEG	1	640x480	1-way	-	-	-	Yes	
DCS-950		MPEG4	1	640x480	1-way	-	-	-	Yes	Supported by design
DCS-950G		MPEG4	1	640x480	1-way	-	-	-	Yes	Supported by design
DCS-G900		M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
DVS-104		M-JPEG	4	720x576	-	4/2	-	-	Yes	Supported by design
DVS-301		H.263	1	704x576	1-way	1/1	-	-	Yes	Supported by design

DYNACOLOR

- : not available on camera
*1: not available on software


Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
nZH06X	CMOS-080118	MPEG4 M-JPEG	1	1280x960	2-way	1/1	-	-	-	
nZH10X	CMOS-080118	MPEG4 M-JPEG	1	1280x960	1-way	-	-	-	-	
nZH21X	CCD-cameraFw-IR-080108	MPEG4 M-JPEG	1	1280x960	2-way	1/1	-	-	-	
nNH221	CCD: CCD-cameraFw-100205P	MPEG4 M-JPEG H.264	1	1280x960	2-way	1/1	-	-	Yes	
nNH061	CCD: CCD-cameraFw-100205	MPEG4 M-JPEG H.264	1	1280x960	2-way	1/1	-	-	Yes	
V1 (indoor)	s/w: d20100317N S	M-JPEG H.264	1	1920x1080	1-way	-	-	-	Yes	
V1 (outdoor)	s/w: d20100317N S	M-JPEG H.264	1	1920x1080	-	-	-	-	Yes	
V6	s/w: d20100317N S	M-JPEG H.264	1	1920x1080	2-way	1/1	-	-	Yes	

Eneo

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
GLC-1401	1.36	MPEG4 M-JPEG	1	720x576	1-way	1/0	Yes	-	Yes	
GLC-1601	1.43	MPEG4 M-JPEG	1	720x576	1-way	1/0	Yes	-	Yes	
GLC-1602H	1.4	M-JPEG	1	720x576	1-way	1/0	Yes	-	Yes	
GLD-1401	1.4	MPEG4 M-JPEG	1	720x576	-	1/0	-	-	Yes	
GLD-1501	1.43	MPEG4 M-JPEG	1	720x576	1-way	1/0	-	-	Yes	
GLS-2101	1.45	MPEG4 M-JPEG	1	720x576	1-way	1/0	Yes	-	Yes	
Note:	PTZ is only supported by external RS-485 device.									

ETROVISION



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
EV3130AW		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design
EV3130A		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design
EV3131	2.4.8 Build 20081003	MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	-	
EV3830H/HP		MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	-	Supported by design
EV6130W		MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	-	Supported by design
EV6130/P		MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	-	Supported by design
EV6131HW		MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	-	Supported by design
EV6131H/HP		MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	-	Supported by design
EV6132A		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design
EV6230A		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design
EV6332		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design
EV6333A		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design
EV6530		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design
EV6531A		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design
EV6532A		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design

EverFocus



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
EVS100	1.1.0.5	MPEG4 M-JPEG	1	Full D1	1-way	0/1	Yes	-	-	
EVS400	1.1.5.0	MPEG4 M-JPEG	4	Full D1	2-way	4/0	Yes	-	-	
EVS750		MPEG4 M-JPEG	1	Full D1	1-way	1/1	-	-	-	Supported by design
EAN-850A	1.1.27	MPEG4 M-JPEG H.264	1	Full D1	-	1/1	-	-	Yes	
EZN-850	1.1.27	MPEG4 M-JPEG H.264	1	Full D1	-	1/1	z only	-	Yes	
EDN-800	1.1.27	MPEG4 M-JPEG H.264	1	Full D1	-	1/1	-	-	Yes	
EDN-850H	1.0.5	MPEG4 M-JPEG H.264	1	Full D1	-	1/1	-	-	Yes	
EAN900	1.1.34	MPEG4 M-JPEG H.264	1	1M	-	1/1	-	-	Yes	
EAN800AW		MPEG4 M-JPEG H.264	1	Full D1	-	1/1	-	-	Yes	Supported by design
EAN800A	1.1.34	MPEG4 M-JPEG H.264	1	Full D1	-	1/1	-	-	Yes	
EVS200A	1.0.5	MPEG4 M-JPEG H.264	2	CIF	-	2/2	Yes	-	Yes	
EVS200AW		MPEG4 M-JPEG H.264	2	CIF	-	2/2	Yes	-	Yes	Supported by design
EPN2700		MPEG4 M-JPEG H.264	1	Full D1	-	4/2	Yes	-	Yes	Supported by design
EPN3100	1.0.4	MPEG4 M-JPEG H.264	1	Full D1	-	4/2	Yes	-	Yes	
EPN3600		MPEG4 M-JPEG H.264	1	Full D1	-	4/2	Yes	-	Yes	Supported by design

EYEVIEW



EYEVIEW ELECTRONICS CO.,LTD

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IPS-900NIC	2.4.9	MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
TCP-690		MPEG4 M-JPEG	1	720x576	1-way	2/2	-	-	-	Supported by design
TCP-690DN		MPEG4 M-JPEG	1	720x576	1-way	2/2	-	-	-	Supported by design
TCP-HP930		MPEG4 M-JPEG	1	720x576	1-way	2/2	-	-	-	Supported by design
WB-8211SD		MPEG4 M-JPEG	1	720x576	1-way	2/4	-	-	-	Supported by design
WB-8411		MPEG4 M-JPEG	4	720x576	1-way	4/1	-	-	-	Supported by design
CDV-3V930		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	-	-	Supported by design
TCP-690U		MPEG4 M-JPEG	1	720x576	1-way	2/2	-	-	-	Supported by design
TCP-HP930U		MPEG4 M-JPEG	1	720x576	1-way	2/2	-	-	-	Supported by design
WB-8211SDU		MPEG4 M-JPEG	1	720x576	1-way	2/4	-	-	-	Supported by design
CDV-3V930U		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	-	-	Supported by design
EP-936		MPEG4 M-JPEG	1	720x576	1-way	-	Yes	-	-	Supported by design
EP-908		MPEG4 M-JPEG	1	720x576	1-way	-	Yes	-	-	Supported by design
EP-601		MPEG4 M-JPEG	1	720x576	1-way	-	Yes	-	-	Supported by design
EP-201		MPEG4 M-JPEG	1	720x576	1-way	-	Yes	-	-	Supported by design
EP-221		MPEG4 M-JPEG	1	720x576	1-way	-	Yes	-	-	Supported by design
EP-221DN		MPEG4 M-JPEG	1	720x576	1-way	-	Yes	-	-	Supported by design
MD-D1200	V3.2.56_F	MPEG4 M-JPEG	1	720x576	1-way	-	Yes	-	Yes	
Note:	Not integrate I/O									
TCP670DNU	V3.2.50_F	MPEG4 M-JPEG	1	720x576	1-way	-	-	-	Yes	
Note:	Not integrate I/O									
TCP680DNU	V3.2.50_F	MPEG4 M-JPEG	1	720x576	1-way	-	-	-	Yes	



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Note:	Not integrate I/O									
CDV-3VM301	V3.2.54_F	MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	Done by Software	*1	
CDV-3VM501	V1.0.8_F	M-JPEG H.264	1	1600x1200	2-way	-	-	Done by Software	*1	
CDV-3VWD960	V1.0.16_F	M-JPEG H.264	1	720x576	2-way	-	-	Done by Software	*1	
CDV-3VWD960H		M-JPEG H.264	1	720x576	2-way	1/1	-	Done by Software	*1	Supported by design
EP-601HW		MPEG4 M-JPEG	1	720x576	-	-	Yes	Done by Software	Yes	Supported by design
EP-908HW		MPEG4 M-JPEG	1	720x576	-	-	Yes	Done by Software	Yes	Supported by design
EP-936HW		MPEG4 M-JPEG	1	720x576	-	-	Yes	Done by Software	Yes	Supported by design
EP-HTQ935		MPEG4 M-JPEG	1	720x576	-	-	Yes	Done by Software	Yes	Supported by design
EP-Q2018H-IP		M-JPEG H.264	1	720x480	2-way	-	Yes	Done by Software	*1	Supported by design
EP-Q2018HW-IP		M-JPEG H.264	1	720x480	2-way	-	Yes	Done by Software	*1	Supported by design
EP-Q2026H-IP		M-JPEG H.264	1	720x480	2-way	-	Yes	Done by Software	*1	Supported by design
EP-Q2026HW-IP		M-JPEG H.264	1	720x480	2-way	-	Yes	Done by Software	*1	Supported by design
EP-Q2036H-IP		M-JPEG H.264	1	720x480	2-way	-	Yes	Done by Software	*1	Supported by design
EP-Q2036HW-IP		M-JPEG H.264	1	720x480	2-way	-	Yes	Done by Software	*1	Supported by design
MD-D1612	V1.0.16_F	M-JPEG H.264	1	720x576	2-way	1/1	Yes	Done by Software	*1	
SP-PTIR737-IP	V1.0.16_F	M-JPEG H.264	1	720x576	2-way	-	Yes	Done by Software	*1	
TCMA-99	V3.2.54_F	MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	Done by Software	*1	
TCMP-99	V3.2.54_F	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Done by Software	*1	
TCP-IPWD690	V3.2.56_F	MPEG4 M-JPEG	1	720x576	2-way	2/2	-	Done by Software	Yes	
TCP-IPWD700DN	V1.0.16_F	M-JPEG H.264	1	720x576	2-way	1/1	-	Done by Software	*1	



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
TCP-IRV540	V3.2.60_F	MPEG4 M-JPEG	1	720x576	-	-	-	Done by Software	Yes	
TCP-IRV560/50M	V3.2.56_F	MPEG4 M-JPEG	1	720x576	-	1/1	-	Done by Software	Yes	
TCP-MH802	V1.0.8_F	M-JPEG H.264	1	1600x1200	2-way	1/1	-	Done by Software	*1	
TCP-VM201	V3.2.56_F	MPEG4 M-JPEG	1	1280x1024	-	-	-	Done by Software	*1	
TCP-VM501	V1.0.14_F	M-JPEG H.264	1	1600x1200	2-way	1/1	-	Done by Software	*1	
WB-H811	V0.0.9_F	M-JPEG H.264	1	720x480	2-way	2/2	Yes	Done by Software	*1	
WB-H814	V1.0.40_F	M-JPEG H.264	4	720x576	2-way	4/4	Yes	Done by Software	*1	

HiTRON



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
HNCB-E1SN		MPEG4	1	720x480	-	-	-	-	-	Supported by design
HNG-E1SAW0S4	4.1.2-50	MPEG4	1	720x480	1-way	-	-	-	-	
HWD125MN	4.1.2-50	MPEG4	1	720x480	1-way	-	Yes	-	-	
HECMC4V0C4		MPEG4	1	640x480	1-way	-	-	-	-	Supported by design

HIKVISION



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DS-2CD702NF		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD702N-FB		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD702NF-E		H.264 MPEG4	1	704x576	2-way	1/1	-	Done by Software	-	Supported by design
DS-2CD702PF		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD702P-FB		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD702PF-E		H.264 MPEG4	1	704x576	2-way	1/1	-	Done by Software	-	Supported by design
DS-2CD712NF		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD712N-FB		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD712NF-E		H.264 MPEG4	1	704x576	2-way	1/1	-	Done by Software	-	Supported by design
DS-2CD712PF	V2.0 build 090522	H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	
DS-2CD712P-FB		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD712PF-E		H.264 MPEG4	1	704x576	2-way	1/1	-	Done by Software	-	Supported by design
DS-2CD7133-E	V3.0 101201	H.264	1	640x480	-	-	-	Done by Software	*1	
DS-2CD7153-E	V3.0 101201	H.264	1	1600x1200	-	-	-	Done by Software	*1	
Note:	Hikvision DS-2CD7133-E and DS-2CD7153-E do not support video parameter setting.									
DS-2CD732F-E		H.264 MPEG4	1	704x576	2-way	1/1	-	Done by Software	-	Supported by design
DS-2CD732NF		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD732NF-FB		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Supported by design
DS-2CD732PF		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD732PF-FB		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Supported by design
DS-2CD752F-E		MPEG4	1	1600x1200	2-way	1/1	Yes	-	-	Supported by design

HIKVISION



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DS-2CD752MF-E		MPEG4	1	1600x1200	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD752MF-FB		MPEG4	1	1600x1200	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD752MF-FH		MPEG4	1	1600x1200	2-way	1/1	Yes	-	-	Supported by design
DS-2CD762MF		MPEG4	1	1280x960	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD762MF-E		MPEG4	1	1280x960	2-way	1/1	-	-	-	Supported by design
DS-2CD762MF-FB(Hs)		MPEG4	1	1280x960	2-way	1/1	-	-	-	Supported by design
DS-2CD762MF-FH		MPEG4	1	1280x960	2-way	1/1	-	-	-	Supported by design
DS-2CD792NF		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD792NF-E		H.264 MPEG4	1	704x576	2-way	1/1	-	Done by Software	-	Supported by design
DS-2CD792NF-FB		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Supported by design
DS-2CD792PF		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Tested by manufacturer
DS-2CD792PF-E		H.264 MPEG4	1	704x576	2-way	1/1	-	Done by Software	-	Supported by design
DS-2CD792PF-FB		H.264 MPEG4	1	704x576	2-way	1/1	-	-	-	Supported by design
DS-2CD802NF		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD802NF-E		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD802N-IR1		H.264 MPEG4	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2CD802N-IR3		H.264 MPEG4	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2CD802N-IR5		H.264 MPEG4	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2CD802PF	V2.0 build 090522	H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	
DS-2CD802PF-E		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD802P-IR1		H.264 MPEG4	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design

HIKVISION



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DS-2CD802P-IR3		H.264 MPEG4	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2CD802P-IR5		H.264 MPEG4	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2CD812NF		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD812NF-E		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD812NF-IR1		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD812NF-IR3		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD812P(N)-IR5		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD812PF		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD812PF-E		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD812PF-IR1		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD812PF-IR3		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD832F		H.264 MPEG4	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2CD832F-E		H.264 MPEG4	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2CD832NF		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD832NF-E		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD832NF-IR1		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD832NF-IR3		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD832P(N)-IR5		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD832PF		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD832PF-E		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD832PF-IR1		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design

HIKVISION



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DS-2CD832PF-IR3		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD852F		MPEG4	1	1600x1200	2-way	1/1	Yes	-	-	Supported by design
DS-2CD852MF-E	V2.0 build 20090430	MPEG4	1	1600x1200	2-way	1/1	Yes	-	-	
DS-2CD862MF-E		MPEG4	1	1280x720	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD892NF		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD892NF-E		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD892NF-IR1		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD892NF-IR3		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD892P(N)-IR5		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD892PF		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Tested by manufacturer
DS-2CD892PF-E		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD892PF-IR1		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2CD892PF-IR3		H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	Supported by design
DS-2DF1	V2.2 Build 20090625	H.264	1	1600x1200	2-way	2/2	Yes	-	-	
DS-2DF1-401H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-402H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-601H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-602H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-603H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-604H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-605H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design

HIKVISION



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DS-2DF1-606H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-607H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-611H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-612H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-613H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-614H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-615H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-616H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DF1-617H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DM1-602H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DM1-603H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DM1-604H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DM1-612H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DM1-613H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-2DM1-614H		H.264	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-6101HFI-IP	V2.0 Build 20090522	H.264 MPEG4	1	704x576	2-way	1/1	Yes	-	-	
DS-6101HFI-SATA		H.264 MPEG4	1	704x576	2-way	1/1	Yes	Done by Software	-	Supported by design
DS-6104HCI	V2.0 build 090921 / V4.0 build	H.264	4	704x480	2-way	4/2	Yes	Done by Software	-	
Note:	Only support 2 video Ch when resolution more than CIF									
DS-6104HCI-SATA		H.264	4	704x576	2-way	4/2	Yes	Done by Software	-	Supported by design

Honeywell



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ACUIX	1.5.6	MPEG4	1	4CIF	*1	1/1	*1	Done by Software	-	
HCD554IP	5.4.5	MPEG4	1	4CIF	*1	1/1	-	Done by Software	-	
HD3MDIP	7.07	MPEG4	1	1280x720	*1	1/1	-	Done by Software	-	
HD4DIP	4.4.8	MPEG4	1	4CIF	*1	1/1	-	Done by Software	-	
HD4MDIP	8.04	MPEG4	1	1280x720	*1	1/1	-	Done by Software	-	
HNVE1	6.3.4	MPEG4	1	4CIF	*1	1/1	*1	Done by Software	-	

IQinVision



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IQ040S	V3.1/6	M-JPEG	1	720x480	-	-	-	-	-	Supported by design
IQ041S	V3.1/6	M-JPEG	1	1280x1024	-	-	-	-	-	Supported by design
IQ042S	V3.1/6	M-JPEG	1	1600x1200	-	-	-	-	-	
IQD40S	V3.1/6	M-JPEG	1	720x480	-	-	-	-	-	Supported by design
IQD41S	V3.1/6	M-JPEG	1	1280x1024	-	-	-	-	-	Supported by design
IQD42S	V3.1/6	M-JPEG	1	1600x1200	-	-	-	-	-	
IQ540S	V3.1/6	M-JPEG	1	720x480	-	-	-	-	-	Supported by design
IQ541S	V3.1/6	M-JPEG	1	1280x1024	-	-	-	-	-	Supported by design
IQ542S	V3.1/6	M-JPEG	1	1600x1200	-	-	-	-	-	
IQD30S	V3.1/6	H.264 M-JPEG	1	720x480	1-WAY	-	-	-	-	Supported by design
IQD31S	V3.1/6	H.264 M-JPEG	1	1280x720	1-WAY	-	-	-	-	
IQA25S	V2.9/6	H.264 M-JPEG	1	1280x1024	1-WAY	1/1	-	-	-	
Note:	M-JPEG: not support audio function									
IQeye301		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye301m		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye301w		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye302		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye302w		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye303		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye303w		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye501		M-JPEG	1	1280x1024	-	1/1	-	-	-	Supported by design

IQinVision



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IQeye510	B2.8/608	M-JPEG	1	752x480	-	-	-	-	-	
IQeye511	V2.8/6	M-JPEG	1		-	-	-	-	-	
IQeye601		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye602		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye603		M-JPEG	1		-	1/1	-	-	-	Supported by design
IQeye701	V2.8/6	M-JPEG	1	1280x1024	-	1/1	-	-	-	
IQeye702	V2.8/6	M-JPEG	1	1600x1200	-	1/1	-	-	-	
IQeye703	V2.8/6	M-JPEG	1	2048x1536	-	1/1	-	-	-	
IQeye705	V2.8/6	M-JPEG	1	2560x1920	-	1/1	-	-	-	
IQeye751		M-JPEG	1	1280x1024	-	1/1	-	-	-	Supported by design
IQeye752	V2.8/6	M-JPEG	1	1600x1200	-	1/1	-	-	-	
IQeye753		M-JPEG	1	2048x1536	-	1/1	-	-	-	Supported by design
IQeye755	V2.8/6	M-JPEG	1	2560x1920	-	1/1	-	-	-	
IQeye855	V2.8/6	M-JPEG	1	2560x1920	-	1/1	-	-	-	

JVC

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
VN-C20U		M-JPEG	1	640x480	-	2/2	-	-	-	Supported by design
VN-E4(U)		M-JPEG	4	640x480	Yes	4/1	-	-	-	Supported by design
VN-C205U		M-JPEG	1	640x480	-	0/0	Yes	-	-	Supported by design
VN-C215U		M-JPEG	1	640x480	-	2/2	-	-	-	Supported by design
VN-C655U		M-JPEG	1	640x480	-	0/0	Yes	-	-	Supported by design

LILIN

- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IPD112ESX	0.0.53(12.08)	M-JPEG H.264	1	1280x768	-	-	-	-	-	
Note:	Lilin IPD112ESX: Not supports video parameter setting(resolution, framerate, etc.).									
IPD552EX	0.3.54(12.08)	M-JPEG H.264	1	720x576	-	-	-	-	-	
IPR414ESX		M-JPEG H.264	1	1280x768	-	-	-	-	-	Supported by design
IPR418ESX	0.0.53(12.08)	M-JPEG H.264	1	1280x768	-	-	-	-	-	
Note:	Lilin IPR418ESX: Not supports video parameter setting(resolution, framerate, etc.).									
IPR454		M-JPEG H.264	1	720x576	-	-	-	-	-	Supported by design
IPR458	0.3.54(12.08)	M-JPEG H.264	1	720x576	-	-	-	-	-	

Linksys



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
PVC2300	V1.0.1	MPEG4 M-JPEG	1	640x480	2-way	2/2	Yes	-	Yes	
WVC210	V1.1.0	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	Yes	
WVC2300	V1.0.1	MPEG4 M-JPEG	1	640x480	2-way	2/2	Yes	-	Yes	
Note:	PTZ is only supported by external RS-485 device.									

LOREX



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
LNE3003	LM1.6.16.03	MPEG4 M-JPEG	1	640x480	Two-way	0/0	-	-	Yes	

Lumenera



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
le045c		M-JPEG	1	720x480	-	-	-	-	-	Supported by design
le045c-dn		M-JPEG	1	720x480	-	-	-	-	-	Supported by design
le075c		M-JPEG	1	640x480	-	-	-	-	-	Supported by design
le075c-dn		M-JPEG	1	640x480	-	-	-	-	-	Supported by design
le11059c		M-JPEG	1	4000x2656	-	-	-	-	-	Supported by design
le165c		M-JPEG	1	1376x1032	-	-	-	-	-	Supported by design
le165c-dn		M-JPEG	1	1376x1032	-	-	-	-	-	Supported by design
le175c		M-JPEG	1	1280x1024	-	-	-	-	-	Supported by design
le175c-dn		M-JPEG	1	1280x1024	-	-	-	-	-	Supported by design
le259c		M-JPEG	1	1920x1080	-	-	-	-	-	Supported by design
le275c		M-JPEG	1	1600x1200	-	-	-	-	-	Supported by design
le275c-dn		M-JPEG	1	1600x1200	-	-	-	-	-	Supported by design
le375c		M-JPEG	1	2048x1536	-	-	-	-	-	Supported by design
le375c-dn		M-JPEG	1	2048x1536	-	-	-	-	-	Supported by design
li165c	5626	M-JPEG	1	1376x1032	-	-	-	-	-	

Robotix



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
D12D-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
D12D-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	-	-	Supported by design
D22M-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
D22M-IT	MX-V3.4.0.9	MxPEG M-JPEG	1	640x480	1-way	-	-	-	-	
D22M-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	-	-	Supported by design
M10D	M10-V2.2.2.17	MJPEG	1	2048x1536	1-way	-	-	-	-	
M12D-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
M12D-Sec	MX-V3.4.0.9	MxPEG M-JPEG	1	2048x1536	1-way	-	-	-	-	
M12D-Web		MxPEG M-JPEG	1	2048x1536	1-way	-	-	-	-	Supported by design
M22M-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
M22M-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	-	-	Supported by design
Q22M-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
Q22M-Sec	MX-V3.4.5.10	MxPEG M-JPEG	1	2048x1536	1-way	-	-	-	-	
Q24-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
Q24-Sec	MX-V4.0.1.7	MxPEG M-JPEG	1	2048x1536	1-way	-	-	-	-	
D24M-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
D24M-IT		MxPEG M-JPEG	1	640x480	1-way	2/2	-	-	-	Supported by design
D24M-Sec	MX-V4.0.1.15	MxPEG M-JPEG	1	2048x1536	1-way	2/2	-	-	-	

Moxa



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Vport 25	1.0	MPEG4 M-JPEG	1	720x480	2-way	1/1	Yes	-	Yes	
Vport 251	1.0	MPEG4 M-JPEG	1	720x480	2-way	1/1	Yes	-	Yes	
Vport 254	1.0	MPEG4 M-JPEG	4	720x480	2-way	4/2	Yes	-	Yes	
Vport 351	2.3	MPEG4 M-JPEG	1	720x480	2-way	2/2	Yes	-	Yes	

NetworkCamera

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
GE-100-CB		MPEG4 M-JPEG H.264	1	1280x800	2-way	-	-	Done by Software	Yes	Supported by design
GP-100-CB		MPEG4 M-JPEG H.264	1	1280x800	2-way	-	-	Done by Software	Yes	Supported by design
WGE-100-CB		MPEG4 M-JPEG H.264	1	1280x800	2-way	-	-	Done by Software	Yes	Supported by design
WGP-100-CB		MPEG4 M-JPEG H.264	1	1280x800	2-way	-	-	Done by Software	Yes	Supported by design

Onvif



- : not available on camera
*1: not available on software

Brand	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	Remarks
Bosch	NWC-0455	19500410	H.264 M-JPEG	1	704x576	-	-	-	-	
AXIS	P3301	5.11	H.264 M-JPEG	1	640x480	1-way	-	-	-	
Dallmeier	DDZ40SM-HD	3.2.0.3.a	H.264 M-JPEG	1	1920x1080	-	-	Yes	Done by Software	
LILIN	IPD112ESX	0.0.53(12.08)	M-JPEG H.264	1	1280x768	-	-	-	-	
Note:	Lilin IPD112ESX: Not supports video parameter setting(resolution, framerate, etc.).									
LILIN	IPD552EX	0.3.54(12.08)	M-JPEG H.264	1	720x576	-	-	-	-	
LILIN	IPR414ESX		M-JPEG H.264	1	1280x768	-	-	-	-	Supported by design
LILIN	IPR418ESX	0.0.53(12.08)	M-JPEG H.264	1	1280x768	-	-	-	-	
Note:	Lilin IPR418ESX: Not supports video parameter setting(resolution, framerate, etc.).									
LILIN	IPR454		M-JPEG H.264	1	720x576	-	-	-	-	Supported by design
LILIN	IPR458	0.3.54(12.08)	M-JPEG H.264	1	720x576	-	-	-	-	
Note:	ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software. To confirm the compatibility, it is recommended to execute testing prior to any further usage. The above products have been already verified by NUUO.									

Panasonic



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
BB-HCE481		M-JPEG	1	640x480	2-way	2/1	-	-	Yes	Supported by design
BB-HCM100		M-JPEG	1	640x480	1-way	2/1	Yes	-	Yes	Supported by design
BB-HCM110		M-JPEG	1	640x480	1-way	2/1	Yes	-	Yes	Supported by design
BB-HCM311		M-JPEG	1	640x480	2-way	2/1	Yes	-	Yes	Supported by design
BB-HCM331	1.3	M-JPEG	1	640x480	2-way	2/1	Yes	-	Yes	
BB-HCM371		M-JPEG	1	640x480	1-way	2/1	-	-	Yes	Supported by design
BB-HCM381	1.32	M-JPEG	1	640x480	2-way	1/1	Yes	-	Yes	
BB-HCM403		M-JPEG	1	640x480	2-way	2/1	-	-	Yes	Supported by design
BB-HCM511	3.20R01	MPEG4 M-JPEG	1	640x480	2-way	2/1	Yes	-	Yes	
BB-HCM515	3.14R01	MPEG4 M-JPEG	1	1280x1024	2-way	2/1	-	-	Yes	
Note:	No audio support in M-JPEG format @ 1280x1024.									
BB-HCM527	3.51R00	MPEG4 M-JPEG	1	640x480	2-way	2/1	-	-	Yes	
BB-HCM531	3.51R00	MPEG4 M-JPEG	1	640x480	2-way	2/1	-	-	Yes	
BB-HCM547	3.60R00	MPEG4 M-JPEG	1	640x480	2-way	2/1	Yes	-	Yes	
BB-HCM580		MPEG4 M-JPEG	1	640x480	2-way	2/1	-	-	Yes	Supported by design
BB-HCM581	3.21R00	MPEG4 M-JPEG	1	640x480	2-way	2/1	Yes	-	Yes	
BB-HCM701	4.30R00	H.264 MPEG4 M-JPEG	1	640x480	1-way	1/0	-	-	Yes	
BB-HCM705A	4.30R00	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/0	Yes	-	Yes	
BB-HCM715A	4.30R00	H.264 MPEG4 M-JPEG	1	1280x960	2-way	2/1	Yes	-	Yes	
BB-HCM735A	4.30R00	H.264 MPEG4 M-JPEG	1	1280x960	2-way	2/1	Yes	-	Yes	
BB-HCS301		M-JPEG	1	640x480	1-way	1/1	-	-	Yes	Supported by design

Panasonic



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
BL-C1		M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
BL-C10		M-JPEG	1	640x480	-	-	Yes	-	Yes	Supported by design
BL-C20		M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
BL-C30		M-JPEG	1	640x480	-	-	Yes	-	Yes	Supported by design
BL-C101A	3.52R00	MPEG4 M-JPEG	1	640x480	1-way	1/0	-	-	Yes	
BL-C111	3.10R01	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	-	Yes	
BL-C121A	3.52R00	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	-	Yes	
BL-C131		MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	Supported by design
BL-C140A	3.51R00	MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	
BL-C160	3.51R01	MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	
BL-C210	4.31R00	M-JPEG MPEG4 H.264	1	640x480	1-way	-	Yes	-	Yes	
BL-C230		M-JPEG MPEG4 H.264	1	640x480	1-way	-	Yes	-	Yes	Supported by design
DG-NF284		MPEG4 M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
DG-NF302	1.5	MPEG4 M-JPEG	1	1280x960	1-way	-	-	-	-	
DG-NP240		MPEG4 M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
DG-NP244	1.70J2	MPEG4 M-JPEG	1	640x480	1-way	-	-	-	-	
DG-NP304	1.5	MPEG4 M-JPEG	1	1280x960	2-way	-	-	-	-	Supported by design
DG-NS202		MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	Supported by design
DG-NS202A	2.60J3	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	
DG-NS950	1.5	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	
DG-NS954	1.5	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	

Panasonic



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DG-NW960	1.5	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	
DG-NW964	1.5	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	
KX-HCM110		M-JPEG	1	640x480	1-way	2/1	-	-	Yes	Supported by design
KX-HCM280A		M-JPEG	1	640x480	-	1/1	-	-	Yes	Supported by design
WJ-GXE500	1.04	M-JPEG MPEG4 H.264	4	720x480(D1) 640x480(vga)	2-way	*1	Yes	-	-	
WJ-NT304	1.04	M-JPEG	4	640x480	-	-	Yes	-	-	
WJ-NT314		M-JPEG	4	640x480	1-way	-	Yes	-	-	Supported by design
WV-NF284	v1.02	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	-	-	
WV-NF302	1.40E4_1.06	MPEG4 M-JPEG	1	1280x960	2-way	-	-	-	-	
WV-NM100		MPEG4 M-JPEG	1	640x480	-	-	Yes	-	-	Supported by design
WV-NP1000		M-JPEG	1	1280x960	1-way	-	-	-	-	Supported by design
WV-NP1004	1.21	M-JPEG	1	1280x960	1-way	-	-	-	-	
WV-NP240		MPEG4 M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
WV-NP244		MPEG4 M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
WV-NP304	1.50E5_1.06	MPEG4 M-JPEG	1	1280x960	2-way	-	-	-	-	
WV-NP472		M-JPEG	1	640x480	-	-	-	-	-	Supported by design
WV-NP502	1.00	H.264 MPEG4 M-JPEG	1	2048x1536	2-way	-	-	-	-	
WV-NS202		MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	Supported by design
WV-NS202A	2.6	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	
WV-NS324	2.01	M-JPEG	1	640x480	-	-	Yes	-	-	
WV-NS950	1.5	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	

Panasonic



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
WV-NS954	1.06E0	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	
Note:	Audio is abnormal in MPEG4 format.									
WV-NW484S	1.10ED	MPEG4 M-JPEG	1	640x480	-	-	-	-	-	
WV-NW502S	1.00	H.264 MPEG4 M-JPEG	1	2048x1536	2-way	-	-	-	-	
WV-NW960	1.5	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	
WV-NW964	1.40E3	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	-	
WV-SF332		M-JPEG MPEG4 H.264	1	1280x960	2-way	*1	-	-	-	Supported by design
WV-SF335		M-JPEG MPEG4 H.264	1	1280x960	2-way	*1	-	-	-	Supported by design
WV-SF336	1.05	M-JPEG MPEG4 H.264	1	1280x960	2-way	*1	-	-	-	
WV-SP302		M-JPEG MPEG4 H.264	1	1280x960	2-way	*1	-	-	-	Supported by design
WV-SP305		M-JPEG MPEG4 H.264	1	1280x960	2-way	*1	-	-	-	Supported by design
WV-SP306	1.04	M-JPEG MPEG4 H.264	1	1280x960	2-way	*1	-	-	-	

PELCO

by Schneider Electric

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ID10		M-JPEG H.264	1	1280x1024	1-way	-	-	Done by Software	*1	Supported by design
ID30		M-JPEG H.264	1	2048x1536	1-way	-	-	Done by Software	*1	Supported by design
IDE20		M-JPEG H.264	1	1920x1024	1-way	-	-	Done by Software	*1	Supported by design
IDS0		MPEG4 M-JPEG H.264	1	800x600	1-way	-	-	Done by Software	*1	Supported by design
IE10		M-JPEG H.264	1	1280x1024	1-way	-	-	Done by Software	*1	Supported by design
IE30		M-JPEG H.264	1	2048x1536	1-way	-	-	Done by Software	*1	Supported by design
IEE10		M-JPEG H.264	1	1280x1024	1-way	-	-	Done by Software	*1	Supported by design
IEE20		M-JPEG H.264	1	1920x1024	1-way	-	-	Done by Software	*1	Supported by design
IES0		MPEG4 M-JPEG H.264	1	800x600	1-way	-	-	Done by Software	*1	Supported by design
IMS0		MPEG4 M-JPEG H.264	1	800x600	1-way	-	-	Done by Software	*1	Supported by design
IX30		M-JPEG H.264	1	2048x1536	1-way	-	-	Done by Software	*1	Supported by design
IXE20	1.6.4.9081	M-JPEG H.264	1	1920x1080	1-way	-	-	Done by Software	*1	
IXS0	1.4.9.9080	MPEG4 M-JPEG H.264	1	800x608	1-way	-	-	Done by Software	*1	
IX10		M-JPEG H.264	1	1280x1024	1-way	-	-	Done by Software	*1	Supported by design



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
100		M-JPEG	1	704x480	-	-	-	-	-	Supported by design
120/126/128		M-JPEG	2	704x480	-	4/1	-	-	-	Supported by design
200/206		M-JPEG	1	704x480	-	4/1	-	-	-	Supported by design
201		M-JPEG	1	704x480	-	4/1	-	-	-	Supported by design
205		M-JPEG	1	704x480	-	4/1	-	-	-	Supported by design
207		M-JPEG	1	704x480	-	4/1	-	-	-	Supported by design
240		M-JPEG	4	704x480	-	4/1	-	-	-	Supported by design
241		M-JPEG	4	704x480	-	4/1	-	-	-	Supported by design
261		M-JPEG	1	704x480	-	1/0	Yes	-	-	Supported by design
262		M-JPEG	1	704x480	-	4/1	Yes	-	-	Supported by design
263		M-JPEG	1	704x480	-	4/1	Yes	-	-	Supported by design
300		M-JPEG	1	640x480	1-way	-	-	-	-	Supported by design
400/42X	v2.46R03.01.PX	MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	
461		MPEG4 M-JPEG	1	704x480	1-way	4/1	Yes	-	-	Supported by design
463		MPEG4 M-JPEG	1	704x480	1-way	1/0	Yes	-	-	Supported by design
1000		M-JPEG	1	704x480	-	4/1	Yes	-	-	Supported by design
1401		MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	-	-	Supported by design
2000		M-JPEG	2	704x480	-	4/1	Yes	-	-	Supported by design
4000		M-JPEG	4	704x480	-	4/1	Yes	-	-	Supported by design
405		MPEG4	1	640x480	2-way	-	-	-	-	Supported by design
410		MPEG4 M-JPEG	1	704x480	2-way	1/1	Yes	-	-	Supported by design



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
405M		MPEG4 M-JPEG	1	1280x1024	2-way	-	-	-	-	Supported by design
411/412		MPEG4 M-JPEG	1	704x480	2-way	1/1	-	-	-	Supported by design
415M	V3.2.48.R02. PN	MPEG4 M-JPEG	1	1280x1024	1-way	-	-	-	-	
416	V3.2.48.R02. PN	MPEG4 M-JPEG	1	704x480	2-way	1/1	Yes	-	-	
P600	v1.3.0_357	H264 M-JPEG	1	1600x1200	2-way	2/1	-	-	Yes	
P606	v1.3.0_357	H264 M-JPEG	1	1600x1200	2-way	-	-	-	Yes	
PB630	v1.2.5_277	H264 M-JPEG	1	640x480	2-way	-	-	-	Yes	
PD634	v1.2.9_351	H264 M-JPEG	1	640x480	2-way	-	-	-	Yes	
PL621	v1.3.0_357	H264 M-JPEG	1	1600x1200	2-way	1/1	-	-	Yes	
PV6901	1.2.9_351	H264 M-JPEG	1	720x480	2-way	*1	Yes	-	Yes	



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ICA-510		MPEG4	1	640x480	2-way	-	-	-	Yes	Supported by design
ICA-700		MPEG4	1	640x480	2-way	-	-	-	Yes	Supported by design
ICA-151W		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
ICA-151		MPEG4 M-JPEG	1	640x480	2-way	-	-	-	Yes	Supported by design
ICA-750	1005	MPEG4 M-JPEG	1	640x480	2-way	2/2	-	-	Yes	
ICA-107W		M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
ICA-107P		M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
ICA-107		M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
ICA-108		MPEG4	1	640x480	2-way	-	-	-	Yes	Supported by design
ICA-108W		MPEG4	1	640x480	2-way	-	-	-	Yes	Supported by design
ICA-120	3.0.2.2134	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
ICA-230		MPEG4	1	640x480	2-way	-	Yes	-	Yes	Supported by design
ICA-230W		MPEG4	1	640x480	2-way	-	Yes	-	Yes	Supported by design
ICA-230P		MPEG4	1	640x480	2-way	-	Yes	-	Yes	Supported by design
ICA-M230		MPEG4	1	1280x1024	2-way	-	Yes	-	Yes	Supported by design
ICA-310		MPEG4	1	640x480	-	-	Yes	-	Yes	Supported by design
ICA-310W		MPEG4	1	640x480	-	-	Yes	-	Yes	Supported by design
ICA-312		MPEG4	1	640x480	-	-	Yes	-	Yes	Supported by design
ICA-312v2	3.0.2.2134	MPEG4 M-JPEG	1	640x480	2-way	-	Yes	-	Yes	
ICA-350		MPEG4	1	640x480	-	-	Yes	-	Yes	Supported by design
ICA-350-V2	3.0.2.2134	MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	-	Yes	



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ICA-501		MPEG4	1	640x480	2-way	-	Yes	-	Yes	Supported by design
ICA-525		MPEG4	1	640x480	2-way	1/1	Yes	-	Yes	Supported by design
ICA-530		MPEG4	1	640x480	2-way	-	Yes	-	Yes	Supported by design
ICA-651		MPEG4	1	640x480	2-way	1/1	Yes	-	Yes	Supported by design
ICA-601		MPEG4	1	640x480	2-way	1/1	Yes	-	Yes	Supported by design
IVS-110		MPEG4	1	640x480	2-way	1/1	Yes	-	Yes	Supported by design

SAE

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ANNA200M		H.264	1	1920x1080	1-way	*1	No	-	*1	
E588HDE18C		H.264	1	1280x960	-	-	Yes	-	*1	
E688HDE10		H.264	1	1920x1080	-	-	Yes	-	*1	

Samsung



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SCC-C6475	2	MPEG4 M-JPEG	1	704x480	-	-	Yes	-	-	
SNC-B2315	2.11	MPEG4 M-JPEG	1	720x576	2-way	2/2	-	Yes	-	
SNC-B5395	2.10	MPEG4 M-JPEG	1	720x576	2-way	2/2	-	Yes	-	
SNC-B2331	1.00	H.264 MPEG4 M-JPEG	1	720x576	-	2/2	-	Yes	-	
SNC-B2335	1.01	H.264 MPEG4 M-JPEG	1	720x576	2-way	2/2	-	Yes	-	
SNC-B5368	1.00	H.264 MPEG4 M-JPEG	1	720x576	-	2/2	-	Yes	-	
SNC-B5399	1.01	H.264 MPEG4 M-JPEG	1	720x576	2-way	2/2	-	Yes	-	
SNC-C6225	1.01	MPEG4 M-JPEG	1	720x576	2-way	2/1	Yes	Yes	-	
SNC-C7225	1.01	MPEG4 M-JPEG	1	720x576	2-way	2/1	Yes	Yes	-	
SNC-C7478	v1.01_090625	MPEG4 M-JPEG	1	720x576	2-way	8/4	Yes	Yes	-	
SNC-M300	v2.11_090729	MPEG4 M-JPEG	1	2048x1536	2-way	2/2	-	Yes	-	
SNP-3300A	2.8.4	MPEG4 M-JPEG	1	D1	-	-	-	-	-	
SNB-2000		H.264 MPEG4 M-JPEG	1	720x576	-	2/2	-	-	-	Supported by design
SNB-3000		H.264 MPEG4 M-JPEG	1	720x576	2-way	2/2	-	-	-	Supported by design
SND-3080		H.264 MPEG4 M-JPEG	1	720x576	-	2/2	-	-	-	Supported by design
SNV-3080		H.264 MPEG4 M-JPEG	1	720x576	2-way	2/2	-	-	-	Supported by design
SNS-100	100331-v2.8.9-2	MPEG4 M-JPEG	1	704x480	1-way	2/2	Yes	Done by Software	-	

Santec

- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SNC-390DN/W	1.5	MPEG4 M-JPEG	1	720x576	2-way	1/1	Yes	-	Yes	
SNC-521IR/W	1.5	MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	
SNC-565IR/W	1.5	MPEG4 M-JPEG	1	720x576	2-way	1/1	Yes	-	Yes	
Note:	PTZ only support zoom in/out									
SNC -620/W		MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
SNC-670ID/W	1.3	MPEG4 M-JPEG	1	720x576	2-way	1/1	Yes	-	Yes	
SNC-5211MIR	3.1	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	
SNC-6201M	3.1	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	
SNC-3901MDN	3.5	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	Yes	-	Yes	Test by manufacturer
SNC-P3601M	3.5	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Test by manufacturer

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
VCC-HDN1		H.264 M-JPEG	1	2288x1712	-	2/1	Yes	-	-	Supported by design
VCC-HD2500	CAM MAIN 1.00-10	H.264 M-JPEG	1	2288x1712	2-way	2/2	-	-	-	
Note:	Detail FW version: CAM MAIN 1.00-10 ; CAM SUB 1.00-00 ; NET MAIN 1.00-06 ; NET SUB 1.00-01									
VCC-HD2500P	CAM MAIN 1.00-10	H.264 M-JPEG	1	2288x1712	2-way	2/2	-	-	-	
Note:	Detail FW version: CAM MAIN 1.00-10 ; CAM SUB 1.00-00 ; NET MAIN 1.00-06 ; NET SUB 1.00-01									
VCC-HD3500		H.264 M-JPEG	1	2288x1712	2-way	2/2	-	-	-	Supported by design
VDC-HD3500		H.264 M-JPEG	1	2288x1712	2-way	2/2	-	-	-	Supported by design
VDC-HD3500p		H.264 M-JPEG	1	2288x1712	2-way	2/2	-	-	-	Supported by design
VCC-HD2100		H.264 M-JPEG	1	2288x1712	-	2/2	-	-	-	Supported by design
VCC-HD2100P		H.264 M-JPEG	1	2288x1712	-	2/2	-	-	-	Supported by design
VCC-HD2300		H.264 M-JPEG	1	2288x1712	-	2/2	-	-	-	Supported by design
VCC-HD2300P		H.264 M-JPEG	1	2288x1712	-	2/2	-	-	-	Supported by design
VDC-HD3100		H.264 M-JPEG	1	2288x1712	-	2/2	-	-	-	Supported by design
VDC-HD3100P		H.264 M-JPEG	1	2288x1712	-	2/2	-	-	-	Supported by design
VCC-HD3300		H.264 M-JPEG	1	2288x1712	-	2/2	-	-	-	Supported by design
VDC-HD3300	MAIN 1.00-14	H.264 M-JPEG	1	2288x1712	-	2/2	-	-	-	
Note:	Detail FW version: MAIN 1.00-14 ; SUB 1.00-02									
VDC-HD3300P		H.264 M-JPEG	1	2288x1712	-	2/2	-	-	-	Supported by design
VCC-HD4600	CAM MAIN 1.00-05	H.264 M-JPEG	1	2288x1712	2-way	2/2	Yes	-	-	
Note:	Detail FW version: CAM MAIN 1.00-05 ; CAM SUB 1.00-01 ; NET MAIN 1.00-04 ; NET SUB 1.00-04 PTZ only support zoom in/out									
VCC-HD4600P		H.264 M-JPEG	1	2288x1712	2-way	2/2	Yes	-	-	Supported by design



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Note:	PTZ only support zoom in/out									
VCC-HD5400		H.264 M-JPEG	1	2288x1712	2-way	4/2	Yes	-	-	Supported by design
VCC-HD5400P		H.264 M-JPEG	1	2288x1712	2-way	4/2	Yes	-	-	Supported by design
VCC-HD5600	CAM MAIN 1.00-04	H.264 M-JPEG	1	2288x1712	2-way	8/2	Yes	-	-	
Note:	Detail FW version: CAM MAIN 1.00-04 ; CAM SUB 1.00-00 ; MEC MAIN 1.04-00 ; I/O MAIN 1.03-00 ; NET MAIN 1.00-04 ; NET SUB 1.00-02									
VCC-HD5600P		H.264 M-JPEG	1	2288x1712	2-way	8/2	Yes	-	-	Supported by design
VDC-DP9585P	2.00-00 <M08101001 >	M-JPEG	1	640x480	2-way	-	Yes	-	-	
VDC-DP9584N	2.00-00 <M08101001 >	M-JPEG	1	640x480	2-way	-	Yes	-	-	
VCC-9800P	2.00-00 <H08070300 >	H.264 M-JPEG	1	720x576	2-way	-	Yes	-	-	
VCC-9800NA	2.00-00 <H08070300 >	H.264 M-JPEG	1	720x480	2-way	-	Yes	-	-	
VCC-ZM600N		H.264 M-JPEG	1	720x576	-	-	Yes	-	-	Supported by design
Note:	PTZ only support zoom in/out									

Seorim

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SVC-3030/41NR-DN	SVC-3030 version #5113	MPEG4 M-JPEG	1	704x480	1-way	1/1	-	-	-	
SVG-3110	SVG3110 version #5057	MPEG4	1	352x240	1-way	1/1	Yes	-	-	
SVG-3410	SVG-3410 #304	MPEG4	4	352x240	1-way	4/4	Yes	-	-	
SVD-3020-PTZ	SVD-3020 version #5110	MPEG4 M-JPEG	1	704x576	1-way	4/1	Yes	-	-	
SVC-302x		MPEG4 M-JPEG	1	704x480	1-way	1/1	-	-	-	Supported by design

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SNC-CH110/B		H.264 MPEG4 M-JPEG	1	1280x960	-	-	-	Done by Software	-	Supported by design
SNC-CH110/S	1.22.00	H.264 MPEG4 M-JPEG	1	1280x960	-	-	-	Done by Software	-	
SNC-CH120	1.11.00	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/0	-	Done by Software	-	
SNC-CH140	1.07.00	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/2	-	Yes	-	
SNC-CH160	1.13.00	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	Yes	Done by Software	-	
Note:	SNC-CH160: PTZ function only support zoom and focus.									
SNC-CH180	1.10.03	H.264 MPEG4 M-JPEG	1	1280x720	2-way	1/2	-	Yes	-	
SNC-CH210/B		H.264 MPEG4 M-JPEG	1	2048x1536	-	-	-	Done by Software	-	Supported by design
SNC-CH210/S	1.12.00	H.264 MPEG4 M-JPEG	1	2048x1536	-	-	-	Done by Software	-	
SNC-CH220	1.21.02	H.264 MPEG4 M-JPEG	1	1920x1440	-	1/1	Yes	Done by Software	-	
Note:	SNC-CH220: PTZ only supports focus near/far and auto focus functon.									
SNC-CH240	1.10.01	H.264 MPEG4 M-JPEG	1	1680x1056	2-way	1/2	Yes	Yes	-	
Note:	SNC-CH240: Do not support 1920x1440/1920x1080 resolution									
SNC-CM120	1	MPEG4 M-JPEG	1	1280x960	2-way	1/2	Yes	-	-	
SNC-CS10		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	-	Supported by design
SNC-CS11	1.05	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	-	
SNC-CS20	1	MPEG4 M-JPEG	1	768x576	2-way	1/2	-	-	-	
SNC-CS3		M-JPEG	1	736x480	-	1/2	-	-	-	Supported by design
SNC-CS50	2.21	MPEG4 M-JPEG	1	640x480	2-way	2/2	-	-	-	
SNC-DF40	1.17	MPEG4 M-JPEG	1	640x480	2-way	1/2	-	-	-	
SNC-DF50	1.11	H.264 MPEG4 M-JPEG	1	640x480	2-way	1/2	-	-	-	

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SNC-DF70	1.17	MPEG4 M-JPEG	1	640x480	2-way	1/2	-	-	-	
SNC-DF80	1.11	H.264 MPEG4 M-JPEG	1	640x480	2-way	1/2	Yes	-	-	
SNC-DF85	0.9	H.264 MPEG4 M-JPEG	1	640x480	2-way	1/2	-	-	-	
SNC-DH120	1.12.03	H.264 MPEG4 M-JPEG	1	1280x1024	-	-	-	Done by Software	-	
SNC-DH120T		H.264 MPEG4 M-JPEG	1	1280x1024	-	-	-	Done by Software	-	Supported by design
SNC-DH140	1.07.00	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/2	-	Yes	-	
SNC-DH140T		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/2	-	Done by Software	-	Supported by design
SNC-DH160	1.13.00	H.264 MPEG4 M-JPEG	1	1280x1024	-	1/1	-	Done by Software	-	
SNC-DH180	1.10.02	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/2	-	-	-	
SNC-DH240	1.10.02	H.264 MPEG4 M-JPEG	1	1680x1056	2-way	1/2	-	Yes	-	
SNC-DH240T		H.264 MPEG4 M-JPEG	1	1680x1056	2-way	1/2	-	Done by Software	-	Supported by design
Note:	SNC-DH240/T: Do not support 1920x1440/1920x1080 resolution									
SNC-DM110		MPEG4 M-JPEG	1	1280x960	2-way	1/2	-	-	-	Supported by design
SNC-DM160	1.01	MPEG4 M-JPEG	1	1280x960	2-way	1/2	Yes	-	-	
SNC-DS10	1.01	H.264 MPEG4 M-JPEG	1	768x576	2-way	1/2	-	-	-	
SNC-DS60	1	MPEG4 M-JPEG	1	640x480	2-way	1/2	-	-	-	
SNC-P1	1.28	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	-	
SNC-P5	1.28	MPEG4 M-JPEG	1	640x480	2-way	2/1	Yes	-	-	
SNC-RH124	1.10.01	H.264 MPEG4 M-JPEG	1	1280x720	2-way	4/2	Yes	-	-	
SNC-RH164	1.10.01	H.264 MPEG4 M-JPEG	1	1280x720	2-way	4/2	Yes	Yes	-	
SNC-RS44N		H.264 MPEG4 M-JPEG	1	720x480	2-way	4/2	Yes	Done by Software	-	Supported by design

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SNC-RS44P		H.264 MPEG4 M-JPEG	1	720x576	2-way	4/2	Yes	Done by Software	-	Supported by design
SNC-RS46N		H.264 MPEG4 M-JPEG	1	720x480	2-way	4/2	Yes	Done by Software	-	Supported by design
SNC-RS46P	1.10.02	H.264 MPEG4 M-JPEG	1	720x576	2-way	4/2	Yes	Yes	-	
SNC-RS84N		H.264 MPEG4 M-JPEG	1	720x480	2-way	4/2	Yes	Done by Software	-	Supported by design
SNC-RS84P		H.264 MPEG4 M-JPEG	1	720x576	2-way	4/2	Yes	Done by Software	-	Supported by design
SNC-RS86N		H.264 MPEG4 M-JPEG	1	720x480	2-way	4/2	Yes	Done by Software	-	Supported by design
SNC-RS86P		H.264 MPEG4 M-JPEG	1	720x576	2-way	4/2	Yes	Done by Software	-	Supported by design
SNC-RX530	3.03	H.264 MPEG4 M-JPEG	1	640x480	2-way	2/2	Yes	-	-	
SNC-RX550	2.21	H.264 MPEG4 M-JPEG	1	640x480	2-way	2/2	Yes	-	-	
SNC-RX570	3.01	H.264 MPEG4 M-JPEG	1	640x480	2-way	2/2	Yes	-	-	
SNC-RZ25	1.29	MPEG4 M-JPEG	1	640x480	2-way	2/2	Yes	-	-	
SNC-RZ30	3.14	M-JPEG	1	736x480	-	3/2	Yes	-	-	
SNC-RZ50	2.21	H.264 MPEG4 M-JPEG	1	640x480	2-way	2/2	Yes	-	-	
SNC-Z20	1.06	M-JPEG	1	736x480	-	1/2	Yes	-	-	
Note:	SNC-Z20: PTZ Support: zoom only.									
SNT-EP104		H.264 MPEG4 M-JPEG	4	720x576(P) 720x480(N)	-	-	-	Done by Software	-	Supported by design
SNT-EP154	1.10.01	H.264 MPEG4 M-JPEG	4	720x480	-	-	-	Yes	-	
SNT-EX101		H.264 MPEG4 M-JPEG	1	720x576(P) 720x480(N)	2-way	2/2	Yes	Done by Software	-	Supported by design
SNT-EX101E	1.10.01	H.264 MPEG4 M-JPEG	1	720x480	2-way	2/2	Yes	Yes	-	
SNT-EX104	1.10.01	H.264 MPEG4 M-JPEG	4	720x576(P) 720x480(N)	2-way	4/4	Yes	Yes	-	
SNT-EX154	1.10.01	H.264 MPEG4 M-JPEG	4	720x480	2-way	4/4	Yes	Yes	-	

Sony

SONY

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SNT-V704	2.15	MPEG4 M-JPEG	4	720x480	2-way	1/4	-	-	-	

StarDot



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SD-130	v1.1.61	M-JPEG	1	1296x960	-	-	-	-	-	
SD-300		M-JPEG	1	2048x1536	-	-	-	-	-	Supported by design
SD-500	v1.1.61	M-JPEG	1	2592x1944	-	-	-	-	-	
SDEXP4	v1.1.61	M-JPEG	4	704 x 416	-	-	-	-	-	
SDEXP2	v1.1.61	M-JPEG	2	704 x 416	-	-	-	-	-	
SDH130B		H.264 M-JPEG	1	1296 x 976	-	1/0	-	-	-	Supported by design
SDH130BN		H.264 M-JPEG	1	1296 x 976	-	1/0	-	-	-	Supported by design
SDH130V		H.264 M-JPEG	1	1296 x 960	-	1/0	-	-	-	Supported by design
SDH130VN		H.264 M-JPEG	1	1296 x 960	-	1/0	-	-	-	Supported by design
SDH300B		H.264 M-JPEG	1	2048 x 1536	-	1/0	-	-	-	Supported by design
SDH300V		H.264 M-JPEG	1	2048 x 1536	-	1/0	-	-	-	Supported by design
SDH500B		H.264 M-JPEG	1	2560 x 1944	-	1/0	-	-	-	Supported by design
SDH500BN	v1.1.68	H.264 M-JPEG	1	2560 x 1944	-	1/0	-	-	-	
SDH500V		H.264 M-JPEG	1	2592 x 1944	-	1/0	-	-	-	Supported by design
SDH500VN		H.264 M-JPEG	1	2592 x 1944	-	1/0	-	-	-	Supported by design

Toshiba**TOSHIBA**- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IKWB02A		M-JPEG	1	640x480	2-way	-	-	-	-	Supported by design
IKWB15A		M-JPEG	1	1280x960	2-way	-	Yes	-	-	Supported by design
IKWB21A	2.09.E.103.1 21	M-JPEG	1	1280x960	2-way	-	Yes	-	-	
IKWB70A	0100e	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	-	Yes	
IKWD01A	0100a	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	-	Yes	
IKWR01A		M-JPEG	1	640x480	2-way	-	-	-	-	Supported by design

TRUEN

- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
TCS-200	T122	H.264	1	720x576	1-way	2/2	Yes	-	-	
TCAM-230		H.264	1	720x576	1-way	1/1	Yes	-	-	Supported by design
TCAM-250		H.264	1	720x576	1-way	1/1	Yes	-	-	Supported by design
TCAM-251	V1.T122	H.264	1	720x576	1-way	1/1	Yes	-	-	
TCAM-270L	V1.108F	H.264	1	720x576	1-way	1/1	Yes	-	-	
TCAM-270M		H.264	1	720x576	1-way	1/1	Yes	-	-	Supported by design
TCAM-270H		H.264	1	720x576	1-way	1/1	Yes	-	-	Supported by design
TCAM-570	Enc:V1.103A-005	H.264 M-JPEG	1	1920x1080	2-way	2/2	Yes	Done by Software	-	

Videosec



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IBF-211	5.0.2.4437	MPEG4 M-JPEG H.264	1	1280x1024	2-way	1/1	Yes	Done by Software	Yes	
ID-209		MPEG4 M-JPEG H.264	1	1280x1024	2-way	1/1	Yes	Done by Software	Yes	Supported by design
IDA-210		MPEG4 M-JPEG H.264	1	1280x1024	2-way	1/1	Yes	Done by Software	Yes	Supported by design
IP-206M	5.a.2.4441	MPEG4 M-JPEG H.264	1	1280x1024	2-way	-	-	Done by Software	Yes	
IS-240		MPEG4 M-JPEG H.264	1	1280x1024	2-way	1/1	Yes	Done by Software	Yes	Supported by design

VIVOTEK



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
FD61x1		MPEG4 M-JPEG	1	720x480	2-way	1/1	-	-	Yes	Supported by design
FD61x2		MPEG4 M-JPEG	1	720x480	2-way	1/1	-	-	Yes	Supported by design
FD7130	0100e	MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	
FD7131		MPEG4 M-JPEG	1	720x480	2-way	1/1	-	-	Yes	Supported by design
FD7132	0100f	MPEG4 M-JPEG	1	640x480	-	1/1	-	-	Yes	
FD7141	0100g	MPEG4 M-JPEG	1	720x480	-	1/1	-	-	Yes	
Note:	MPEG4: Unable to connect through HTTP.									
FD7160		MPEG4 M-JPEG	1	1600x1200	-	-	-	-	Yes	Supported by design
FD8133		MPEG4 M-JPEG H.264	1	1280x800	-	1/0	-	-	Yes	Supported by design
FD8134	0100e	MPEG4 M-JPEG H.264	1	1280x800	-	1/0	-	-	Yes	
FD8161	0100g	MPEG4 M-JPEG H.264	1	1600x1200	2-way	1/1	-	-	Yes	
FD8361	0100d1	MPEG4 M-JPEG H.264	1	1600x1200	2-way	1/1	-	-	Yes	
Note:	MPEG4: Unable to connect through HTTP.									
Note:	Audio: All cameras don't support AAC audio codec, but GSM-AMR.									
IP21x1		M-JPEG	1	720x576	-	1/1	-	-	Yes	Supported by design
IP21x2		M-JPEG	1	720x576	1-way	1/1	-	-	Yes	Supported by design
IP3132		H.263	1	720x576	1-way	1/1	-	-	Yes	Supported by design
IP3133		H.263	1	720x576	1-way	1/1	-	-	Yes	Supported by design
IP3135		H.263	1	720x576	1-way	-	-	-	Yes	Supported by design
IP3135-PLNK		H.263	1	720x576	1-way	1/2	-	-	Yes	Supported by design
IP3136		H.263	1	720x576	1-way	-	-	-	Yes	Supported by design

VIVOTEK



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IP3136-PLNK		H.263	1	720x576	1-way	1/2	-	-	Yes	Supported by design
IP3137		H.263	1	720x576	1-way	1/1	-	-	Yes	Supported by design
IP31x1	0201b	H.263	1	720x576	-	1/1	-	-	Yes	
IP31x1TLFN		H.263	1	720x576	-	1/1	-	-	Yes	Supported by design
IP31x2		H.263	1	720x576	1-way	1/1	-	-	Yes	Supported by design
IP31x7		H.263	1	720x576	1-way	1/1	-	-	Yes	Supported by design
IP51x2		MPEG4	1	720x576	2-way	1/1	-	-	Yes	Supported by design
IP51x4		MPEG4	1	720x576	2-way	1/1	-	-	Yes	Supported by design
IP6114		MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
IP6124		MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
IP61x2		MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
IP61x4		MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
IP61X7		MPEG4 M-JPEG	1	720x576	2-way	1/1	-	-	Yes	Supported by design
IP7130	0100c	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
IP7131		MPEG4	1	704x576	1-way	1/1	-	-	Yes	Supported by design
IP7132		MPEG4	1	704x576	1-way	1/1	-	-	Yes	Supported by design
IP7133	0100b	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
IP7134	0100b	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
IP7135		MPEG4	1	704x576	1-way	-	-	-	Yes	Supported by design
IP7137		MPEG4	1	704x576	1-way	-	-	-	Yes	Supported by design
IP7138	0101h	MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	

VIVOTEK



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IP7139		MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	-	Yes	Supported by design
IP7142		MPEG4 M-JPEG	1	704x576	2-way	1/1	-	-	Yes	Supported by design
IP7151		MPEG4 M-JPEG	1	704x576	2-way	1/1	-	-	Yes	Supported by design
IP7152		MPEG4 M-JPEG	1	704x576	2-way	1/1	-	-	Yes	Supported by design
IP7153	0100g	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	-	Yes	
IP7154	0100b	MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	-	Yes	
IP7160	0101b	MPEG4 M-JPEG	1	1600x1200	2-way	1/1	-	-	Yes	
IP7161		MPEG4 M-JPEG	1	1600x1200	2-way	1/1	-	-	Yes	Supported by design
IP71x7		MPEG4	1	704x576	1-way	1/1	-	-	Yes	Supported by design
IP7251	0100f	MPEG4	1	640x480	2-way	1/1	Yes	-	Yes	
Note:	MPEG4: Unable to connect through HTTP.									
IP7330		MPEG4 M-JPEG	1	640x480	-	1/0	-	-	Yes	Supported by design
IP7361		MPEG4 M-JPEG	1	1600x1200	2-way	1/1	-	-	Yes	Supported by design
IP8132		MPEG4 M-JPEG H.264	1	1280x800	2-way	1/1	-	-	Yes	Supported by design
IP8151		MPEG4 M-JPEG H.264	1	1280x800	2-way	1/1	-	-	Yes	Supported by design
IP8161	0101b	MPEG4 M-JPEG H.264	1	1600x1200	2-way	1/1	Yes	-	Yes	
Note:	PTZ only support zoom in/out									
IP8330	0100e	MPEG4 M-JPEG H.264	1	640x480	-	1/0	-	-	Yes	
IP8332		MPEG4 M-JPEG H.264	1	1280x800	-	1/0	-	-	Yes	Supported by design
IZ7151		MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	Supported by design
Note:	PTZ Support: zoom only.									

VIVOTEK



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
PT3134		H.263	1	720x576	1-way	1/1	Yes	-	Yes	Supported by design
PT31x2		H.263	1	720x576	1-way	1/1	Yes	-	Yes	Supported by design
PT31x3		H.263	1	720x576	1-way	1/1	Yes	-	Yes	Supported by design
PT31x4		H.263	1	720x576	1-way	1/1	Yes	-	Yes	Supported by design
PT31x7		H.263	1	720x576	1-way	1/1	Yes	-	Yes	Supported by design
PT7000		MPEG4	1	720x576	1-way	-	Yes	-	Yes	Supported by design
PT7135		MPEG4	1	720x576	1-way	-	Yes	-	Yes	Supported by design
PT7137		MPEG4	1	704x576	1-way	-	Yes	-	Yes	Supported by design
PZ61x2	0105e	MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	
PZ61x4		MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	Supported by design
PZ7131	0100b	MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	-	Yes	
PZ7132		MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	-	Yes	Supported by design
PZ7151	0101b	MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	
Note:	MPEG4: Unable to connect through HTTP.									
PZ7152		MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	Supported by design
PZ71X1		MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	Supported by design
PZ71X2		MPEG4 M-JPEG	1	704x576	2-way	1/1	Yes	-	Yes	Supported by design
SD61x2		MPEG4 M-JPEG	1	720x576	2-way	4/1	Yes	-	Yes	Supported by design
SD7151	0101d	MPEG4 M-JPEG	1	720x576	2-way	4/1	Yes	-	Yes	
Note:	No audio support in M-JPEG format.									
Note:	MPEG4: Unable to connect through HTTP.									

VIVOTEK



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SD73X3	0100h	MPEG4 M-JPEG	1	704x576	2-way	4/1	Yes	-	Yes	
SD81X1	0100e	MPEG4 M-JPEG H.264	1	720x576	2-way	4/1	Yes	-	Yes	
TC5330		MPEG4 M-JPEG	1	640x480	-	-	-	-	Yes	Supported by design
TC5331		MPEG4	1	720x576	1-way	-	-	-	Yes	Supported by design
Note:	MPEG4: Unable to connect through HTTP.									
VS2101		M-JPEG	1	720x576	-	1/1	-	-	Yes	Supported by design
VS2401		M-JPEG	4	720x576	-	4/2	-	-	Yes	Supported by design
VS2402		M-JPEG	4	720x576	-	4/2	-	-	Yes	Supported by design
VS2403	0103b	M-JPEG	4	720x576	1-way	4/4	Yes	-	Yes	
VS3100		H.263	1	720x576	1-way	1/1	-	-	Yes	Supported by design
VS3101		H.263	1	720x576	-	1/1	-	-	Yes	Supported by design
VS3102		H.263	1	720x576	1-way	1/1	-	-	Yes	Supported by design
VS3102-XLTH		H.263	1	720x576	1-way	1/1	-	-	Yes	Supported by design
VS7100	0101e	MPEG4 M-JPEG	1	720x576	-	1/1	Yes	-	Yes	
Note:	MPEG4: Unable to connect through HTTP.									
Note:	Audio: All cameras don't support AAC audio codec, but GSM-AMR.									
VS8102	0100f	MPEG4 M-JPEG H.264	1	1600x1200	2-way	1/1	-	-	Yes	

Y-cam



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Black	V3.25B	MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	
White	V3.25B	MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	
Knight	V3.25B	MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	



- : not available on camera
*1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
B5110		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	Yes	Yes	Supported by design
B6110	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	Yes	Yes	
D510E		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	Supported by design
D520E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	
D610A		MPEG4 M-JPEG	1	640x480	2-way	-	-	Yes	Yes	Testing by manufactor
D6111	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	Yes	Yes	
D611E		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	Testing by manufactor
F210A	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	2-way	-	-	Yes	Yes	
F3100		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	-	-	Yes	Yes	Supported by design
F3105		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	-	-	Yes	Yes	Supported by design
F312A		MPEG4 M-JPEG	1	640x480	2-way	-	-	Yes	Yes	Supported by design
F5100	MG.0.5.0.1	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	Yes	Yes	
F5105		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	Yes	Yes	Supported by design
F510E		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	Supported by design
F510W		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	Supported by design
F5110		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	Yes	Yes	Supported by design
F5115		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	-	Yes	Yes	Supported by design
F511E		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	Supported by design
F511W		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	Supported by design
F520E	LM.1.6.16.03 P2	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	
F521E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	



- : not available on camera
 *1: not available on software

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
F531E		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	Supported by design
F610A		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	Supported by design
F611E		MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	Testing by manufactor
F721A		MPEG4 M-JPEG	1	640x480	2-way	-	-	Yes	Yes	Supported by design
F731E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	2-way	1/1	-	Yes	Yes	
M510E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	Yes	Yes	
M510W	LM.1.6.16.03 P2	MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	Yes	Yes	
M511E	LM.1.6.16.03 P2	MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	Yes	Yes	
M511W	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	Yes	Yes	
P5110		H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	Yes	Yes	Yes	Testing by manufactor
P5115	MG.0.6.01_C 1	H.264 MPEG4 M-JPEG	1	1280x1024	2-way	1/1	Yes	Yes	Yes	
V111T	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	2-way	1/1	Yes	Yes	Yes	