




Analog Camera Capture Card



FCS-8004

H/W Version: 1


Integrate CCTV Analogue Surveillance into Digital IP Surveillance

The LevelOne FCS-8004 Analogue Capture Card enables users to integrate an existing analogue surveillance system into a digital IP based surveillance system without the need to fully upgrade the already installed security system.

Together with the free bundled software, IP CamSecure Lite, the FCS-8004 is able to capture, convert and manage any analogue surveillance system into a digital surveillance system. The software also allows the management of both analogue and digital surveillance systems on the same system.

The FCS-8004 provides connectivity to four analogue cameras with a two channel audio input to a new IP based digital surveillance system that is accessible remotely over the Internet and locally over the Intranet.

It is also possible to capture up to 16 Analogue cameras with 8 audio channels by scaling to 4 capture cards in one system. This feature enables large scale CCTV environments to be fully integrated into a digital IP based surveillance system with little effort and cost.



- 1. VGA Connector
- 2. PCI Interface

Key Features

- Integrate analog and digital cameras on a single optimized surveillance system
- Support the monitoring of 4 analog cameras
- Advanced motion detection and alarm functions
- View up to 60 frames per second
- Superior video resolution up to 720x480/720x576
- 2 ports audio inputs
- MPEG-4 compression mode
- Free software included (Industry-leading 32-channel IP CamSecure Lite™ software)
- Supports Windows 2000/XP/Vista

Works Well With



FCS-9464
IP CamSecure Pro64 Mega



FCS-7011
1-port PoE Video Server

Technical Specification

Video Specifications

Video Input

4

Audio Input

2

Maximum Cards in a PC

4

Display Rate

60fps(NTSC)

50fps(PAL)

Recording Rate

60fps(NTSC)

50fps(PAL)

Video Resolution

720x480/640x480/640x240/320x240(NTSC)

720x576/640x480/640x240/320x240(PAL)

Compression Mode

Software Compression MPEG4

Hardware Watchdog

Yes

Dimension

150(W)x100(H)mm

Hardware Requirements

OS

Windows 2000/XP/VISTA

CPU

Pentium 4-2.8GHz

RAM

512MB

HDD

80GB

Mother-board

Intel 945 or 965 chip, Intel chipset and ASUS motherboard recommended


Display

ATI Radeon 9200, nVIDIA GeForce FX-5200, Intel 945/965, or above(ATI recommended)

EMI and Safety

FCC, CE

Product Diagram



Order Information

FCS-8004: Analog Camera Capture Card

Package Content

FCS-8004

Audio/Video Cable

CD Manual/Driver/Utility

Quick Installation Guide