



Short range DVI-D Receiver / Long Range DVI-D Receiver



ADE-8001



ADE-8002

H/W Version: 1

LevelOne DVI-Receivers

LevelOne provides a complete range of short and long range DVI-D Receivers to extend transmission of DVI signals from a controlling unit to remote locations.


The short range DVI Receiver (ADE-8001) is able to receive a maximum 1280 x 1024 resolution signal from a controlling unit rack from 10m away while the long range ADE-8002 DVI receiver is able to manage maximum resolution of up to 1920 x 1200 over 35m

ADE-8001



1. DVI Output Port
2. RJ-45 Input Port

ADE-8002



3. EQ Knob
4. Power Jack
5. DVI Output Port
6. RJ-45 Input Port

Key Features

ADE-8001 Short range DVI-D Receiver

- Receive DVI signal from up to 25meters at 1024 x 768 resolution when working with ADE-8202/8204/8208
- Receive DVI signal from up to 15 meters at 1024 x 768 resolution when working with ADE-8021

ADE-8002 Long range DVI-D Receiver

- Extends Distance from DVI Source to Monitor up to 80m
- Pure Digital Signal Transmission Provides Undistorted Image Quality
- Included Detachable Base for Easy Installation and Wall mounting

Works Well With



ADE-8201
1-Port DVI Transmitter




ADE-8011
Cat.5 Audio Transmitter/
Receiver

Technical Specifications

	DVI Receiver	
Model No.	ADE-8001	ADE-8002
Output	1	1
Input	1	1
Max Distance & Resolution	800 x 600 @ 20m 1024 x 768@ 15m 1280 x 1024@10m	800 x 600 @ 80m 1024 x 768@ 70m 1280 x 1024@60m 1920 x 1200@35m
Cascadable	-	-
Signal Type	DVI-D	DVI-D
Dimensions(L x W x H)	42mm x 40mm x 17mm	113mm x 62mm x 29mm
Operating Temp.	0°C ~ 50°C	0°C ~ 50°C
Storage Temp.	0°C ~ 50°C	0°C ~ 50°C
Humidity	70% ~ 25% Non-Condensing	

Product Diagram



Order Information	ADE-8001: DVI-D Short Range Receiver
	ADE-8002: DVI-D Long Range Receiver
Package Contents	ADE-8001, User Manual
	ADE-8002, Power Adapter, User Manual