2-port USB/ MFP Server

LevelOne's FPS-3003 is a 2-port USB/ MFP server well designed to provide easy network accessibility for office environment or SOHO netwrok usage. This device converts user printers, HP MFPs, or USB storage devices with USB interfaces to share resources on the network, easily letting you scan, print, and import/export data storage.

The FPS-3003 has 2 USB host ports. You can connect two general printers or HP MFP to share printer resources, HP MFP to share scanner functions, and also USB hard disk or flash drives to share stored files. With the Web-based management interface, system configuration and maintenance is not a problem for FPS-3003. By using a general browser, the menu will walk you through the whole configuration procedure. The built-in FTP server allows you to access files over the Internet, making it easier to store and receive data. You can push the "INIT button" to print a configuration report to check the connection, preform a factory default of your MFP server, and upgrade the newest firmware.

In order to simplify your USB devices management, FPS-3003 is the device to maximize your productivity and investment by sharing information through reliable networking.



FPS-3003

Shares 2 USB devices on the network

Shares printer function for general USB printer and HP MFP Shares scanner function of HP MFP

Supports general USB storages including USB hard disk, flash drive and card reader

Supports SMB and FTP file server

Supports SNMP v1/v2c/v3 management protocol Supports DHCP

Supports easy setup

through Web Browser

Provides Windows tool on Windows 98SE/ME/ 2000/2003/ XP/Vista

MFPs

HP PSC all-in-one 700 series, 900 series, 1100 series, 1200 series, 1315, 1350, 2100

General USB Printer

Brother, Cannon, Epson, HP, IBM, Kyocera, Lexmark, Minolta, NEC, Oce, OKI, Ricoh, Sharp, TEC, Star, Toshiba, Zebra, Xerox.

series, 2150 series, 2170 series, 2200 series, 2400 series, 2500 series **HP** LaserJet 1220, HP

HP Laser Jet all-in-one

USB Storage/ Memory cards

LaserJet 3200. **HP** LaserJet 3200se, HP LaserJet 3200m, **HP** LaserJet 3300, HP LaserJet 3310. **HP LaserJet** 3320, HP LaserJet 3300

Supports most USB hard disk, USB flash drive and USB card reader

Processor

ARM 9-based RISC microprocessor, operating at 166MHz

Flash Memory

1 Mbytes

RAM

8 Mbytes RAM **Ports**

1 x 10/100 Mbps RJ-45 Ethernet port 2 x USB 1.1 Full-speed host ports

Print Server Supported Systems

Microsoft Windows 98SE/ ME/ 2000/ XP and 2003.

File Server Supported Systems

Microsoft Windows 98SE/ ME/ 2000/ XP and 2003,

Supports Unicode, CodePage

Scan Server Supported Systems

Microsoft Windows 98SE/ ME/ 2000/ XP and 2003

Printer Server Protocols

TCP/IP: LPR, Raw TCP, NetBIOS over TCP/IP (SMB), IPP

File Server Protocols

SMB: NetBIOs over TCP/IP

Scan Server Protocols

SANE Server

Management

Web pages for configuration, monitoring and

upgrading

Windows utility for installation, configuration and monitoring

Firmware Upgrade

Internal Web pages Windows Tool TFTP

LEDs

Power, Link, Status, USB1 and USB2

Power Supply

5V/2A, external power

Power Consumption

10 W

Temperature

Operating: 5°C ~40°C

Humidity

Operating: 0% ~ 70% (Non-condensing)

Dimension


104mm(D) * 76mm(W) * 26mm(H)

Weight

85 g

EMI and Safety

FCC part 15 Subpart C, Class B VCCI Class B



FPS-3003: 2-port USB/ MFP Server

