

# High Power PoE Injector, 56W



POI-4000(-Z)

H/W Version: 1

#### **Background**

The IEEE 802.3af standard limits the maximum current on an Ethernet cable to 350Ma. This provides for a maximum end-point power consumption of 12.95 Watts, which is fine for some devices. But many professional networking devices require more power.

# Introducting the ultimate solution for high-power PoE

LevelOne POI-4000(-Z) is a high power, PSE Power Injector for use in Power over Ethernet systems. With Ethernet Input (data only) port and Output (data

power) port, POI-4000(-Z) delivers up to Max. 56 Watts over Cat.5/6/7. This provides excellent support for PD devices such as PoE IP surveillance, outdoor access points or PoE VoIP telephones.

## **Maximize your PoE network**

POI-4000(-Z) can work with PoE Repeaters to extend the PoE network several hundred meters. This unbeatable solution is available only from LevelOne! It brings long distances with no latency or loss of network speed.





- 1. LED Indicator
- 2. Power Jack
- 3. RJ-45 In
- 4. RJ-45 Out

#### **Key Features**

- 56 Watt High-Power PSE Power Injector
- Sends Power over Ethernet to remote devices
- Ethernet 100 Mbps Wire Speed
- Simple to install-plug & play
- Power Protection: OCP, OVP

#### **Works Well With**



POS-4000 12V DC High Power PoE Splitter



**POC-4000** 8-Bay PoE Injector Chassis

#### **Technical Specifications**

#### **LAN Interface**

IEEE 802.3x, Auto-Detection for 10/100BASE-T and full/half

duplex

Standard Straight-through, or Cross-over CAT 5 Cable

Automatic MDIX function

RJ-45 Connector x 2

#### **LED Indicators**

POWER: Power is ON

LAN IN: Data Activity of LAN IN Port LAN OUT: Data Activity of LAN OUT Port

#### **Pin Assignment and Polarity**

4/5 (+), 7/8 (-)

#### **Regulations & Approvals**

FCC Rules Part 15 Class A

### **Input Power**

24V / 2.7A

#### **Total Power Budget**

56V / 1A

#### Physical Dimension: (L x W x H)


120mm x 90mm x 28mm

#### **Operating Environment**

Humidity: 5% to 90% non-condensing

Temperature: 0~50°C

#### **Product Diagram**



Note: These distances are typical results when used with  $18\sim19\Omega$  24 AWG Cat.5 Cable

POI-4000: High Power PoE Injector, 56W **Order Information** 

POI-4000-Z: High Power PoE Injector, 56W (no power included)

**Package Contents POI-4000:** POI-4000 x 1, Power Adapter x 1, QIG x 1

**POI-4000-Z:** POI-4000 x 1, QIG x 1

#### **Optional Accessories**



**POC-4000** 

8-Bay PoE Injector Chassis