




2-Port Gigabit PoE Repeater



POR-0122

H/W Version: 1

For system integrators looking for a professional solution to help extend their PoE network, POR-0122 is the perfect accessory to increase your Power over Ethernet network performance. LevelOne POR-0122, a 2-Port Gigabit PoE Repeater requiring neither configuration nor electrical power, is an innovative transmitter to pass on both data and power extend to another 100 meters. It delivers both data and power to two PoE network devices such as WLAN Access Points, Network Cameras and other appliances with fast speed to the network for greater deployment flexibility.

PoE Compliance


Our device features PoE (Power-over-Ethernet) capability, which carries electrical power along with data in a safe way using Ethernet cabling. Thus providing great cost savings by eliminating the need for additional power cables and outlets. In addition, it enhances flexibility, for instance, you can set up a PoE wireless access point in close proximity where the reception is better.

Easy Deployment

No software installation is required. Simply just plug and play as no external power supply is needed, due to all electrical power comes from the PSE (Power Sending Equipment), for instance, it could be a PoE Gigabit Ethernet Switch. Therefore the power source is centrally managed from one location easily and efficiently.

Scalable Design

LevelOne network devices are the perfect solution to help you extend your existing PoE network. Normal Ethernet cable, for example the cat5e standard, runs up to 100 meters, but with the installation of a single PoE repeater can increase the distance up to 200 meters. Furthermore, you can triple your range or even more by daisy-chaining multiple PoE repeaters.



1. LED Indicators
2. RJ-45 Gigabit PoE In
3. RJ-45 Gigabit PoE Out

Key Features

- Extends Gigabit PoE connection for another 100 meters
- Forwards Power over Ethernet (PoE) to remote device
- Built-in 2 PoE output ports for PoE devices
- No additional power supply required
- 10/100/1000Mbps wire speed transmission and reception
- Simple Plug and Play installation

Works Well With



GEP-0822
8-Port Gigabit PoE Plus Switch



POI-3000
Gigabit PoE Plus Injector

Technical Specification

Ethernet Interface

IEEE 802.3x, Auto-Detection for 10/100/1000BaseT and full/half duplex

Automatic MDI/MDIX function

PoE Input Port:

RJ-45 Connector x 1

PoE Output Port: RJ-45 Connector x 2

Power Supply

Power over Ethernet

Maximum Power Dissipation: 2.5 Watts

Led Indicators

POWER: Power is ON

POE IN: Gigabit Port with PoE IN

POE OUT1: Gigabit Port with PoE OUT

POE OUT2: Gigabit Port with PoE OUT

Power Consumption

2.5 Watts (Max)

Dimensions

120 × 90 × 28 mm (L x D x H)

Weight

0.35 kg

Operating Temperature

0 to 50°C

Storage Temperature

-20 to 90°C

Humidity

5 to 95% RH (non-condensing)


Certifications

FCC Rules Part 15, CE

Product Diagram

— Ethernet Cable (RJ-45)

⚡ PoE



Order Information

POR-0122: 2-Port Gigabit PoE Repeater

Package Contents

POR-0122

Quick Installation Guide