

5GHz 18dBi Directional Dual-Polarization Outdoor Panel Antenna

WAN-9180

H/W Version: 1

The LevelOne WAN-9180 18dBi Directional Dual-Polarization antenna is designed for outdoor wireless connections. With array pattern located at +45° and -45° polarization, you can improve signal strength in a crowded area with possible signal interference. It improves signal strength and coverage in 5GHz band, towards a concentrated enhanced direction. This panel antenna is easy to mount and install on flat areas such as wall or window. Designed for outdoor elevated installation with high sustainability in strong wind. With IP-67 rating, it is completely protected against dust and humidity ingress.



1. N jack

Key Features

- Operates in 5GHz band, according to IEEE 802.11a/n specifications
- Antenna diversity at 18dBi high gain performance
- Dual-Polarization to avoid interference
- Easy to install on the wall surface
- Wideband frequency performance enables future growth and increases flexibility

Related Product



WAN-4232 23dBi Directional Outdoor Panel Antenna(5GHz)




OAN-4101 10dBi Omni-directional Antenna (5GHz)

Antenna


Technical Specification


Electrical Specification	Environmental & Mechanical Characteristics
Frequency range	Survival wind speed
5.15~5.875GHz	216km/hr
Gain	Temperature
18dBi	-40°C~ +80°C
VSWR	Humidity
≤2.2	95% @ °C55
Polarization	Radome color
Linear, ±45	Gray
Horizontal HPBW	Radome Material
15±5°	ABS & Aluminum
Vertical HPBW	Weight
15°±5°	$435g \pm 20g$
Sidelobes level	Dimensions (L x W x H)
-8dB (normalize level)	256 x 227x 19mm
Isolation	Ingress Protection Rating
-15dB	IP-67
Input impedance	Mount kit
50 Ohm ±5 Ohm	Wall mount & Window Mount
Connector	
N Female x 2	
Power handling	
10Watt	
Lightening protection	
PCB 94V-0	

Product Diagram



Radiation Pattern





Radiation pattern (Port 1)

Radiation pattern (Port 2)

Order Information	WAN-9180: 5GHz 18dBi Directional Dual-Polarization Outdoor Panel Antenna
Package Contents	WAN-9180 x 1 Set QIG x 1 Set

Standard mounting kit (Pole mount x 1 & Wall mount x 1)

Optional Accessories



| **ANC-2310** | RPSMA plug to N plug-1m



ANC-2330 RPSMA plug to N plug-3m



ANC-4130 N Plug to N Jack Antenna Cable-3m



| **ANC-4160** | N Plug to N Jack Antenna | Cable-6m



ANA-6100 6G Outdorr Lighting Arrestor

All mentioned brand names are registered trademarks and property of their owners. Technical specifications are subject to change without notice.