



N_Max Wireless Router



WBR-3418

H/W Version: 1

Great reliability and performance from LevelOne

The LevelOne WBR-3418 brings solid performance and fast wireless speeds to your home network. Using tried and true 802.11g technology, you're able to achieve up to 54Mbps throughput to the 4 10/100 Mbps LAN ports, you're also able to add other computers and network devices.

Wireless ISP (WISP)

Ideal for use when connecting to wireless ISP's, the WBR-3418 can function as a wireless client router so that you can share the Internet connection provided by the wireless signal outside your building.


Streaming Video and Music for robust entertainment

For users that enjoy home network flexibility, but still require stable performance, WBR-3418 is the ideal solution. Sharing and streaming

files is fast and reliable, meaning no lag or latency when listening to music or watching the latest video. The built-in Quality of Service (QoS) engine also allows users to choose which applications receive priority for customized traffic control.

Simple Security and Setup

The built-in Wireless Signal On/Off Button means that users can decide when wireless internet access is on or off for greater network control. WPA/WPA2 encryption offers ideal protection against unwanted packet sniffing. WBR-3418 also comes with 802.1x RADIUS support for advanced network configuration. Setting up a secure wireless connection with WBR-3418 is fast and easy with WiFi Protected Setup Push Button support. Simply push the button and it negotiates the best security encryption with compatible computers on the network.



1. WiFi Protected Setup(WPS) Button
2. LED Indicators
3. Wireless Signal On/Off Button
4. Power Port
5. WAN Interface
6. LAN Interface

Key Features

- 802.11g compliant, speeds up to 54 Mbps
- Auto-Channel Selection to avoid interference from neighbors
- Wireless Signal On / Off Button
- Scheduled Wireless On / Off
- Simple Wireless Security with one-push WPS button
- Advanced Firewall and Traffic Priority Features
- Supports WISP Connection
- Easy Step-by-Step Installation Wizard

Works Well With



WUA-0315

54 Mbps Wireless USB Adapter



WCS-0010

11g Wireless Network Camera

Technical Specification

LAN-Interface

4x 10/100 Mbps Auto-MDIX RJ-45 Port

WAN-Interface and Standards

1x 10/100 Mbps Auto-MDIX RJ-45 Port
Static-IP Address, Dynamic IP Address (DHCP Client),
PPPoE, PPTP, L2TP

Wireless Data Transfer Rate

802.11g: 54 ~ 6 Mbps

802.11b: 11 ~ 1 Mbps

Number of Channels

Ch.1 ~ 11 USA

Ch.1 ~ 13 EU, Japan

Operating Frequency

2.4 ~ 2.4835 GHz

Antennas

1x 2dBi dipole

Wireless Features

Wireless Signal On / Off Button

Auto Channel Selection

Supports WISP Connection

Wireless Security

WEP 64/128-bit Web share key encryption

WPA, WPA2, 802.1x RADIUS support

128-bit TKIP/AES encryption

SSID Broadcast On/Off

WiFi Protect Setup (WPS) Push Button Support

WDS

One-to-Many peer AP (Max : 4 peer APs)

Firewall

DoS Detection

NAT Firewall with SPI mode

Virtual Server, DMZ

Schedule-Based MAC, IP, Domain and URL Filtering

QoS Support

Port Number and IP Address Traffic Prioritization

802.11e WMM Supported

Other Features

DDNS Supported, UPnP Supported, NTP Time Server,
VPN Pass-Through (PPTP, IPSec, L2TP)

Management

Web-Based GUI Configuration

Syslog monitoring, Email Alert

Firmware Upgrade

Web-based (HTTP)

Supported Operating Systems

Windows 2000/XP/Vista/Mac OSX/Linux

Power Adapter

DC12V / 1.0A

Operating Temperature

0°C ~ 40°C / 85% Humidity

Storage Temperature

-20°C ~ 70°C / 95% Humidity

Dimensions (L x W x H)

125mm x 109mm x 30mm

Certifications

CE, FCC


Standard Compliant

IEEE 802.11g, IEEE 802.11b, IEEE 802.11i, IEEE 802.1x


IEEE 802.11e, IEEE 802.3x, IEEE 802.3, IEEE 802.3u

Product Diagram

WISP Mode



Normal Mode



Order Information**WBR-3418:** *N_Max* Wireless Router**Package Content**

WBR-3418

Power Adapter

Antenna x 1

RJ45 Ethernet LAN Cable

Quick Installation Guide

CD Manual / Utility