



WBR-6003

150Mbps Wireless Router

H/W Version: 2

11n Wireless Technology

The LevelOne WBR-6003 is a wireless router that offers home and office users the latest 802.11n technology at a competitive price. Rated at 150Mbps, users will notice a significant improvement in wireless throughput compared to the previous standard of 802.11q.

Streaming Video and Music for reliable Entertainment

WBR-6003 is the ideal solution for users who enjoy home network flexibility and require a stable performance. Sharing and streaming files with fast and reliable connections, without any lag or latency when listening to music or watching the latest video.

Simple Security and Setup

The built-in Wireless Signal On/Off Button enables users to decide when the wireless internet access is on/off for greater network control. WPA/WPA2 encryption offers ideal protection against unwanted packet sniffing. The WBR-6003 comes with 802.1x RADIUS support for advanced network configuration. Setting up a secure wireless connection is fast and easy with a WiFi Protected Setup Push Button. Simply push the button and the WBR-6003 negotiates the best security encryption with compatible computers on the network.



- 1. LED Indicators
- 2. WiFi Protected Setup(WPS) Button
- 3. LAN Interface
- 4 WAN Interface
- 5. Reset Button
- 6. Power Port

Key Features

- Compatible with IEEE 802.11n standard and up to 150Mbps data rates
- Auto-Channel Selection to avoid interference from neighbors
- Provides WDS mode to combine separate wireless networks into one
- Wireless signal On / Off button
- Simple wireless security with one-push WPS button
- Advanced firewall and traffic priority features
- Web-based interface for easy configuration, upgrade and management
- Easy step-by-step installation wizard

Works Well With



WUA-0614 150Mbps Wireless USB Adapter



WUA-0606 150Mbps Wireless USB Adapter

Technical Specification

Standard Compliant

IEEE 802.11n,

IEEE 802.11g, IEEE 802.11b, IEEE 802.11i, IEEE 802.1x

IEEE 802.11e, IEEE 802.3x, IEEE 802.3, IEEE 802.3u

Hardware Specification

LAN-Interface

4x 10/100 Mbps Auto-MDIX RJ-45 Port

WAN-Interface and Standards

1x 10/100 Mbps Auto-MDIX RJ-45 Port

Static-IP Address, Dynamic IP Address (DHCP Client), PPPoE, PPTP, L2TP

Antennas

3dbi or 5dbi dipole antenna (fixed or detachable depending on regional SKU or local request)

Radio

Wireless Data Transfer Rate

802.11n: 150 ~ 78 Mbps 802.11g: 54 ~ 6 Mbps 802.11b: 11 ~ 1 Mbps

Number of Channels

Ch.1 ~ 11 USA Ch.1 ~ 13 EU

Operating Frequency

2.4 ~ 2.4835 GHz

Software Specification

Wireless Features

Wireless Signal On / Off Button

Auto Channel Selection

Wireless Security

WEP 64/128-bit Web share key encryption WPA, WPA2, 802.1x RADIUS support

128-bit TKIP/AES encryption

SSID Broadcast On/Off

WiFi Protect Setup (WPS) Push Button Support

WDS

One-to-Many peer AP (Max: 4 peer APs)

Firewall

DoS Detection

NAT Firewall with SPI mode

Virtual Server, DMZ

Schedule-Based MAC, IP, Domain and URL Filtering

Technical Specification

Other Features

DDNS Supported, UPnP Supported, NTP Time Server, VPN Pass-Through (PPTP, IPSec, L2TP), Wake on LAN

Quick Installation Wizard and Easy Setup Utility

Web-Based GUI Configuration

Syslog monitoring, Email Alert

Simple SNMP supported

Firmware Upgrade

Web-based (HTTP)

Supported Operating Systems

Windows 2000/XP/Vista/7

Physical Specification

Power Adapter

DC5V / 1A

Dimensions: (L x W x H)

166mm x 112mm x 30mm

Certifications

CE, FCC

Environment Specification

Operating Temperature

 $0^{\circ}\text{C} \sim 40^{\circ}\text{C} / 85\% \text{ Humidity}$

Storage Temperature

-20°C ~ 70 °C / 95% Humidity

Product Diagram



Order Information Package Content

WBR-6003: 150Mbps Wireless Router

Power Adapter Antenna(for detachable only)

Network Cable

Quick Installation Guide

CD - User Manual / Utility