

150Mbps Wireless Router

H/W Version: 1

11n Wireless Technology

The LevelOne WBR-6004 is a wireless router that offers home and office users the latest 802.11n technology at a competitive price. Rated at 150Mbps, users will notice a significant improvement in wireless throughput compared to the previous standard of 802.11g.

Streaming Video and Music for reliable Entertainment

WBR-6004 is the ideal solution for users who enjoy home network flexibility and require a stable performance. Sharing and streaming files with fast and reliable connections, without any lag or latency when listening to music or watching the latest video. The built-in Quality of Service (QoS) engine allows users to select applications with high priority for customized traffic control.

Simple Security and Setup

The built-in Wireless Signal On/Off Button enables users to decide when the wireless internet access is on/off for greater network control. WPA/WPA2 encryption offers ideal protection against unwanted packet sniffing. The WBR-6004 comes with 802.1x RADIUS support for advanced network configuration. Setting up a secure wireless connection is fast and easy with a WiFi Protected Setup Push Button. Simply push the button and the WBR-6004 negotiates the best security encryption with compatible computers on the network.

THEY

WBR-6004



1. Wireless Signal On/Off button 2. LED Indicators

- 3. WiFi Protected Setup (WPS) Button
- 4. Detachable Antenna
- 5. LAN Interface
- 6. WAN Interface
- 7. Power Socket

Key Features

- Compatible with IEEE 802.11n standard and up to 150Mbps data rates
- Auto-Channel Selection to avoid interference from neighbors
- Provides WDS mode to combine separate wireless networks into one
- Wireless signal On / Off button
- Simple wireless security with one-push WPS button
- Advanced firewall and traffic priority features
- Web-based interface for easy configuration, upgrade and management
- Easy step-by-step installation wizard
- 7dBi Antenna for Wider Signal Coverage

Works Well With



WUA-0614 150Mbps Wireless USB Adapter



WUA-0606 150Mbps Wireless USB Adapter

Technical Specification

Standard Compliant	Firewall
IEEE 802.11n,	DoS Detection
IEEE 802.11g, IEEE 802.11b, IEEE 802.11i, IEEE 802.1x	NAT Firewall with SPI mode
IEEE 802.11e, IEEE 802.3x, IEEE 802.3, IEEE 802.3u	Virtual Server, DMZ
Hardware Specification	Schedule-Based MAC, IP, Domain and URL Filtering
LAN-Interface	Technical Specification
4x 10/100 Mbps Auto-MDIX RJ-45 Port	QoS Support
WAN-Interface and Standards	Port Number and IP Address Traffic Prioritization
1x 10/100 Mbps Auto-MDIX RJ-45 Port	802.11e WMM Supported
Static-IP Address, Dynamic IP Address (DHCP Client), PPPoE,	Other Features
PPTP, L2TP	DDNS Supported, UPnP Supported, NTP Time Server,
Antennas	VPN Pass-Through (PPTP, IPSec, L2TP), Wake on LAN
7dBi detachable antenna	Management
Radio	Quick Installation Wizard and Easy Setup Utility
Wireless Data Transfer Rate	Web-Based GUI Configuration
802.11n: 150 ~ 78 Mbps	Syslog monitoring, Email Alert
802.11g: 54 ~ 6 Mbps	Simple SNMP supported
802.11b: 11 ~ 1 Mbps	Firmware Upgrade
Number of Channels	Web-based (HTTP)
Ch.1 ~ 11 USA	Supported Operating Systems
Ch.1 ~ 13 EU	Windows 2000/XP/Vista/7
Operating Frequency	Physical Specification
2.4 ~ 2.4835 GHz	Power Adapter
Software Specification	DC5V/1.2A
Wireless Features	Dimensions: (L x W x H)
Wireless Signal On / Off Button	166mm x 112mm x 30mm
Auto Channel Selection	Certifications
Wireless Security	CE, FCC
WEP 64/128-bit Web share key encryption	Environment Specification
WPA, WPA2, 802.1x RADIUS support	Operating Temperature
128-bit TKIP/AES encryption	0°C ~ 40°C / 85% Humidity
SSID Broadcast On/Off	Storage Temperature
WiFi Protect Setup (WPS) Push Button Support	-20°C ~ 70°C / 95% Humidity
WDS	
One-to-Many peer AP (Max : 4 peer APs)	

Product Diagram



Order Information Package Content

WBR-6004: 150Mbps Wireless Router

WBR-6004 Antenna Power Adapter RJ-45 Ethernet LAN Cable Quick Installation Guide CD Manual / Utility

All mentioned brand names are registered trademarks and property of their owners. Technical specifications are subject to change without notice.

 $\ensuremath{\mathbb{C}}$ Copyright Digital Data Communications GmbH. All Rights Reserved.