

54Mbps Wireless PCI Card

The **LevelOne's** WNC-0301 is a wireless card with the 32-bit PCI interface and complies with IEEE802.11g standard to deliver the data rate up to 54Mbps transfered in the 2.4GHz frequency. The strong network security can support WEP encryption up to 128 bits. WPA(TKIP), WPAZ(AES) With WNC-0301 wireless PCI adapter, you can easily connect PC to internet wirelessly in the high data transmission speed and establish a secure wireless network for the money-saving solution.



Key Features

- Compliant with IEEE 802.11g and 802.11b standards
- Highly efficient design mechanism to provide unbeatable performance
- Support Ad-Hoc, Infrastructure WLAN network wireless roaming
- Achieving data rate up to 54Mbps for 802.11g and 11Mbps for 802.11b
- Network security with WEP, WPA, WPA2 support
- Auto-switch between the two standards, IEEE 802.11b and 802.11g.
- Data rate auto fall-back under noisy environment or longer range distance
- Driver/Utility support most commonly used operating systems including Windows 2000/XP/ VISTA

Technical Specification

- Standard Conformance:
Wireless: IEEE 802.11b; IEEE 802.11g
Ethernet: IEEE 802.3
- Sensitivity for 802.11b:

1Mbps	2Mbps
5.5Mbps	11Mbps
- Sensitivity for 802.11g:

6Mbps	9Mbps
12Mbps	18Mbps
24Mbps	36Mbps
48Mbps	54Mbps
- Frequency Range:
2.4GHZ~2.4835GHZ
- LEDs:
TX/RX, LINK
- Modulation Technology:
64QAM, 16QAM, BPSK, QPSK,CCK
- Interface:
PCI Standard v 2.2 Compliance
- OS Support:
Windows 98SE/ ME/ 2000/ XP/VISTA
- Security:
WEP 64/128,WPA (TKIP), WPAZ (AES)
- Transmitter Output Power:
16~18 dBm
- Power:
3.3Volt ± 5%
- Power Consumption:
802.11g: TX 550mA, RX 360mA, Standby 30mA
802.11b: TX 560mA, RX 360mA, Standby 30mA
- Antenna Type:
2.4G dipole 2 dBi gain (Max), RP-SMA, DETACHABLE
- Temperature:
Operating: 0 ~55 C degree
Storing: -10 ~ 65 C degree
- Humidity:
5% ~ 95% (non-condensing)
- Dimension:
65mm(W)*120mm(L)*5mm(H)
- EMI and Safety:
FCC Part 15 Class B/C
CE

Ordering Information

WNC-0301: 11g Wireless PCI Card