



Configure an IPP port in Vista

1. Open the **Printers** window and click **Add a printer**.





3.Click The printer that I want isn't listed.

🚱 🖶 Add Printer	×
No printers were found.	1
Search ag	jain
The p <u>r</u> inter that I want isn't listed	
Next	Cancel

🎐 🖶 Add Printer	
Find a printer by name or TCP/IP ac	dress
Select a shared printer by name http://192.168.0.10/lp1	Browse
Example: \\computername\printername or http://computername/printers/printername/.	
	Next Cancel

For the one-port print server, **lp1** only.

For the multi-port print server, **lp1** means Parallel 1 or Parallel. **lp2** means Parallel 2 or USB 1. **lp3** means Parallel 3 or USB 2.

Click Next.

5.Select the printer driver or install the new one. Click **OK**.

Manufacturer	Printers	
Epson	Epson Stylus COLOR 660 E	SC/P 2
Fuji Xerox	Epson Stylus COLOR 660 E	
Fujitsu	Epson Stylus COLOR 680 E	
Generic	Epson Stylus COLOR 740 E	
Gestetner	Finson Stylus COLOR 760 F	

🖶 Add Printer	
Type a printe	er name
Printer name:	1P_PrintServ2A03D8 on http://192.168.0.10
	Set as the default printer
This printer has be	een installed with the Epson Stylus COLOR 670 ESC/P 2 driver.

7.Click Finish.

