

LevelOne

MUS-2500

Smart USB Storage

User Manual

V1.0.0-0605

CONTENT

CHAPT	ER 1	INTRODUCTION	5
1.1	About	this Manual	5
1.2	Suppo	ort Services	6
СНАРТ	ER 2	PRODUCT OVERVIEW	7
2.1	Packa	age Contents	7
2.2	Systen	m Requirements	7
2.3	Physic	cal Description	8
2.3.1	Mini U	USB B Type Connector	8
2.3.2	USB H	Hub Ports	8
2.3.3	DC Ja	ack	9
2.3.4	Backup	ıp Button	9
2.3.5	LED In	ndicators	9
2.4	Featur	res	9
СНАРТ	ER 3	HARDWARE SETUP	11
СНАРТ	ER 4	USING THE ENCLOSURE	12
4.1	Conne	ecting the enclosure	12
4.2	Remov	ving the enclosure	13
4.3	How to	o start SmartUSB utility	14
4.4	First tir	ime to use SmartUSB utility	15
СНАРТ	ER 5	BACKUP	
5.1	How to	o back up	18
5.1.1	Create	e a new backup job	

5.1.2	Edit an existing backup job2	3
5.1.3	Execute one backup job2	5
5.1.4	Execute multiple backup jobs2	5
5.2	Backup Setting	7
5.2.1	Method Setting2	7
5.2.2	Schedule Setting	1
5.2.3	File Location Setting	1
5.3	How to restore	2
5.3.1	Restore Setting	5
5.4	How to schedule	7
СНАРТ	ER 6 SECURED PRIVATE DISK	39
6.1	Create your private disk	9
6.2	Login your secured private disk4	0
6.3	Logout your secured private disk4	1
6.4	Delete your secured private disk4	1
6.5	Change username and password4	2
6.6	How to use Backup tool in secured private disk4	2
6.7	How to use Mobile Office in secured private disk4	3
СНАРТ	ER 7 MOBILE OFFICE	45
7.1	Mobile My Documents4	5
7.2	Mobile Internet Explorer4	6
7.3	Mobile Outlook Express4	6
7.4	Mobile Address Book4	9
СНАРТ	ER 8 PC SYNC TOOLS	50

8.1	My Documents Synchronization51
8.2	Internet Explorer Synchronization
8.3	Outlook Express Synchronization53
СНАРТ	ER 9 SYSTEM SETTING 56
9.1	General Setting56
9.2	Private Disk Management58
9.3	File Location
9.4	Maintenance
СНАРТ	ER 10 EXTERNAL BUTTON AND USB HUB 64
10.1	Set the external button
10.2	Use the button
СНАРТ	ER 11 TROUBLE SHOOTING
11.1	Frequently-asked questions67
11.2	Error messages
MESSA	GE ID

Chapter 1 Introduction

Thank you for purchasing the *LevelOne Smart USB Storage*. The product is a powerful USB 2.0 2.5" hard disk enclosure with two USB 2.0 ports Hub. It allows you to back up data, manage backup schedules and set up a private disk to protect your personal information. Levelone *MUS-2500* is personal mobile storage and much more.

Your *MUS-2500* comes with the *SmartUSB* utility. Through this application, you can quickly back up your data by just one touch. This application can also be set to complete a complex backup job based on the rules you define. For example, back up data daily, weekly or monthly. For needed security, the *SmartUSB* provides you the option to create a private disk for protecting your personal files and folders.

Using *SmartUSB* utility, you can back up the office package – My Document, Internet Explorer, Outlook Express and Address Book – to your *MUS-2500 Smart USB Storage*. Its Mobile Office function lets you use your office information anywhere. With the *MUS-2500*, you can go out without your notebook/computer, and make every computer looks just like your own.

1.1 About this Manual

This box contains the *MUS-2500 Smart USB Storage User Manual*. This document provides information and instruction on using MUS-2500 Smart USB Storage to set up your *SmartUSB* utility and back up your data.

Onscreen help allows you to access information onscreen while you're working with *SmartUSB utility*. Onscreen user manual is available here, as well as links to other documentation and related *MUS-2500* website.

In the application, choose the application's user manual from the Help menu. This onscreen help contains the detailed information about how to adjust the *SmartUSB* utility options and other settings, such as back up your data on schedule, protect your private files and folders, and more. With this onscreen help, you can operate the *SmartUSB* utility step by step.

If you have any questions regarding the operating *SmartUSB* Utility, please refer to onscreen Help or the Smart USB Storage User Manual in the **Doc** folder of **SMARTSYS** flash drive for more details or download the newest user manual from our web site at www.level1.com

1.2 Support Services

Read on for an overview of the different parts of your *MUS-2500 Smart USB Storage*, and summary information on common tasks such as setting up *MUS-2500* and *SmartUSB* utility, connecting to a computer, customizing the backup application you want, managing the private disk, and more.

If you have any problem with the *SmartUSB* utility or need technical support, you can contact your product dealer. The more information you have to give to the support agents, the faster they will be able to address your issue. Alternatively you can visit our website, at <u>http://www.level1.com</u>, for more information and support.

This manual is subject to be changed without notice.

Note: Level One is not responsible for damage to device and/or hard disk drive, or loss and/or damage to files on the hard disk drive, due to improper installation or usage.

Chapter 2 Product Overview

2.1 Package Contents

MUS-2500 Smart USB Storage comes with some accessories. Verify that nothing is missing from the *MUS-2500 Smart USB Storage* package by using the checking list below. Please contact your dealer if anything is missing or damaged. All packing materials are recyclable. Please confirm the items are in the Package below:

- MUS-2500 Smart USB Storage Enclosure (Does not include Hard Disk Drive)
- 2 Rubber Stand
- Certified USB 2.0 Cable
- USB to DC IN Cable
- Screw Pack of 4 Pieces
- **6** Quick Installation Guide

2.2 System Requirements

- Dentium III equivalent processor or higher
- □ Windows 2000 (Server Pack 4)/XP/Windows Server 2003
- □ 128 MB RAM or more as required by Windows
- □ Internet (for system upgrade)

2.3 Physical Description



2.3.1 Mini USB B Type Connector

The Mini USB B type connector is designed for USB 1.1(12 Mbps) or USB 2.0 (480 Mbps) and connects to the PC via certified cable.

2.3.2 USB Hub Ports

The enclosure includes two ports USB 2.0 hub which can be applied to connect various low power consuming USB devices. Besides, if user inserts pen drive or card reader in the ports, *SmartUSB* wizard tool provides an external button function to copy the data from the ports to the internal hard drive of the enclosure.

2.3.3 DC Jack

The enclosure includes a DC Jack that provides extra power input by using the provided USB power adapter cable to connect it to another USB port on your desktop/notebook computer.

2.3.4 Backup Button

The enclosure has an external button. By pressing the button, you can do a backup job or copy the data from the pen drives or card reader in the enclosure's HUB ports to internal hard drive of the enclosure. For more information on how to use the external button, see Chapter 9, "System Setting".

2.3.5 LED Indicators

- *Power LED* is lit while power or PC is applied.
- 2 HD LED blinks indicating that the internal hard disk is accessed.
- **3** USB1 LED is lit while the USB device connects to USB1 Port of the enclosure.
- **USB2** *LED* is lit while the USB device connects to USB2 Port of the enclosure.

2.4 Features

The enclosure provides the following features:

- Deverful Smart Backup Tool
- Built-In Internal 32MB Flash Drive
- Secured Private Disk with User Name and Password
- □ Synchronizing PC Data with Mobile Storage
- Quickly Synchronizing Your Newest Outlook Express Emails
- Built-In Two Ports USB 2.0 Hub
- One Button Backup
- Carry Your PC Application Anywhere:

- Outlook Express
- My Favorites
- My Documents Folder
- Address Book
- □ Multilingual GUI (English, German, Danish, Portuguese, Russian, Traditional Chinese)

Chapter 3 Hardware Setup

1. Press the panel cover up at mark and pull the bottom case off.



2. Insert the HD into the IDE slot. You must carefully align and plug the pins of the hard drive's IDE connector into the sockets of the controller board's IDE adapter in the base case of the enclosure. Do NOT force the pins into their sockets and do NOT try to insert the hard disk at an angle, otherwise you may damage the IDE connector pins.



3. Attach the screws (Silver) to the base and the hard drive.



4. Fix the panel cover on the base.



5. Attach the screws (Black) to the base and the panel cover.



Chapter 4 Using the Enclosure

4.1 Connecting the enclosure

Follow these steps to connect your MUS-2500 Smart USB Storage to computer:

- **1.** Place your 2.5" hard drive into the enclosure. For more information on setting up the enclosure, see Chapter 3, "Hardware Setup".
- 2. Plug the provided USB cable into the PC port in the enclosure. Plug the USB slot into the computer's USB port.



- **3.** You've done everything you need to get your enclosure *MUS-2500* with *SmartUSB* utility up and running. The first time you use your *MUS-2500* with *SmartUSB* utility, the *SmartUSB* utility starts and helps you to enter the application.
- 4. If your hard drive is new or not partitioned, the system will pop up a warning message to remind you to initialize, partition and format your hard drive with file systems FAT, FAT32 or NTFS.

<u>£</u>-----

Note: Some desktop or notebook computers may not be able to run the enclosure properly;

this is due to insufficient power supply from the desktop/notebook's USB port. You must use the provided certified and specified USB cable to connect your enclosure to the computer. You can change other USB ports of your computer to try it again. If the enclosure still fails in starting, you have to use the provided USB power adapter cable to connect the power input of the enclosure to another USB port on your computer; this will provide the additional power needed.

4.2 Removing the enclosure

To safely remove the enclosure, you have to stop two USB Mass Storage devices. The first USB Mass Storage device consists of Generic AUTORUN Disk USB device and Generic Flash Disk USB device. The other Mass Storage device consists of internal Hard Disk drive.

You can double click Supply or Eject Hardware in the taskbar to open a dialogue, and then select the mentioned above USB Mass Storage devices, and click Stop to remove the enclosure.

🍒 Unplug or Eject Hardware	? ×
Select the device you want to unplug or eject, and then click Stop. W Windows notifies you that it is safe to do so unplug the device from yo computer.	
Hardware devices:	
 USB Mass Storage Device Generic AUTORUN Disk USB Device - (H:) Generic Flash Disk USB Device Generic volume - (J:) USB Mass Storage Device SAMSUNG MP0603H USB Device Generic volume - (F:) 	
USB Mass Storage Device at Location 0	
Properties Stop	
Display device components	
Show Unplug/Eject icon on the taskbar	

4.3 How to start *SmartUSB* utility

SmartUSB utility is the application you use with MUS-2500 Smart USB Storage. You can start

your SmartUSB utility by any one of the following:

- Connect the enclosure to your computer, and *SmartUSB* utility opens automatically.
- In My Computer, please double click SMART CD drive and then SmartUSB utility opens

automatically.



- In Windows Explorer, please click SMARTSYS drive. Find the SmartUSB.exe and double

click it to open the SmartUSB utility.

Address 🖃 SMARTSYS (Fi	:)				▼ 🖓 Go
Folders ×				\$	
🗹 Desktop 🛛 🔺					
🗄 🖄 My Documents 📃	Doc	Drivers	System	PLX507.DLL	SmartUSB.exe
🚊 🖳 My Computer					
🕀 🚍 WinXP (C:)					
🕀 😑 DATA (D:)					
🕀 🎦 SMART (E:)					
🖻 🖅 SMARTSYS (I					
- Doc					
- Drivers					
🗄 🛄 System					

4.4 First time to use *SmartUSB* utility

Following the steps below to perform *SmartUSB* utility:

- 1. Open SmartUSB.exe as described in Section 4.3.
- 2. Set up Mobile Storage (MUS-2500 Smart USB Storage): after Welcome window popup,

Smart USB Storage Setting window is displayed.

 Select the internal hard drive of the enclosure or local PC path that you desire to be your mobile storage.

Inst	Install Smart USB Storage								
	Welcome!! Q The wizard will help you install Smart USB Storage. Installation Destination Select a internal hard disk drive of your mobile storage								
		Drive Label	Installation Destinatio	in	Free Space				
	۲	FAT32(I:)	I:\SmartUSB		9.19 GB				
	0	NTFS(J:)	J:\SmartUSB		45.56 GB				
	Select a temporary storage folder from PC (Not recommended!) C:\Program Files\SmartUSB Browse								
				Cancel	OK				

4. Click ^M OK to enter the *SmartUSB* wizard screen.



maintenance.

LEVELONE MUS-2500 SMART USB STORAGE

Backup Back up your files, folders, email, and some settings.	- Mobile Office - Easy To Take, Take Things Easy.	<u>Help</u> <u>About</u>
Secured Private Disk Securely use your private disk by logging in user name and password.	😋 Mobile My Documents 🌏 Mobile Internet Explorer	
PC Sync Tools Synchronize your PC data, email and settings with your mobile storage.	🇊 Mobile Outlook Express	
System Setting Set your button tasks, system path, private disk management and maintenance.	🧐 Mobile Address Book	



Chapter 5 Backup

5.1 How to back up

5.1.1 Create a new backup job

1. Click **Backup** button in the *SmartUSB* wizard screen. The **Backup Job List** window will open.

	n e		BACKUP Smart USB Storage				
Back	up Job	List					Job Info
Exec	ute Multi	ple Backup Jobs					
	GoTo	Job Name	Scheduled	Time	Date	Backup File Loc	
							Job List
							Today Job
•						Þ	Restore Data
	Delete	Job Schedule	Edit J	ob	New Job	ExecuteNow	View Log

- 2. Click 🍢 New Job button. The What to Backup window will be displayed.
 - <u>£</u>-----

Note: Double Click 🦳 button to open Windows Explorer. It will show the location that

your files saved in the Windows Explorer.

- 3. Click ^M My Folders or click ^M My Profile to select the items that you wish to back up.

Note: The *SmartUSB* Utility provides the Job Info for users. It will show Job Name, Copy/Compress Data, Backup Type, Compression Level and Scheduled information. You can click I button to open the page; or click I button to close the page. As you create or edit a backup job, the Job Info will be displayed automatically.

□ My Folders: select the files and the folders that you wish to back up.

Job Name C Copy/Compress Data Use compres Backup Type Compression Level Fastest	ssion, LZMA		heduled None JSB STOR,	A G E
What To Backup?				Job Info
My Folders My Profile		-		
File Name Desktop Desktop Desktop My Computer My Computer My Network Places My Network Places M	File Size 1 KB 1 KB 1 KB	File Type File System Folder System Folder System Folder System Folder Shortcut Text Document Shortcut	Modified 2/28/2006 5:53:42 F 3/28/2006 11:51:42 3/31/2006 4:30:28 F	Job List
				Restore Data
		Previou	s Next	View Log

- □ **My Profile:** select the setting that you wish to back up as follows.
- My Documents: back up *My Documents* folders.

Copy/Compress Data ∪ Backup Type U	ewJobNam ise compres ipdate files astest		SMART U	eduled Non SBS	-	.GE
What To Backup? My Folders My Profile						Job Info
File Name - ♥		File Size	File Type File Folder File Folder Text Document	Modified 3/20/2006 9 3/1 4/2006 1 3/20/2006 9	0:32:4	Job List
My Documents Outlook	Express	Internet Explo	rer Address Book			Restore Data
			Previous	: Ne	ext	View Log

Job Name Compress Data Use compression, LZMA ACKU Scheduled None Backup Type Compression Level Fastest					
What To Backup?				Job Info	
User Name Main Identity	File Name Outlook Express cleanup.log Oeleted Items.dbx Offline.dbx Inbox.dbx Offline.dbx Outlook.dbx Outlook.dbx Sent Items.dbx Sent Items.	File Size 17 KB 58 KB 136 KB 72 KB 138 KB 9 KB 58 KB 58 KB	File Typ File Fol Text Do DBX Fil DBX Fil DBX Fil DBX Fil DBX Fil DBX Fil DBX Fil	Job List	
My Documents Outlook Expres	s Internet Explorer Address Book	J	Þ	Restore Data	
	Previo	ius	Next	View Log	

Outlook Express: back up *Outlook Express* mail folders.

Job Name C Copy/Compress Data Use compres Backup Type Compression Level Fastest	ssion, LZMA		duled None SB Stor4	XGE
What To Backup?				Job Info
My Folders My Profile				
File Name	File Size	File Type	Modified	
 Favorites Links Cannot find server Image: Server	1 KB 1 KB 1 KB 1 KB 1 KB	Shell Favorite Fol File Folder File Folder Internet Shortcut Internet Shortcut Internet Shortcut Internet Shortcut Internet Shortcut	3/14/2006 10:39:3 2/28/2006 5:51:28 2/28/2006 5:38:10 3/14/2006 10:27:1 2/28/2006 8:42:58 2/28/2006 5:51:28 2/28/2006 8:42:58 2/28/2006 5:51:28	Job List
My Documents Outlook Express	Internet Exploi	er Address Book		Restore Data
		Previous	Next	View Log

Internet Explorer: back up My Favorites of Internet Explorer.

• Address Book: back up Address Book file.

Job Name NewJobName Image: Compression of the c							
What To Backup?				Job Info			
My Folders My Profile							
File Name	File Size	File Type	Modified				
■ ■ ➡ Address Book □ ■ Administrator.wa~ □ ■ Administrator.wab ✓ ▲ Administrator.wab	173 КВ 174 КВ	File Folder WA~ File Address Book File	3/2/2006 10:17:10 3/20/2006 9:54:12 3/20/2006 9:54:12	Job List			
My Documents Outlook Express	Internet Explo			Restore Data			
		Previous	Next	View Log			

- 4. Click Next button. The Backup Setting window will be displayed. From this window you get to configure various job-specific setting. For more information on setting preferences, see Section 5.2, "Backup Setting".
- 5. Click ^M Save and Execute to start this backup job or click ^M Save to store the backup job.

5.1.2 Edit an existing backup job

1. Click Backup button in the SmartUSB wizard screen. The Backup Job List window will open.

2. Select the backup job that you wish to edit.

BACKUP Smart USB Storage							
Back	up Job	List					Job Info
Exec	ute Multi	ple Backup Jobs					
	GoTo	Job Name	Scheduled	Time	Date	Backup File Loc	
1.	<u>Q</u>	📄 NewJobName1	No	22:31	2006/02/16	I:\AutoUSB\Back	Job List
2.	<u>Q</u>	🖪 NewJobName2	No	23:44	2006/02/16	I:\AutoUSB\Back	
3.	<u>Q</u>	📄 NewJobName4	No	11:00	2006/02/17	I:\AutoUSB\Back	
4.	9	📄 NewJobName6	No			I:\AutoUSB\Back	
5.	<u>Q</u>	🖪 NewJobName7	No			I:\AutoUSB\Back	Today Job
6.	Q	🛂 NewJobName8	Yes	12:31	On Date: 2006/	I:\AutoUSB\Back	
•						►	Restore Data
	Delete	Job Schedule	Edit J	lob	New Job	ExecuteNow	View Log

3. Click ⁴ Edit Job button.

- Note: When you click Edit Job button, the Job Info will be displayed automatically. It will show Job Name, Copy/Compress Data, Backup Type, Compression Level and Scheduled information for users. You can click 🖾 button to close the page.
- 4. The What to Backup window will be displayed. Click ^M My Folders or My Profile to select the items that you wish to back up.

- 5. Click Section Sect
- 6. Click ^{III} Save and Execute to start this backup job or click ^{III} Save to store the backup job.

5.1.3 Execute one backup job

- **1.** Click **Backup** button in the *SmartUSB* wizard screen. The **Backup Job List** window will be displayed.
- 2. Select the backup job that you wish to execute.
- 3. Click ^{III} Execute Now button to start this backup job.

5.1.4 Execute multiple backup jobs

- Click Backup button in the SmartUSB wizard screen. The Backup Job List window will be displayed.
- 2. Enable *Multiple Jobs Execution* check box.

	BACKUP Smart USB Storage							
Ва	Backup Job List							Job Info
	Exec	ute Multi	ple Backup Jobs					
		GoTo	Job Name	Scheduled	Time	Date	Backup File Loc	
	1.	9	📄 NewJobName1	No	22:31	2006/02/16	I:\AutoUSB\Back	Job List
	2.	9	🖪 NewJobName2	No	23:44	2006/02/16	I:\AutoUSB\Back	
	3.	<u>Q</u>	📄 NewJobName4	No	11:00	2006/02/17	I:\AutoUSB\Back	
	4.	9	📄 NewJobName6	No			I:\AutoUSB\Back	
	5.	<u>Q</u>	🖪 NewJobName7	No			I:\AutoUSB\Back	Today Job
~	6.	9	🗳 NewJobName8	Yes	12:31	On Date: 2006/	I:\AutoUSB\Back	
∎								Restore Data
		Delete	Job Schedule	Edit J	lob	New Job	ExecuteNow	View Log

<u>Æ</u>-----

Note: Click the right button of the mouse; you can see a menu with three options. Click

Select All to select all backup jobs. Click **Clear All** to unselect the backup jobs you selected. Click **Inverse** to select the backup jobs you unselected.

I▼ Execute Multiple Backup Jobs							
	GoTo	Job Name	Scheduled	Time	Date		
1.	9	🗀 NewJobName1	No	22:31	2006/02/16		
2.	9	🖪 NewJobName2	No	23:44	2006/02/16		
3.	<u>Q</u>	🔁 NewJobName4	No	11:00	2006/02/17		
4.	9	📄 NewJobName6	Select All				
5.	Q	NewJobName7	<u>C</u> lear All				
6.	<u>Q</u>	🖸 NewJobName8	Inverse	2:31	On Date: 2006/		

- **3.** Select **Job Index** to indicate the backup jobs that you wish to execute.
- 4. Click ⁴ Execute Now button to start selected backup jobs.

5.2 Backup Setting

5.2.1 Method Setting

Click ^M Backup Method tab and fill out the following setting:

- In the Backup Job Name if field type a name to be assigned to the backup job that you wish to create.
- 2. Select a backup method either using compression or directly copying for the job.
 - **Backup without compression:** directly copy the specified files to the destination path.
 - Backup Type field
 - **Copy and replace files:** Copy all selected files and folders to the destination path and replace them, which have the same name as the files to be added.
 - **Update files:** Update the selected files which are present in the destination path, but the unselected files will be skipped. This method will also copy the selected new files to the destination path.

<u>£</u>-----

Note: By default, the *SmartUSB* utility uses this option to back up your data. If you have no desired option, it is a good idea to select this backup type, which can address most events.

- **Freshen existing files:** Update the specified files which are present in the destination path, but the unspecified files will be skipped.

Note: If this is your first time to perform the SmartUSB utility, we do not suggest

<u>K</u>-----

this option. If using this option, make sure your hard disk has the same file names or folder names, which should not be empty, or the application will not update any files or folders without showing an error message.

- Synchronize files: Update the selected files which are present in the destination and the source path. This method will also copy the selected new files to both the destination and the source path. The unselected files will be skipped.
- **Copy and replace files (remove unspecified files):** Copy all selected files and folders to the destination path and replace them, which will have the same name as the files to be added. But the unselected files in the destination will be removed.
- Update files (remove unspecified files): Update the selected files which are present in the destination path, but the unselected files will be removed. This method will also copy the selected new files to the destination path.
- Overwrite field
 - Ask before overwrite: Ask before overwriting the existing files.
 - **Overwrite without prompt:** Overwrite the existing files without prompt.
 - Skip existing files: Those files which are present are not overwritten.
- Use compression (7z): compress the specified files to the archive in destination path.
 - Backup Type field
 - Add and replace files: Add all specified files, which are not present in the archive.
 Replace the archived files, which have the same name as the files to be added. The unspecified files in the archive will be skipped.
 - Update files: Update the specified files, which are present in the archive, but the

unspecified files will be skipped. This method will also add the specified new files to the archive.

Note: By default, the *SmartUSB* utility uses this option to back up your data. If you have no desired option, it is a good idea to select this backup type, which can address most events.

- **Freshen existing files:** Update the specified files, which are present in the archive, but the unspecified files will be skipped.

Note: If this is your first time to perform the *SmartUSB* utility, we do not suggest this option. If using this option, make sure your hard disk has the same file names and folders, which should not be empty, or the application will not compress any files or folders without showing an error message.

- Add and replace files (remove unspecified files): Add all specified files, which are not present in the archive. Replace archived files, which have the same name as the files to be added. The unspecified files in the archive will be removed.
- Update files (remove unspecified files): Update the specified files which are present in the archive, but the unselected files will be removed. This method will also compress the specified new files to the archive.
- Compression Level field: When creating a new archive, you first need to select the archive format.
 - Fastest: Takes less time to compress, but usually achieve a lower compression ratio.

- Fast: Takes less time to compress, but the compression ratio is higher than Fastest.
- Normal: This format provides better and slower compression than Fast, and it may require more memory.
- **Maximum:** This format provides better and slower compression than **Normal**, and it may require more memory.
- Ultra: This format provides better and slower compression than Maximum, and it may require more memory.
- Password: Press the Password button and enter a password if you wish to encrypt the files being archived.
- **Show Password:** Enable to display the password when you enter the password.
- Advance: Click Advance button and the Backup File Options window will be displayed.
 - In the **Split to Volumes (Bytes)** is field select the desired volume mode to split the backup (compressed) file into several small files with the specified volume size
 - None: volume size is unlimited. In this mode, the maximum file size is constrained by File System as follows:
 - FAT: 2G bytes
 - FAT32: 4G bytes
 - NTFS: not limited
 - Volume_1457664_floppy: volume size is 1.44 MB.
 - Volume_650M_CD: volume size is 650 MB.
 - Volume_700M_CD: volume size is 700 MB.
 - Volume_4480M_DVD: volume size is 4480 MB.

- In the Preserve your backup files options, select your preservation policy.
 - Overwrite: Overwriting the existing backup (compressed) file.
 - Preserve the latest files: Select how many backup (compressed) files that you want to preserve
 - Preserve all files: Preserve all the backup (compressed) files.

5.2.2 Schedule Setting

- **1.** Click **Scheduling Setting** tab and fill in the following setting.
- 2. Enable Make a schedule to perform this job and then select Once or On Interval.
 - Once: Selects the specified date and time to perform backup job
 - **On Interval:** Select **daily**, **weekly** or **monthly**, the corresponding days and the time to perform backup job.

See more information in Section 5.4.

5.2.3 File Location Setting

- **1.** Click ^{III} File Location tab in Backup Setting window.
- 2. In Where to Backup field displays the destination path.
- The Select a location for your backup file group is made up of the following components.
 - Backup to internal hard disk drive of the enclosure: select the internal hard disk drive as your destination drive for the backup job.
 - Backup to your Secured Private Disk: select the secured private disk as your

destination drive for the backup job. If you do not log in the secured private disk, the **login** window will be displayed.

- Backup to PC temporary path (Not Recommended!): browse and select a path in local PC to be the destination for the backup job.

Job NameNewJobNameCopy/Compress DataUse compressBackup TypeUpdate filesCompression LevelFastest	sion, LZMA BAC	KU Schedule ART Weekly Time	ed On Interval	X.GE
How To Backup?				Job Info
Backup Method Scheduling Setting Backup Destination INSmartUSBN Select a location for your backup for Backup to the internal had Disk Drive: FAT32(I:) Backup to Secured Private Backup to PC temporary private	file Ind drive of the enclo Indext Ite Disk		/se	Job List
				Restore Data
	Save and Execute	Previous	Save	View Log

5.3 How to restore

You can restore your files in backup job by the following Steps:

- **1.** Click **Backup** button in the *SmartUSB* wizard screen.
- 2. Click ^M Restore Data. Select the backup job that you wish to restore.

	up Job	List	В		KUP ART USI	8 Stora	G E Job Info
	GoTo	Job Name	Scheduled	Time	Date		Restore Data
1.	<u>s</u>	🔁 NewJobName1	No	22:31	2006/02/16		
2.	Q	🖾 NewJobName2	No	23:44	2006/02/16		
3.	<u>,</u>	📃 NewJobName4	No	11:00	2006/02/17		.
4.	<u>Q</u>	😑 NewJobName6	No				Restore Job
5.	<u>Q</u>	🖪 NewJobName7	No				
6.	Q	🛂 NewJobName8	Yes	12:31	On Date: 2006/		
						Next	View Log

- 3. Click
 ^{III} Next.
- 4. In Which file to Restore window selects the compressed file or folder of the backup job that

you wish to restore.

5. Click ^{III} Next.

6. In What to Restore selects the files or folder in the backup job that you wish to restore.

level one	BACKUP Smart US	B Store	GE
What to Restore?			Job Info
V 🖸 NewJobName8.7z			Restore Data
E ♥ C:			Restore Job
	Previous	Next	View Log

7. Click Setting. For more information on setting preferences, see Section 5.4, "Restore Setting".

BACKUP SMART USB STORA	GE
How To Restore?	Job Info
Backup File: H:\autoUSB\Backup\NewJobName1(200603271803	Restore Data
Restore Type: Update files Overwrite: Overwrite without prompt Where To Restore? © Restore file to original location. © Restore file to alternate location:	Restore Job
Previous Restore Now	View Log

8. Click ^M Restore Now to restore the backup job.

5.3.1 Restore Setting

- □ Backup Job Name: display the backup job name that you wish to restore
- □ Restore Type:
 - **Copy and replace files:** Copy all selected files and folders to the source path and replace them, which will have the same name as the files to be added.
 - **Update files:** Update the selected files which are present in the source path, but the unselected files will be skipped. This method will also copy the selected new files to the source path.



Note: By default, the *SmartUSB* utility uses this option to back up your data. If you have no desired option, it is a good idea to select this backup type, which can address most events.

- **Freshen existing files:** Update the selected files which are present in the source path, but the unselected files will be skipped.

Note: If this is your first time to perform the *SmartUSB* utility, we do not suggest this option. If using this option, make sure your hard disk has the same file names and folders, which should not be empty, or the application could not restore any files or folders but shows an error message.

- Copy and replace files (remove unspecified files): Copy all selected files and folders to the source path and replace them, which have the same name as the files to be added. But the unselected files in the source will be removed.
- Update files (remove unspecified files): Update the selected files which are present in the source path, but the unselected files will be removed. This method will also copy the selected new files to the source path.

• Overwrite field

- Ask before overwrite: Ask before overwriting the existing files.
- **Overwrite without prompt:** Overwrite the existing files without prompt.
- Skip existing files: Those files which are present are not overwritten.

- □ Restore To:
 - Restore files to the original path: Restore the files to source path of backup job.
 - **Restore files to the assigned folder:** Browse your desired folder and restore the files to the folder.

5.4 How to schedule

- Click Backup button in the SmartUSB wizard screen. The Backup Job List window will be displayed.
- 2. Select the backup job that you wish to schedule.
- **3.** Click ^M **Schedule** tab and set up the schedule with the following steps.
- 4. Enable 🗹 Make a schedule to perform this job and then select Once or On Interval.
 - Once: Selects the specified date and time to perform backup job
 - On Interval: Selects daily, weekly or monthly, the corresponding days and the time to perform backup job.

Job NameNewJobName1Copy/Compress DataUse compression, LZMAScheduledOn IntervalBackup TypeUpdate filesWeekly Time00:00RACompression LevelFastestSMARTTime00:00	GE
How To Backup?	Job Info
Backup Method Scheduling Setting File Location ✓ Make a schedule to perform this job Once Run on date: 2006/ 4/20 Hr: Min: ✓ ✓ On Interval Hr: ✓ Min: ✓ ✓ ✓ On Interval Hr: ✓ Min: ✓ ✓ Days of the month: (ex: 1,2,15,, separated by ',') Every week on ✓ Monday Tuesday Wednesday ✓ Thursday Friday Saturday Sunday	Job List
	Restore Data
Save and Execute Previous Save	View Log

Chapter 6 Secured Private Disk

6.1 Create your private disk

- 1. Click Secured Private Disk button in the *SmartUSB* wizard screen.
- 2. The Create New Secured Private Disk window appears requiring you to configure the following setting.
 - In the **Drive Letter** field: select a disk drive you desire.
 - In the **Disk Size** field: type the desired disk size you desire.
 - In **Enable Security** check box: click \checkmark check box to secure your disk.
 - In the **User Name** field: type your desired username.
 - In the **Password** field: type your password.
 - In the Confirm Password field: retype your password again.

Create New Secured Private Disk					
Welcome!! 🖳 The wizard will help you create a new Private Disk.					
Configure Private Disk					
Drive Letter: Z					
Disk Size(MB): 10					
Maximum Space(MB): 4,095					
User Name / Password					
User Name:					
Password:					
Confirm Password:					
Cancel Create					

- 3. Click ^M Create to set up a private disk.
- 4. The Format Dialog appears and asks you to format the hard disk.
- 5. Click ^M Start to begin the format application.
- 6. Click
 ^{III} Close to end.
- 7. Secured Private Disk with Login button will change to Secured Private Disk with

Logout button. It means that you are login the private disk.

6.2 Login your secured private disk

- 1. Click Secured Private Disk with Login button in the SmartUSB wizard screen.
 - In the User Name field: type your desired username to use this disk.
 - In the **Password** field: type your password to use this disk.

Login Secured Private Disk
Please input your user name and password.
User Name:
Password:
Cancel OK

- 2. Click 🌯 OK button to enter your disk.
- **3. Secured Private Disk with Login** button will change to **Secured Private Disk with Logout** button.

6.3 Logout your secured private disk

- 1. Click
 Secured Private Disk with Logout button in the SmartUSB wizard screen.
- 2. Secured Private Disk with Logout button will change to Secured Private Disk with

Login button.

6.4 Delete your secured private disk

- **1.** Click **System Setting** button in the *SmartUSB* wizard screen.
- 2. Click 🌄 Private Disk Management tab.
- 3. Click
 Delete Disk button, then your secured private disk will be removed.

6.5 Change username and password

- **1.** Click **System Setting** button in the *SmartUSB* wizard screen.
- 2. Click ^M Private Disk Management tab.
- 3. Click ^M Change button, then enter the new username and password.
- 4. Click ^M OK to change username and password.

Change User Name And Password	
User Name:	
New User Name / Password	
New User Name:	
New Password:	
Confirm New Password:	
Cancel	ОК

6.6 How to use Backup tool in secured private disk

You can back up your data in secured private disk.

- 1. Click Backup button in the SmartUSB wizard screen.
- 2. Click ^M New Job button or Edit Job button for specified job.
- 3. Click ^{III} File Location tab in How to Backup window.
- Select Backup to your Secured Private Disk: select the secured private disk as your destination drive for the backup job.
- 5. Click Save and Execute button.

6.7 How to use Mobile Office in secured private disk

You can use your Mobile office in secured private disk.

- **1.** Click **System Setting** button in the *SmartUSB* wizard screen.
- 2. Click ^M File Location tab.
- 3. In Change File Location group click Mobile Office tab.
- 4. Click Browse button and select Set the Private Disk drive as the new destination item.
- 5. Click OK button.
- 6. Click Apply button.

Chapter 7 Mobile Office

You can use your mobile applications anywhere.

7.1 Mobile My Documents

- 1. Click ^M My Documents ^(C) button in the *SmartUSB* wizard screen.
- 2. The first time you use the function, **Copy My Documents** window which prompts you to copy the desired files or folders to your Mobile Storage (*MUS-2500 Smart USB Storage*).
 - Click
 Copy button to copy My Documents folder of PC to your Mobile Storage

(MUS-2500 Smart USB Storage) or click
^{III} Cancel button to create an empty My

Documents folder in your Mobile Storage (MUS-2500 Smart USB Storage).

Copy My Documents
Welcome!! Image: Comparison of the storage This is the first time to use Mobile My Documents. The wizard will help you copy My Documents to mobile storage. My Documents Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: Comparison of the storage Image: C
Cancel Copy

3. My Documents folder window will be displayed.

7.2 Mobile Internet Explorer

- 1. Click
 ^{Internet Explorer}
 ^{Internet Explorer}
 ^{Internet Explorer}
 ^{Internet Explorer}
 ^{Internet Explorer}
- 2. The first time you use the function, **Copy My Favorites** window which prompts you to copy the desired files into My Favorites to your Mobile Storage (*MUS-2500 Smart USB Storage*).
 - Click Copy button to copy My Favorites folder of PC to your Mobile Storage
 (MUS-2500 Smart USB Storage) or click Cancel button to create an empty My

Favorites folder in your Mobile Storage (MUS-2500 Smart USB Storage).

Welcome!! (a) This is the first time to use Mo The wizard will help you copy y	lorade
My Favorites	lorage.
 Favorites Favorites Links ✓ Media ✓ Cannot find server ✓ MSN.com ✓ MSN ✓ Radio Station Guide ✓ Web Events 	

3. Mobile Internet Explorer window will be displayed.

7.3 Mobile Outlook Express

1. Click
Outlook Express button in the SmartUSB wizard screen.

- 2. If it is the first time to use this function, **Copy Outlook Express Email** window which prompts you for setup information.
 - Select a user name of PC Outlook Express: Select a user name of PC Outlook Express to represent the mail folder that Outlook Express uses.
 - Create a user name of Mobile Outlook Express: Create a user name of Mobile Outlook
 Express to represent the mail folder that Mobile Outlook Express uses. You can use the two
 methods to determine the user name as follows:
 - Create the same user name as PC: Use the user name which is the same as mentioned above for PC Outlook Express.
 - **Create a new user name:** Type your desired user name to create it.
 - What to copy from PC to mobile storage: Copy the desired mails to Mobile Outlook

Express. The application provides three methods for user to choose the source of mail.

- Copy mail specify date/time: specify the date/time and copy the mail collected from the specified date/time to now.
- **Copy all mail:** It will copy all mail to Mobile Storage (MUS-2500 Smart USB Storage).
- Copy all mail folder files(*.dbx): It will copy all PC mail folder files known as *.dbx files to Mobile Storage (MUS-2500 Smart USB Storage).

Copy Outlo	Copy Outlook Express Email						
This i: The w	Welcome!! This is your first time to use Mobile Outlook Express. The wizard will help you copy email to mobile storage. Select a user name of PC Outlook Express						
Use	r Name	Description	User ID				
💿 Mai	n Identity	Default User; Last Login User;	{DB095922-5E	23-4874-826			
O Use	Create a user name of Mobile Outlook Express Use the same user name as PC. Create a new user name:						
-What to c	opy from PC	to mobile storage					
💿 Cop	y mail specify	/ date/time:					
	Date: 3/28/2006 💌 Hr: 🛛 🜩 Min: 🛛 🌩						
O Cop	🔿 Copy all mail.						
C Cop	Copy all mail folder files(*.dbx).						
			Cancel	Next			

- **3.** If you have used the function previously, then **Login Mobile Outlook Express** window prompts you for selecting a user name to login Mobile Outlook Express.
 - User Name List in Mobile Outlook Express: Select a user name in the list to login Mobile Outlook Express or to delete the mail folder from mobile storage.
 - **Remember user name on login:** If you enable the item, then the system will automatically login this user name next time and never display this window. If you want to login with another user name, you can click **PC Sync Tools**, then click **Outlook Express**

Synchronization. And click Change User Name button in Select a user name of Mobile

Outlook Express group to change user name.

- **Delete:** The system will delete the user name and all of its folders and files.

- Login: Login the Mobile Outlook Express by the user name you selected.
- Cancel: Return to the SmartUSB screen.

ogin Mobile Outlook Express					
⊤Use	r Name List in Mobile (Outlook Express			
F	Remember user name	on login.			
	User Name	Description			
0	Main Identity	Last Login User;			
		Delete	Cancel	Login	

4. Click Login button and then Outlook Express window will be displayed.

7.4 Mobile Address Book

- 1. Click
 Address Book
 button in SmartUSB wizard screen.
- 2. If it is the first time to use the function in your Mobile Storage (MUS-2500 Smart USB Storage), the system will copy the default address book file to the Mobile Storage (MUS-2500 Smart USB Storage) and perform Mobile Address Book. Otherwise, the system will do nothing but open Mobile Address Book directly.

Chapter 8 PC Sync Tools

You can synchronize the data in PC with Mobile Office of MUS-2500 Smart USB Storage (see

Chapter 7).

1. Click **PC Sync Tools** button in the *SmartUSB* wizard screen.

S	Synchroi	nize PC Data with Mobile Office
		select the desired tool to synchronize your data.
		My Documents Synchronization Synchronize My Documents with Mobile My Documents.
	<i>.</i>	Internet Explorer Synchronization Synchronize My Favorites with Mobile Internet Explorer.
	\$	Email Synchronization Synchronize Outlook Express with Mobile Outlook Express.
	0	Address Book Synchronization Synchronize Address Book (WAB) with Mobile Address Book.
		Cancel

2. Click any one of tools to synchronize data:

8.1 My Documents Synchronization

Click My Documents Synchronization

• Sync My Documents With Mobile My Documents window will be displayed.

Synchronize Your Data
🗠 Sync My Documents With Mobile My Documents
The wizard will help you synchronize your data on both PC and mobile storage.
Specify a synchronization direction
Two-way Sync with PC and Mobile My Documents.
$\blacksquare \longleftrightarrow \mathrel{\gtrless}$
O Update the specified files from PC to Mobile My Documents.
$\blacksquare \longrightarrow \diamondsuit$
O Update the specified files from Mobile My Documents to PC.
$\Longrightarrow \longrightarrow \blacksquare$
Cancel Next

- Select an item in **Specify a synchronization direction**
 - □ Two-way sync with PC and Mobile My Documents.
 - □ Update the specified files from PC to Mobile My Documents.
 - □ Update the specified files from Mobile My Documents to PC.

8.2 Internet Explorer Synchronization

Click Internet Explorer Synchronization

• Sync My Favorites With Mobile Internet Explorer window will be displayed.

Synchronize Your Data				
😂 Sync My Favorites With Mobile Internet Explorer				
The wizard will help you synchronize your data on both PC and mobile storage.				
Specify a synchronization direction				
Two-way Sync with PC and Mobile Internet Explorer.				
O Update files from PC to Mobile Internet Explorer.				
$\blacksquare \longrightarrow \diamondsuit$				
O Update files from Mobile Internet Explorer to PC.				
$\Longrightarrow \longrightarrow \blacksquare$				
Cancel Next				

- Select an item in **Specify a synchronization direction**
 - □ Two-way sync with PC and Mobile Internet Explorer.
 - □ Update the specified files from PC to Mobile Internet Explorer.
 - □ Update the specified files from Mobile Internet Explorer to PC.

8.3 Outlook Express Synchronization

Click Outlook Express Synchronization

• Synchronize Your Emails window will be displayed.

ynchi	ronize Your En	nail				
Sele	ct a user name of	PC Outlook Ex	press			
	User Name	Initial PC (The	e parent of the mail folder)		Descripti	on
\odot	Main Identity	Yes			Default U	Jser; Last Lo <u>c</u>
						▶
Sele	ct a user name of	Mobile Outlool	k Express			
	Use the same us					
0	Use last login use	er name:	Main Identity	Chang	e User Na	me
	Create a new use			1		
	Create a new use		J			
What	t to Synchronize-					
•	Update mail since	e the time				
	Date: 3/28	/2006 💌 Hr:	: 0 🜩 Min: 0 🜩			
0	All mail.					
Sele	ct a synchronizati	on direction				
۲	Two-way Sync with	h PC and Mobil	e Storage.	≞	→ 🔗	
0	Update new mail i	from PC to Mob	bile Storage.	▣ —	+ 🛷	
0	Update new mail i	from Mobile Sto	prage to PC.	<i></i>	• 📕	
				Canc	el 📔	Next

- Select a user name of PC Outlook Express: Select a user name of PC Outlook Express to represent the mail folder that your PC Outlook Express uses. If Yes appears in Initial PC, it shows the connected PC is the original source for mail synchronization.
- Select a user name of Mobile Outlook Express: Select or create a user name of Mobile

Outlook Express to represent the mail folder that your Mobile Outlook Express uses. You can use the three methods to determine your desired user name as follows:

- □ Use the same user name as PC: Use the user name which is the same as mentioned above for PC Outlook Express.
- Use last login user name: Use the last login user name for Mobile Outlook Express or click Change User Name button and select from the user name list in Mobile Outlook Express.
- **Create a new user name:** Type your desired user name to create it.
- What to Synchronize: Select what mail to be synchronized. This application provides two methods for the user to choose the source of mail.
 - Copy mail specify date/time: specify the date/time and synchronize the mail collected from the specified date/time to now.
 - □ All mail: It will synchronize all mail to mobile storage.
- Select an item in Specify a Synchronization direction: Select one method to update email on both PC and Mobile Outlook Express.
 - □ Two-way sync with PC and Mobile Storage.
 - □ Update new mail from PC to Mobile Storage.
 - □ Update new mail from Mobile Storage to PC.

8.4 Address Book Synchronization

Click Address Book Synchronization

• Sync Address Book With Mobile Address Book window will be displayed.

Synchronize Your Data
🥸 Sync Address Book With Mobile Address Book
The wizard will help you synchronize your data on both PC and mobile storage.
Specify a synchronization direction
 Update the file from PC to Mobile Address Book
$\blacksquare \longrightarrow \diamondsuit$
C Update the file from Mobile Address Book to PC.
$ \longrightarrow \blacksquare $
Cancel Next

- Select an item in Specify a synchronization direction
 - **Update the file from PC to Mobile Address Book.**
 - □ Update the file from Mobile Address Book to PC.

Chapter 9 System Setting

This Chapter describes how to configure your SmartUSB system.

9.1 General Setting

1. Click	System Setting button in the SmartUSB wizard screen.
🛷 SmartUSB	tility
leve o n	SYSTEM SETTING SMART USB STORAGE
General Pr	rate Disk Management File Location Maintenance
	Use Language Automatically adapt to Windows Language when start to run the utility. Language: English (United States)English
	Autorun Utility
	Set a button task for the external button of mobile storage
	Button Task: None Job Name: Destination: Backup Type:
	Apply Change

- 2. Select what configuration that you want to change:
 - □ Click [■] General tab you can set the configurations as follows:

Use Language:

Automatically adapt to Windows Language when start to run the utility: if you

want to start the utility using Windows Language, enable \checkmark this item.

⇒ Language: You can set the desired language to view the *SmartUSB* wizard tools.

Autorun Utility:

- Enable AutoRun utility when mobile storage is connected: If you want to run the autorun utility when you plug the enclosure (MUS-2500 Smart USB Storage) into PC, enable is item. If not, disable this item to cancel the autorun utility.
- ➡ Hide to small icon in taskbar when closing window: If you disable this item, the SmartUSB Utility will end as soon as you close the window. But if you enable ☑ this item, the window will hide a small icon in the taskbar when you close it. This means that the SmartUSB Utility does not end but it hide's a small icon in the taskbar. You can check the taskbar to find it and click the right mouse button, then click Show Window to display the SmartUSB Utility screen. Or you can click Exit SmartUSB Utility to exit and end the SmartUSB Utility.



Set a button task for the external button of mobile storage: you can set external button to perform any job:

- External Button Job for backup
 - Button Task: Select Do selected Backup Job.
 - Job Name: Click <a>Browse button and then select a backup job that is defined in the backup function.
 - **Destination:** It only displays where to backup for the job.
- External Button Job for hub: You can copy the data from pen drive or card reader in
 USB Hub of the enclosure to internal hard disk drive.
 - Button Task: Select Copy Hub data to SmartUSB.
 - Job Name: Select Copy data from Port 1 of HUB, Copy data from Port 2 of HUB or Copy data from all ports of HUB.
 - **Destination:** It displays where to save for the hub and click the **Open** button to browse it.

 Copy Action: Choose Copy and replace files or Update files. Using Copy and replace files will copy all files and folders to the destination and replace the existing files as new files. Using Update files will update the files that are present in the destination and copy the new files to the destination.

3. Click ^M Apply button to save the settings.

9.2 Private Disk Management

- **1.** Click **System Setting** button in the *SmartUSB* wizard screen.
- 2. Click ^M Private Disk Management tab to set the configurations as follows:

Information: it will display the disk information.

Change Login User Name / Password: You can change user name and password to the private disk.

Delete Private Disk: You can delete your private disk.

	SYSTEM SETTING SMART USB STORAGE
General	Private Disk Management File Location Maintenance
[Information
	Disk Label:
	Disk Size(MB):
	Status: Logout Login
	Location[I:\SmartUSB\AutoUSB Private Disk
	Change Login User Name/Password Change Change your login information, which consists of your user name and password.
	Delete It will delete all data stored on the Private Disk. You should backup data to alternate location first, and logout before you use the function.

File Location 9.3

1. Click **System Setting** button in the *SmartUSB* wizard screen.

- 2. Click ^{III} File Location tab to set the configurations as follows:
 - □ Current File Location: it displays the current system paths for storing backup system

files, private disk data and the Mobile Office application.

Change File Location: you can change the current system paths by clicking the tabs:

System File, Private Disk and Mobile Office.

- Click ⁴ System File tab.
 - i. Click 🌯 Browse button to select which path that you want to change.
 - ii. Select one of Data Backup methods to modify the data:
 - Assign new path: Only creates a new path, and the data in the original path will ⇒

not be deleted.

- Assign new path and copy the data to new path: Creates a new path and copies the data of the original path to the new path. The data in original path will not be deleted.
- Assign new path and remove the data: Creates a new path and the data of the original path will be deleted.
- Assign new path and move the data to new path (remove data in old path):
 Creates a new path and copies the data of the original path to the new path, and then deletes the data of the original path.
- iii. Click 🏴 Apply to set new system path for backup system files.

leve o n e	SYSTEM SETTING SMART USB STORAGE
General Priv	rate Disk Management File Location Maintenance
-Current F	System File: I:\SmartUSB\System
	Private Disk: I:\SmartUSB\AutoUSB Private Disk
	Mobile Office: I:\SmartUSB\MobileOffice
Change F	ile Location
System F	Ile Private Disk Mobile Office
New	Location: Browse
Dat	a Backup: Assign new path and copy the data to new path
	Clear Setting Apply

- Click ^M Private Disk tab.
 - i. Click ⁴ Browse button to select which path that you want to change.

- ii. Select one of Data Backup methods to modify the data:
 - ➡ Create new Private Disk, and keep old: Only creates a new Private Disk, and keeps the old Private Disk.
 - ➡ Create new Private Disk, and copy old disk to new disk: Creates a new Private Disk, and copies the data of old Private Disk to the new Private Disk.
 - Create new Private Disk, and copy old disk to new disk, and remove old disk: Creates a new Private Disk, and copies the date of old Private Disk to the new Private Disk. The data of the old Private Disk will be deleted.
- iii. Click 🍢 Apply to set new system path for backup system files.
- Click Mobile Office tab.
 - i. Click ^M Browse button to select which path that you want to change.
 - ii. Select one of **Data Backup** methods to modify the data:
 - Assign new path: Only creates a new path, and the data in the original path will not be deleted.
 - Assign new path and copy the data to new path: Creates a new path and copies the data of the original path to a new path, and the data in the original path will not be deleted.
 - Assign new path and remove the data: Creates a new path, but the data of the original path will be deleted.
 - Assign new path and move the data to new path (remove data in old path): Creates a new path and copies the data of the original path to a new path, and then deletes the data of the original path.
 - iii. Click 🌯 Apply to set new system path for backup system files.

9.4 Maintenance

1. Click ⁵ System Setting




button in SmartUSB wizard screen.

2. Click 🌄 Maintenance tab:

The application provides three maintenance functions, including Reset configuration,

Recovery original SmartUSB utility, Restore Registry Key and Upgrade SmartUSB utility.



□ Select one of the following functions and click the **Execute** button to upgrade and

maintain your MUS-2500 Smart USB Storage:

- Reset configuration: when the system fails or crashes, you can run this program to reset the configuration back to the default setting. After the program is finished, you have to reset the install path of *SmartUSB* Utility, which is the same step you performed on initial setup of *MUS-2500 Smart USB Storage* with *SmartUSB* utility.
- ⇒ Recover original SmartUSB Utility: if the files in SMARTSYS disk are damaged

and the *SmartUSB* Utility can not be started, you can run this program to recover the damaged files. Before executing this program, the system will prompt you to format the AUTOSYS disk. In the **Format Dialogue**, you can click **Start** to format the disk, or you can click **Close** to cancel it but the recover program will still run.

- Restore Registry Key: if errors occur during the recovery process and Mobile Office, PC's Outlook Express or Address Book could not perform properly. This program can restore PC's Outlook Express or Address Book back to the original status before running Mobile Office.
- ➡ Upgrade SmartUSB Utility: before you perform upgrade, you have to download the new package through Internet. Then click 「…」 in the New Package Location group, select the file location of new package and click OK to upgrade SmartUSB Utility.

Maintenance
Welcome!!
Welcome to use SmartUSB maintenance program. The wizard would help you reset, recover, or upgrade your SmartUSB utility.
Launch SmartUSB Utility when finished
C Reset SmartUSB Utility
Once running the reset program would reload default system configuration, and you should reinstall the SmartUSB.
C Recover SmartUSB Utility
Running the recovery program to replace the SmartUSB Utility with older version of a package.
C Restore Registry Key Value
Restore PC's Registry key values, which used before running autoUSB utility, in system crashing case.
Upgrade SmartUSB Utility
Please select a new package to run the upgrade program.
New Package Location
Cancel OK

Chapter 10 External Button and USB HUB

MUS-2500 Smart USB Storage includes an external button which can be applied to do the Backup job and Hub copy job. So, just one touch, the *SmartUSB* utility will perform the backup job based on the rules you define or copy the data from the pen drive or the card reader connected to the enclosure. If you want to stop the running-copy job, you can touch the external button again to cancel the job.

10.1 Set the external button

- Click System Setting button in the *SmartUSB* wizard screen.
- Click General tab, and set external button to perform any job in Set a button task for the external button of mobile storage group.
- B It can be applied to do the following tasks:
 - Backup job: configure the Button Task, Job Name and Destination to define the external button.
 - Hub copy job: configure the Button Task, Job Name, Destination and Backup
 Type to define the external button.
 - Button Task: select Copy Hub data to Mobile Storage
 - Job Name: select the one of the following items:
 - Copy data from port 1 of HUB: copy the data of pen drive inserted in port1 to mobile storage (MUS-2500 Smart USB Storage).
 - Copy data from port 2 of HUB: copy the data of pen drive inserted in port2 to mobile storage (MUS-2500 Smart USB Storage).
 - **Copy data from all ports of HUB:** copy the data of pen drives inserted in port1 and port2 to mobile storage (*MUS-2500 Smart USB Storage*).

• **Destination:** display the destination path that your files in pen drive saved in.

You can double click **Browse** icon to open Windows Explorer.

- **Backup Type:** select the one of the following items:
 - **Copy and replace files:** Copy all selected files and folders to the destination path and replace them, which have the same name as the files to be added.
 - **Update files:** Update the selected files which are present in the destination path, but the unselected files will be skipped. This method will also copy the selected new files to the destination path.

-Use Language		y adapt to Windows Language when start to run	the utility.
	Language:	English (United States)English	-
-Autorun Utility	/	0.	
	Enable Autol	Run utility when mobile storage is connected.	
	Hide to sma	ll icon in taskbar when closing window.	
Set a button ta	ask for the e	external button of mobile storage	
B	Jutton Task:	Copy HUB data to Mobile Storage	•
	Job Name:	Copy data from port1 of HUB	•
E	Destination:	F:\SmartUSB\Backup\HUB\Port1	
Ba	ackup Type:	Copy and replace files	_
Apply Change			
Apply	1		

• Click **Apply** button to save the settings.

10.2 Use the button

• Press the button to start the job: hear a short ring and start the job.

2 Press the button again to stop the job: hear a beep and stop the job

Chapter 11 Trouble Shooting

11.1 Frequently-asked questions

This following is a list of possible situations that may arise during the use of your *SmartUSB*. Easy answers and solutions are provided for each one.

Hardware Problems

- Q: What can I do if the power is inadequate?
- A: You have to use the certified USB cable we provided. You can also try to connect the cable to another USB adaptor on your computer. If the enclosure still can not work, please use the AC adaptor we provided and connect it to DC-IN socket to improve the power supply.
- Q: What can I do if I remove the system files accidentally?
- A: You can run the recovery program to fix it. For more information on maintaining the program, see Chapter 9, "System Setting", in User Manual.
- Q: What can I do if the virtual CD (a disk named AUTO) is missing?
- A: It can be caused by the damaged flash. Please contact your product reseller to fix it.
- **Q:** What can I do if the system shows the message of "Your disk is not partitioned or not ready"?
- A: You can use the Disk Management provided by Windows to view the state of the hard disk in the enclosure. You can use it to partition and format your hard disk, See Windows Help for more details. If you can not find any information about the hard disk, this means that you

have not set up the hard disk or the hard disk is damaged.

- Q: What can I do if I can not find the AUTOSYS or AUTO drive ?
- A: Please contact your product reseller to fix it.

Install and Perform SmartUSB Utility

- **Q:** Why does the *SmartUSB* Utility not perform automatically when I connect it to the computer?
- A: In general, the *SmartUSB* Utility will perform automatically when you connect the *SmartUSB* to the computer unless you changed the system setting to disable this function. You can double click SmartUSB.exe in SMARTSYS drive to start *SmartUSB* Utility. Then click **System Setting**, and click the **General** tab. Find the option of "**Enable AutoRun utility when mobile storage is connected**" and enable it to change the setting.
- Q: How to cancel the autorun function?
- A: You can click System Setting, and click the General tab. Find the option "Enable
 AutoRun utility when mobile storage is connected" and disable it to change the setting.
 When you connect the *SmartUSB* to the computer next time, the *SmartUSB* Utility will not perform automatically.
- **Q:** When I double click SmartUSB.exe in SMARTSYS drive, why does the *SmartUSB* Utility screen not show up?
- A: Please check whether you have performed the utility. You can look for the *SmartUSB* Utility small icon in the Windows taskbar. If you can find the small icon it means that the utility is still in process. You can click the right mouse button, and select **Show Window** to open the

SmartUSB Utility screen. Or select Exit SmartUSB Utility to end the program.

- Q: Why does the SmartUSB Utility continue to run when I press the close button?
- A: Please click System Setting in the utility screen, and check the option "Hide to small icon in taskbar when closing window". When you enable this option, the utility will hide the small icon in the taskbar when you close window. If you disable this option, the utility will end when you press the close button.

Reset / Recovery / Upgrade Utility

- Q: When do I perform Reset configuration program?
- A: If you want to reset *SmartUSB* for any reason, you can perform this program to reset the configuration back to the default setting. After the program has finished, the system will show the "Mobile USB Storage setting" page and ask you to set the path.

Q: When do I perform Recover original SmartUSB Utility program?

- A: If the utility upgrade failed or you accidentally deleted the system files in the AUTOSYS drive, causing the utility to work abnormal, you can run this program to recover the utility back to the default setting. The program will format the AUTOSYS drive. So if you have data saved in AUTOSYS drive, please backup your data to another location to ensure no loss of data. If recovery is successful, you can run the utility and reset the path in the **"Mobile USB Storage setting"** page.
- Q: When do I perform Restore Registry Key program?
- A: If errors occur when you run any function of Mobile Office, you must perform the **Restore Registry Key** program to recover some registry key values from the errors.

- Q: Where can I download the new package?
- A: You can visit the Website at www.level1.com for additional information and product support. You have to download the new package to your PC or hard disk so that you can upgrade the utility.

You can see Section 9.4 in Chapter 9, "Maintenance", in User Manual for more information to these questions.

Backup or restore Data

- Q: When I delete a backup job, the system asks me whether I will login the private disk or not?
- A: That is because the system found data that you already backed up and prompts you to delete the data in the private disk. If you cancel and do not login, the data saved in the private disk will not be deleted.
- Q: How can I know the performance result of scheduled backup job?
- **A:** You can click Backup in the SmartUSB Utility screen, and the "Backup Job List" window will be displayed. Then click View Log to see all the performance results of backup jobs.

Note: you have to open the *SmartUSB* Utility, or the schedule will not be performed.

9 Use private disk

- Q: What can I do if I forget the User name and Password of private disk?
- A: Because the User name and Password are set by users, please keep them safe. We can not provide any support for you.

- **Q:** I forgot to backup the data to other disk when I deleted the private disk. What can I do to recover the data?
- A: Once the private disk had been deleted, it can not be recovered. It is important to backup your data on a regular basis in a location other than the private disk.
- Q: Can I login multiple private disk, each of different path, at the same time?
- A: If you create multiple private disks in different paths, you can only login to one private disk at a time. You can click **System Setting**, and click the **Private Disk** tab to view the state and location of the private disk.

O Use Mobile Office

- Q: How can I update the data of the PC or the MUS-2500 Smart USB Storage?
- A: You can click **PC Sync Tools** in the *SmartUSB* Utility screen. Then click any one of Sync tools to synchronize data in one-way or in two-way.
- Q: Can I use other user name to login Mobile Outlook Express?
- A: As you perform Mobile Outlook Express, you can use any user name to login. If the Login Mobile Outlook Express does not display, it means that you had disabled the option of "Remember user name on login" in the "Login Mobile Outlook Express" page, so that the system automatically login the Mobile Outlook Express by this user name. You can change the option value by following steps:
 - Click PC Sync Tools, then click Outlook Express Synchronization, the "Copy Outlook Express Emails" window will be displayed.
 - ii. Click Change User Name button, the "Login Mobile Outlook Express" window will

be displayed.

iii. Disable the option of "Remember user name on login".

When you perform **Mobile Outlook Express** next time, you can select other user name to login.

- **Q:** Why does the Windows system ask me to reselect a username to login to Outlook Express?
- A: That is because the last time you used Mobile Outlook Express, the program had been terminated, leading to errors in the PC registry. You can run the **Restore Registry Key** program to recover some registry key values.

11.2 Error messages

If you receive an error message, note the message and take the corrective action. The following table lists the error messages with the recommended course of action.

Message ID	Error Message Description	
10001	Windows does not detect the <i>MUS-2500 Smart USB Storage</i> hardware. Please check the enclosure has connected properly, and assure that the hardware has not been damaged or broken.	
10002	Your hard disk needs to be formatted first. You can use" Disk Management " provided by Windows to format your disk. Open " Control Panel ", and double click " Administratvie Tools ". Then double click " Computer Management ", and select " Disk Management " to perform the format program. You can see Windows Help for more information.	

10003	Internal system flash is not found. The hardware could be damaged or broken.
10004	The file or folder location is invalid.
10005	The file or folder location is invalid. Save job setting failed.
10006	The file or folder location can not be created.
10007	The file location is invalid.
10008	Please type a value in the specified field.
10009	The value of the number in the specified filed must be an integer.
10010	The value of the number must be in a valid range.
10011	Please specify a valid path.
10012	Please specify the file location.
10013	Delete failed.
10014	Delete successfully.
10015	Copy data failed.
10016	Save data failed.
10017	Save data successfully.
10018	Do not use the characters of "\\", "/", ":", "*", "?", """, "<", ">", " " and "." to name a file.
10019	A backup job is in progress now, please update new path later.
10020	The system detects that there is a backup job in progress.
10021	Updating system path now, please perform the backup job later.
10022	Please end the backup or restore process.
10023	Error occurs while showing the compression file content.
10024	Date must be after Today.
10025	Please create a new name for the job.
10020	The system detects an existed file, which have same name as file to be added. If you
10026	want to overwrite it, click "Yes". If not, click "Cancel".

10027	A job name you specified is existence. Please specify a different job name.	
	Are you sure you want to delete the job and all of the relative settings and backup	
	files? If you want to delete, click " Yes ". If not, click " Cancel ".	
10000	Warning: If you have backup files saved in the private disk, the system will ask you	
10028	whether you want to login the private disk or not. If you click "Yes", your backup files in	
	the private disk will be deleted. If you click "Cancel", your backup files will not be	
	deleted.	
10020	The system prompts you for assuring whether you want to remove the user name and	
10029	delete all its emails or not?	
10030	Please specify an alternated location to restore data.	
10031	Please specify the folder or file to backup.	
10032	Please specify the folder or file to restore.	
10033	Please specify a backup job to perform.	
10034	Please specify a log file.	
10035	Please specify a restore file.	
10026	The file location you insert is invalid. If you want to save the value, click "Yes". If you	
10036	want change the file location, click "Cancel" and select a new valid location.	
10037	No backup job selected.	
10038	There are no logs to delete.	
10039	There are no jobs to show.	
10040	There are no logs to show.	
10041	There is no data to show.	
10042	The user name you selected can not be removed.	
10043	You have never performed the Mobile Outlook Express. The system can not find any	
10043	user name.	

10044	Please specify a synchronization direction.
10045	PC's My Documents folder does not exist.
10046	Sync PC's Address Book with Mobile Address Book failed.
10047	Sync PC's Address Book with Mobile Address Book successfully.
10048	Sync PC's My Documents with Mobile My Documents failed.
10049	Sync PC's My Favorites with Mobile Internet Explorer failed.
	The system finds that the Mobile Address Book is in process. If you want to terminate
	the system, please end the Mobile Address Book at first lest the data might be
10050	missing. If you click " Yes ", the system will terminate itself and Mobile Address Book. If
	you do not want to terminate the system, click "Cancel".
	As the program of update or synchronization is finished, the system will respond how
10051	many files of PC's My Favorites had been updated successfully.
40050	As the program of update or synchronization is finished, the system will respond how
10052	many files of PC's My Document had been updated successfully.
40052	As the program of update or synchronization is finished, the system will respond how
10053	many files of Mobile Internet Explorer had been updated successfully.
	As the program of update or synchronization is finished, the system will respond how
10054	many files of PC's My Document and Mobile Internet Explorer had been updated
	successfully.
	As the program of update or synchronization has down, the system will respond how
10055	many files of Mobile My Document and PC's My Favorites had been updated
	successfully.
10050	As the program of update or synchronization has down, the system will respond how
10056	many files of Mobile My Document had been updated successfully.
10057	The system detects that you had pressed the External Button. This external button can

	be set to perform a specified job, but you have not defined it. You can open the
	"System Setting", and configure the options in "General" tab.
10058	The system detects that you had pressed the External Button. This external button can
	be set to perform a specified job, but you have not defined it. If you want to set the
	External Button to perform a specified job, click "Yes"; if not, click "Cancel".
10059	You have not created the Private Disk.
10060	The Private Disk does not exist.
10061	Please login the Private Disk first.
10062	Please logout the Private Disk first.
10063	You are already login.
40004	The system detects that the Mobile Office location are set in the Private Disk. You
10064	should login Private Disk first to use Mobile Office.
	Some backup files are stored in Private Disk. If you want to delete or restore these
10065	files, you have to login Private Disk at first. Login Private Disk, please click "Yes"; or
	click " Cancel " to call off.
40000	The Mobile Office is installed on the Private Disk. Do you want to login Private Disk
10066	now?
10067	Please input your new user name.
10068	The password must be at least 6 characters long.
10069	The user name must be at least 4 characters long.
10070	The password you typed do not match.
10071	The user name or password you typed is wrong.
10072	Change login data successfully.
10073	Login Private Disk failed. Please restart your PC and try it again.
10074	Logout the Private Disk failed.
I	

The system will ask you if you want to delete the Private Disk in specified location. If you want to delete it, click "Yes"; if not, click "Cancel". Warning: As you delete the Private Disk, all of its files will also be deleted. Before you do it, please backup the files to other storages.10076The new path you selected is the same location as the old one. Please select an alternative path.10077The install path of Backup System File is invalid. Please select a valid location in System Configuration.10078The install path of Mobile Office is invalid. Please select an alternative path.10079The install path of Mobile Office is invalid. Please select a valid location in System Configuration.10080Reset failed, SmartUSB def does not exist.10081Reset failed, SmartUSB def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error.10084Function ChkWhenFormis_fBkJobDroperty() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10085Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error.10086Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10086Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*> Error. This is a serious problem, please contact your product reseller for resolving this<br< th=""><th></th><th></th></br<></tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjobproperty*></tfbkjoblist*></tfbkjobproperty*>		
10075Warning: As you delete the Private Disk, all of its files will also be deleted. Before you do it, please backup the files to other storages.10076The new path you selected is the same location as the old one. Please select an alternative path.10077The install path of Backup System File is invalid. Please select a valid location in System Configuration.10078The install path of Mobile Office is invalid. Please select an alternative path.10079The install path of Mobile Office is invalid. Please select a valid location in System Configuration.10080The install path of Mobile Office is invalid. Please select a valid location in System Configuration.10081Reset failed, SmartUSB.def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10085Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.</tfbkjoblist*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*>	10075	The system will ask you if you want to delete the Private Disk in specified location. If
Warning: As you delete the Private Disk, all of its files will also be deleted. Before you do it, please backup the files to other storages. 10076 The new path you selected is the same location as the old one. Please select an alternative path. 10077 The install path of Backup System File is invalid. Please select a valid location in System Configuration. 10078 The install path of Mobile Office is invalid. Please select a valid location in System Configuration. 10079 The install path of Mobile Office is invalid. Please select a valid location in System Configuration. 10080 The install path of Private Disk is invalid. Please select a valid location in System Configuration. 10080 Reset failed, SmartUSB.def does not exist. 10081 Reset failed, SmartUSB.def does not exist. 10082 Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem. 10083 Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjoblist*> Error. 10084 Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. 10084 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*> 10085 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*>		you want to delete it, click "Yes"; if not, click "Cancel".
10076 The new path you selected is the same location as the old one. Please select an alternative path. 10077 The install path of Backup System File is invalid. Please select a valid location in System Configuration. 10078 The install path of Mobile Office is invalid. Please select an alternative path. 10079 The install path of Mobile Office is invalid. Please select an alternative path. 10079 The install path of Mobile Office is invalid. Please select a valid location in System Configuration. 10080 The install path of Private Disk is invalid. Please select a valid location in System Configuration. 10080 Reset failed, SmartUSB.def does not exist. 10081 Reset failed, SmartUSB.def does not exist. 10082 Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem. 10083 Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjoblist*> Error. 10084 Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. 10084 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*> 10085 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*>		Warning: As you delete the Private Disk, all of its files will also be deleted. Before you
10076alternative path.10077The install path of Backup System File is invalid. Please select a valid location in System Configuration.10078The install path of Mobile Office is invalid. Please select an alternative path.10079The install path of Mobile Office is invalid. Please select a valid location in System Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10080Reset failed, SmartUSB.def does not exist.10081Reset failed, SmartUSB.def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10085Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*></tfbkjobproperty*>		do it, please backup the files to other storages.
alternative path.10077The install path of Backup System File is invalid. Please select a valid location in System Configuration.10078The install path of Mobile Office is invalid. Please select an alternative path.10079The install path of Mobile Office is invalid. Please select a valid location in System Configuration.10079The install path of Private Disk is invalid. Please select a valid location in System Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10081Reset failed, SmartUSB.def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*></tfbkjobproperty*>	40070	The new path you selected is the same location as the old one. Please select an
10077System Configuration.10078The install path of Mobile Office is invalid. Please select an alternative path.10079The install path of Mobile Office is invalid. Please select a valid location in System Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10081Reset failed, SmartUSB.def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*>10085Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjobproperty*></tfbkjobproperty*>	10076	alternative path.
System Configuration.10078The install path of Mobile Office is invalid. Please select an alternative path.10079The install path of Mobile Office is invalid. Please select a valid location in System Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10080Reset failed, SmartUSB.def does not exist.10081Reset failed, SmartUSB.def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*></tfbkjobproperty*>	40077	The install path of Backup System File is invalid. Please select a valid location in
10079The install path of Mobile Office is invalid. Please select a valid location in System Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10081Reset failed, SmartUSB.def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10085Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*></tfbkjobproperty*>	10077	System Configuration.
10079Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10081Reset failed, SmartUSB.def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error.10084Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*> problem.</tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*></tfbkjobproperty*>	10078	The install path of Mobile Office is invalid. Please select an alternative path.
Configuration.10080The install path of Private Disk is invalid. Please select a valid location in System Configuration.10081Reset failed, SmartUSB.def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10085Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*></tfbkjobproperty*>	40070	The install path of Mobile Office is invalid. Please select a valid location in System
10080Configuration.10081Reset failed, SmartUSB.def does not exist.10081Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10082Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*>10085Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*></tfbkjobproperty*></tfbkjobproperty*>	10079	Configuration.
Configuration.10081Reset failed, SmartUSB.def does not exist.10082Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10085Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*></tfbkjobproperty*>	10080	The install path of Private Disk is invalid. Please select a valid location in System
Image:	10060	Configuration.
10082error. This is a serious problem, please contact your product reseller for resolving this problem.10083Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. This is a serious problem, please contact your product reseller for resolving this problem.10084Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*>10085Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*>	10081	Reset failed, SmartUSB.def does not exist.
problem. 10083 Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*> error. This is a serious problem, please contact your product reseller for resolving this problem. 10084 Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. 10084 Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. 10085 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*></tfbkjobproperty*>		Function ChkWhenExecTypeis_Frequency() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*>
image:	10082	error. This is a serious problem, please contact your product reseller for resolving this
10083 error. This is a serious problem, please contact your product reseller for resolving this problem. 10084 Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. 10084 This is a serious problem, please contact your product reseller for resolving this problem. 10084 Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. 10084 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*> 10085 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*></tfbkjoblist*>		problem.
problem. Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error. 10084 This is a serious problem, please contact your product reseller for resolving this problem. 10085 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*></tfbkjoblist*>		Function ChkWhenExecTypeis_OnSomeday() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*>
Image: Provide the second s	10083	error. This is a serious problem, please contact your product reseller for resolving this
10084 This is a serious problem, please contact your product reseller for resolving this problem. 10085 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*>		problem.
problem. 10085 Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*>		Function ChkWhenFormis_fBkJobList() : dynamic_cast <tfbkjoblist*> Error.</tfbkjoblist*>
Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*> 10085</tfbkjobproperty*>	10084	This is a serious problem, please contact your product reseller for resolving this
10085		problem.
	10095	Function ChkWhenFormis_fBkJobProperty() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*>
	10085	Error. This is a serious problem, please contact your product reseller for resolving this

	problem.
	Function ChkWhenFormis_fListResotreJob() : dynamic_cast <tflistresotrejob*></tflistresotrejob*>
10086	Error. This is a serious problem, please contact your product reseller for resolving this
	problem.
	Function ChkWhenFormis_fRestoreProperty() : dynamic_cast <tfrestoreproperty*></tfrestoreproperty*>
10087	Error. This is a serious problem, please contact your product reseller for resolving this
	problem.
	Function ChkWhenFormis_fShowHistory() : dynamic_cast <tfshowhistory*> Error.</tfshowhistory*>
10088	This is a serious problem, please contact your product reseller for resolving this
	problem.
	Function ChkWhenFormis_fShowRestoreFiles() : dynamic_cast
10089	<tfshowrestorefiles*> Error.This is a serious problem; please contact your product</tfshowrestorefiles*>
	reseller for resolving this problem.
	Function ChkWhenFrequencyis_EveryMonth() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*>
10090	error. This is a serious problem; please contact your product reseller for resolving this
	problem.
	Function ChkWhenFrequencyis_EveryWeek() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*>
10091	error. This is a serious problem; please contact your product reseller for resolving this
	problem.
	Function DeleteHistoryLog() : dynamic_cast <tfshowhistory*> Error.</tfshowhistory*>
10092	This is a serious problem; please contact your product reseller for resolving this
	problem.
	Function fBackupManager_BtnAdd2ScheClick() : dynamic_cast <tfbkjoblist*> Error.</tfbkjoblist*>
10093	This is a serious problem; please contact your product reseller for resolving this
	problem.

	Function fBackupManager_BtnApply1Click() : dynamic_cast <tfbkjoblist*> Error.</tfbkjoblist*>
10094	This is a serious problem; please contact your product reseller for resolving this
	problem.
	Function fBackupManager_BtnApply1Click() : dynamic_cast <tfbkjobproperty*></tfbkjobproperty*>
10095	Error. This is a serious problem; please contact your product reseller for resolving this
	problem.
	Function fBackupManager_BtnEditJobClick() : dynamic_cast <tfbkjoblist*> Error.</tfbkjoblist*>
10096	This is a serious problem; please contact your product reseller for resolving this
	problem.
	Function fBackupManager_BtnNext1Click() : dynamic_cast <tfbkjoblist*> Error.</tfbkjoblist*>
10097	This is a serious problem; please contact your product reseller for resolving this
	problem.
	Function fBackupManager_BtnNext1Click() : dynamic_cast <tflistresotrejob*></tflistresotrejob*>
10098	Error. This is a serious problem; please contact your product reseller for resolving this
	problem.
	Function fBackupManager_BtnNext1Click() : dynamic_cast
10099	<tfopenvirtualtreeexplor*> Error. This is a serious problem; please contact your</tfopenvirtualtreeexplor*>
	product reseller for resolving this problem.
	Function fBackupManager_BtnNext1Click() : dynamic_cast <tftodayjobs*> Error.</tftodayjobs*>
10100	This is a serious problem; please contact your product reseller for resolving this
	problem.
	Function fBackupManager_BtnPrevious1Click() : dynamic_cast <tfshowhistory*></tfshowhistory*>
10101	Error. This is a serious problem; please contact your product reseller for resolving this
	problem.
10102	Function SaveCheckedNodeToFile() : dynamic_cast <tfopenvirtualtreeexplor*></tfopenvirtualtreeexplor*>

	Error. This is a serious problem; please contact your product reseller for resolving this
	problem.
10103	Function SaveJobPropertysTo_thisJob() : dynamic_cast <tfbkjobproperty*> Error.</tfbkjobproperty*>
	This is a serious problem; please contact your product reseller for resolving this
	problem.
10104	Function SaveRestoreCheckedNodeToFile() : dynamic_cast <tfshowrestorefiles*></tfshowrestorefiles*>
	Error. This is a serious problem, please contact your product reseller for resolving this
	problem.
10105	Change login data is canceled.
10106	Copy data is canceled.
10107	Copy PC's My Documents data is canceled.
10108	Copy PC's My Favorites data is canceled.
10109	Input a date to perform the job.
10110	My Documents Sync task was canceled.
10111	My IE Favorites Sync task was canceled.
10112	The install path of SmartUSB you selected the last time is invalid. You have to select a
	new path for installation.
10113	Copy PC's My Documents data failed.
10114	Copy PC's My Favorites data failed.
10115	Window95, Windows98, Windows ME or Winodws NT are not be supported by
	SmartUSB.
10116	The files in the specified location are not found. The program can not be started.
10117	The files in the specified location are not found. The program would close itself.
10118	Error occurs while running the resetting program, leading to a failure of resetting.
10119	The system is going to recovery the SmartUSB Utility as an original version. But error

	occurs while running the program, leading to a failure of recovery.
10120	Recovery the SmartUSB Utility back to an original version successfully.
10121	The system is going to upgrade the SmartUSB Utility. But error occurs while running
	the program, leading to a failure of upgrade.
10122	Upgrade the SmartUSB Utility successfully.
10123	You cancel the backup job.
10124	Error occurs while running the program.
10125	You cancel the restore job.
10126	There are no files to backup.
10127	The backup job is in progress. The system will cancel the original schedules.
10128	Updating the system path now. The system will cancel the original schedules.
10129	There are no files in this backup job can be restored.
10130	Please end the SmartUSB Utility so that it can be reset, restore or upgrade.
10131	Your disk is not partitioned or not ready. If you want to redetect the disk, click "Retry";
	if not, click " Cancel ".
10132	The system can not find your enclosure. If you want to redetect the enclosure, click
	"Retry"; if not, click "Cancel".
10133	Import registry failed.
10134	Import registry successfully.

